

10.40.10.190: KIRK Wireless Server 600v3

Configuration
General
IP
ETH0
ETH1
LDAP
DECT
Administration
DECT
PBX
Gateway
Download
Upload
Diagnostics
Reset

System Master Features Radio admin

Name

Pwd

Sys-Mask

Subscriptions

Tones

Local R-Key/Display Handling

No Transfer on Hangup

No Display of Date and Time

Coder Preferences

General Coder Preference Framesize [ms] Silence Compression Exclusive

Local Network Coder Framesize [ms] Silence Compression

Enable Secure RTP

10.40.10.190: KIRK Wireless Server 600v3

Configuration
General
IP
ETH0
ETH1
LDAP
DECT
Administration
DECT
PBX
Gateway
Download
Upload
Diagnostics
Reset

Mode

Protocol

Proxy

Alt-Proxy

Domain

Registrations per second

Enbloc Dialing

Send inband DTMF

Allow DTMF through RTP

Enable messaging to PBX

Idle Display Update

Disable broadcast delay

Response timeout

SIP Interop Tweaks

Registration time-to-live (expires) sec

STUN Server

Hold Signaling

Hold before Transfer

Accept INVITE's from anywhere

Name for Authentication

KPML support

LDAP Directory Search

Enable directory search

Server	<input type="text"/>	Dialing Location	
User	<input type="text"/>	Country Code	<input type="text"/>
Password	<input type="text"/>	Area Code	<input type="text"/>
Search Base	<input type="text"/>	National Prefix	<input type="text"/> (carrier specific)
Name Attributes	<input type="text"/>	International Prefix	<input type="text"/> (carrier specific)
Number Attributes	<input type="text"/>	External Line	<input type="text"/> (pbx specific)
		Subscriber Numbers	<input type="text"/> (pbx specific)

Registration for anonymous devices

Registration Name / Number /

Deactivate Master if no connection

10.40.10.190: KIRK Wireless Server 600v3

Configuration
General
IP
ETH0
ETH1
LDAP
DECT

Administration
DECT
PBX
Gateway
Download
Upload
Diagnostics
Reset

Users	Unknown	Radios	Master-Calls	Radio-Calls	Handover	Radio	admin
--------------	---------	--------	--------------	-------------	----------	-------	-------

[show](#)
[new](#)

Long Name	Name	No	Rights	Fty	Display	IPEI	AC	Prod.	SW	Registration
UA-EK-Test	881	881	+	+	UA-EK-Test	000770585627	1234	14141201	12V	10.40.10.200

Users: 1, Registrations: 1