

Untitled

```
Jan 21 12:24:59 192.168.1.64 0121122459|sip |1|00|CTcpSocket::SendData TCP
queuedTxData = 873 TotalLen 16 loop count 1 maxQueueDepth 40000
Jan 21 12:25:05 192.168.1.64 0121122505|dns |1|00|doDnsLookupForList for record
A: hostname '192.168.1.70' attempting..
Jan 21 12:25:05 192.168.1.64 0121122505|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '192.168.1.70'
Jan 21 12:25:13 192.168.1.64 0121122513|sip |1|00|Server State finished OPTIONS
(0xa6f5e0)
Jan 21 12:25:13 192.168.1.64 0121122513|sip |3|00|CUser::TimeOut500ms:
Destroying NoCall object 'Unknown' of type 'CCallNoCall' (0xa5ca54)
Jan 21 12:25:13 192.168.1.64 0121122513|sip |3|00|CCallNoCall::NewCallState
'Unknown'->'Idle' (0xa5ca54)
Jan 21 12:25:33 192.168.1.64 0121122533|sip |3|00|NoCall::TimeOut500ms
'Registering' m_nExpire == 0 RegisterCall -> Schedule Register listSize 0
lTimeout 0
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|Shedule 'Register' busyFlag 0
num events waiting 0
Jan 21 12:25:33 192.168.1.64 0121122533|sip |2|00|new UA Client Non-INVITE
trans state 'callingTrying', timeout=0 (0x40e044c8)
Jan 21 12:25:33 192.168.1.64 0121122533|sip |3|00|RegClient:RegClient expire 66
overlap 0
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|CreateFailOverProxyList : Reg
to Domain 'sip.ringcentral.co.uk' nPort 5090
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|CreateFailOverProxyList : For
REGISTER Request nPort 5090
Jan 21 12:25:33 192.168.1.64 0121122533|dns
|1|00|doDnsSrvLookupForARecordList(tcp): Doing DNS lookup (port 5090)
Jan 21 12:25:33 192.168.1.64 0121122533|dns |1|00|doDnsLookupForList for record
A: hostname 'sip411.ringcentral.co.uk' attempting..
Jan 21 12:25:33 192.168.1.64 0121122533|dns |2|00|Hit in Dynamic DNS cache for
sip411.ringcentral.co.uk(A) expires in 11583 seconds
Jan 21 12:25:33 192.168.1.64 0121122533|dns
|1|00|doDnsSrvLookupForARecordList(tcp): kept port at 5090
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList for 'sip411.ringcentral.co.uk' port 5090 returned 1
results
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|doDnsListLookup(tcp): result
0 '199.255.120.183' port 5090 isInBound 0
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|CreateFailOverProxyList :
'TCP Only' for 'sip411.ringcentral.co.uk' port 5090 IP 0 is '199.255.120.183' on
tcp port 5090
Jan 21 12:25:33 192.168.1.64 0121122533|sip |2|00|CreateFailOverProxyList :
Exit 'TCP Only' lookup with 1 IP Addresses
Jan 21 12:25:33 192.168.1.64 0121122533|sip |2|00|CreateFailOverProxyList : IP
1 is '199.255.120.183' on tcp port 5090
Jan 21 12:25:33 192.168.1.64 0121122533|dns |1|00|doDnsLookupForList for record
A: hostname '199.255.120.183' attempting..
Jan 21 12:25:33 192.168.1.64 0121122533|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '199.255.120.183'
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|CTcp::Send(TCP) entry for
address 199.255.120.183 port 5090 can Connect 1 canFailOver 0
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|CTcp::Send(TCP) address
```

Untitled

199.255.120.183 port 5090 can Connect 1
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00|>>> Data Send TCP
199.255.120.183:5090
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| REGISTER
sip:sip.ringcentral.co.uk;transport=tcp SIP/2.0
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| Via: SIP/2.0/TCP
192.168.1.64:5060;branch=z9hG4bK1da50693A11254B
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| From: "Chris Juett"
<sip:441258470209@sip.ringcentral.co.uk>;tag=848BF699-7C1F5A9B
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| To:
<sip:441258470209@sip.ringcentral.co.uk>
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| CSeq: 1 REGISTER
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| Call-ID:
80a77539-dee01cfb-a4b43509@192.168.1.64
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| Contact:
<sip:441258470209@192.168.1.64:5060;transport=tcp>;methods="INVITE, ACK, BYE,
CANCEL, OPTIONS, INFO, MESSAGE, SUBSCRIBE, NOTIFY, PRACK, UPDATE, REFER"
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| User-Agent:
PolycomV VX-VVX_300-UA/4.1.8.0628
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| Accept-Language:
en-us,en;q=0.9
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| Max-Forwards: 70
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| Expires: 3600
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00| Content-Length: 0
Jan 21 12:25:33 192.168.1.64 0121122533|sip |0|00|
Jan 21 12:25:33 192.168.1.64 0121122533|sip |1|00|CTcpSocket::SendData TCP
queuedTxData = 889 TotalLen 616 loop count 1 maxQueueDepth 40000
Jan 21 12:25:33 192.168.1.64 0121122533|sip |2|00|adjustRetransWhenTimerCreated
UA Client Non-INVITE REGISTER state 'callingTrying' timeout=65 (0x40e044c8)
Jan 21 12:25:53 192.168.1.64 0121122553|dns |1|00|doDnsLookupForList for record
A: hostname '192.168.1.70' attempting..
Jan 21 12:25:53 192.168.1.64 0121122553|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '192.168.1.70'
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| listener: Received packet
from %s:%d
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00|<<<Packet Received
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| INVITE
sip:902032399504@192.168.1.64:5060 SIP/2.0
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| To:
902032399504<sip:902032399504@81.129.155.65>
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| From:
1001<sip:1001@81.129.155.65>;tag=c224bf27
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Via: SIP/2.0/UDP
213.136.73.2:5070;branch=z9hG4bK-317d78a0a2f4ec66c1e8e5b6b80e02a6;rport
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Call-ID:
317d78a0a2f4ec66c1e8e5b6b80e02a6
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| CSeq: 1 INVITE
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Contact:
<sip:1001@213.136.73.2:5070>
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Max-Forwards: 70
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Allow: INVITE, ACK,
CANCEL, BYE

Untitled

```
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| User-Agent: sipcli/v1.8
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Content-Type:
application/sdp
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Content-Length: 281
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00|
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| v=0
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| o=sipcli-Session
1852796681 1002505963 IN IP4 213.136.73.2
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| s=sipcli
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| c=IN IP4 213.136.73.2
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| t=0 0
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| m=audio 5072 RTP/AVP 18 0
8 101
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| a=fmtp:101 0-15
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| a=rtpmap:18 G729/8000
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| a=rtpmap:0 PCMU/8000
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| a=rtpmap:8 PCMA/8000
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| a=rtpmap:101
telephone-event/8000
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| a=ptime:20
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| a=sendrecv
Jan 21 12:25:54 192.168.1.64 0121122554|sip |3|00|CStkDialog::CreateRouteSet:
transport set to Target URI 'TCP'
Jan 21 12:25:54 192.168.1.64 0121122554|sip |3|00|CStkDialog::SetAddressLocal
localTag set to ''
Jan 21 12:25:54 192.168.1.64 0121122554|sip |3|00|CStkDialog::SetAddressLocal
new address added of 1
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|CStkDialog::CStkDialog
SetAddressLocal from pRequest To: '902032399504' <902032399504@81.129.155.65:0>
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|CStkDialog::CStkDialog
SetAddressLocal Config 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0>
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|CStkDialog::CStkDialog TAG
'D59C5FD9-E2A1535B' generated
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|CStkDialog::CStkDialog local
addr '902032399504' <902032399504@81.129.155.65:0> Tag 'D59C5FD9-E2A1535B'
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|CStkDialog::CStkDialog exit
0xa6f5e0 local list size 1
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|CCallBase::IsChallenged
COPIED Dialog Tag to pRequest 'D59C5FD9-E2A1535B'
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|CCallBase::IsChallenged
'INVITE' Dialog Tag 'D59C5FD9-E2A1535B' pRequest Tag 'D59C5FD9-E2A1535B' state
'Trying'
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|new UA Server INVITE trans
state 'proceeding', timeout=0 (0x40e06da8)
Jan 21 12:25:54 192.168.1.64 0121122554|sip
|3|00|CStateInviteServer::CStateInviteServer central conf user user '' found in
contact user '1001' for cent conf URI ''. Set is focus
Jan 21 12:25:54 192.168.1.64 0121122554|sip |1|00|Dialog 'idf047f1ab' State
'Trying'->'Early'
Jan 21 12:25:54 192.168.1.64 0121122554|dns
|1|00|doDnsSrvLookupForARecordList(udp): Doing DNS lookup (port 5070)
Jan 21 12:25:54 192.168.1.64 0121122554|dns |1|00|doDnsLookupForList for record
```

Untitled

A: hostname '213.136.73.2' attempting..
Jan 21 12:25:54 192.168.1.64 0121122554|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '213.136.73.2'
Jan 21 12:25:54 192.168.1.64 0121122554|dns
|1|00|doDnsSrvLookupForARecordList(udp): kept port at 5070
Jan 21 12:25:54 192.168.1.64 0121122554|sip |1|00|doDnsListLookup(udp):
doDnsSrvLookupForARecordList for '213.136.73.2' port 5070 returned 1 results
Jan 21 12:25:54 192.168.1.64 0121122554|sip |1|00|doDnsListLookup(udp): result
0 '213.136.73.2' port 5070 isInBound 0
Jan 21 12:25:54 192.168.1.64 0121122554|dns |1|00|doDnsLookupForList for record
A: hostname '213.136.73.2' attempting..
Jan 21 12:25:54 192.168.1.64 0121122554|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '213.136.73.2'
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Trying to send data to
Destination %s on socket %d
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00|>>> Data Send to
213.136.73.2:5070
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| SIP/2.0 100 Trying
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Via: SIP/2.0/UDP
213.136.73.2:5070;branch=z9hG4bK-317d78a0a2f4ec66c1e8e5b6b80e02a6;rport
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| From: "1001"
<sip:1001@81.129.155.65>;tag=c224bf27
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| To: "902032399504"
<sip:902032399504@81.129.155.65>;tag=D59C5FD9-E2A1535B
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| CSeq: 1 INVITE
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Call-ID:
317d78a0a2f4ec66c1e8e5b6b80e02a6
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Contact:
<sip:441258470209@192.168.1.64:5060>
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| User-Agent:
PolycomV VX-VVX_300-UA/4.1.8.0628
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Accept-Language:
en-us,en;q=0.9
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Content-Length: 0
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00|
Jan 21 12:25:54 192.168.1.64 0121122554|sip |3|00|CStkCall::NewCallState
'Unknown'->'Offering' (0xa52e38)
Jan 21 12:25:54 192.168.1.64 0121122554|sip |3|00|GetRemotePartyAddress from
'From'
Jan 21 12:25:54 192.168.1.64 0121122554|net |2|00|rtosNetwork:
rtosNetwConnectOpen() - binding to address <0.0.0.0:16428> and port <16428>
Jan 21 12:25:54 192.168.1.64 0121122554|net |2|00|rtosNetwork:
rtosNetwConnectOpen() - binding to address <0.0.0.0:16429> and port <16429>
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|SipOnEvNewCall new call
appearnce 1 SRTP key
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|SipOnEvCallNewState
a52e38,ef1758 1,(null)
Jan 21 12:25:54 192.168.1.64 0121122554|sip |2|00|SipSendRingback
Jan 21 12:25:54 192.168.1.64 0121122554|dns |1|00|doDnsLookupForList for record
A: hostname '213.136.73.2' attempting..
Jan 21 12:25:54 192.168.1.64 0121122554|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '213.136.73.2'

Untitled

```
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Trying to send data to
Destination %s on socket %d
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00|>>> Data Send to
213.136.73.2:5070
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| SIP/2.0 180 Ringing
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Via: SIP/2.0/UDP
213.136.73.2:5070;branch=z9hG4bK-317d78a0a2f4ec66c1e8e5b6b80e02a6;rport
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| From: "1001"
<sip:1001@81.129.155.65>;tag=c224bf27
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| To: "902032399504"
<sip:902032399504@81.129.155.65>;tag=D59C5FD9-E2A1535B
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| CSeq: 1 INVITE
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Call-ID:
317d78a0a2f4ec66c1e8e5b6b80e02a6
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Contact:
<sip:441258470209@192.168.1.64:5060>
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| User-Agent:
PolycomV VX-VVX_300-UA/4.1.8.0628
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Allow-Events:
conference,talk,hold
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Accept-Language:
en-us,en;q=0.9
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00| Content-Length: 0
Jan 21 12:25:54 192.168.1.64 0121122554|sip |0|00|
Jan 21 12:26:06 192.168.1.64 0121122606|sip |1|00|CTrans::Timeout500ms
m_nMainTimeoutCount == 0. Call SndMsgFail
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|CTrans::Timeout500ms Self
Generated 480 Response
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|UA Client Non-INVITE REGISTER
trans state 'callingTrying'->'completed' by 480 resp 10 timeout(0x40e044c8)
Jan 21 12:26:06 192.168.1.64 0121122606|sip |2|00|CTrans:: REGISTER NonInv
reTrans ALREADY stopped in 'completed' state at retryCount 0 code 480,
timeout=10 (0x40e044c8)
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|CTrans::ResponseProcess Self
Generated 480. RROFO Invalidate Registration
Jan 21 12:26:06 192.168.1.64 0121122606|sip |1|00|Dialog 'id8e3c0ceb' State
'Trying'->'Confirmed'
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|CUser::OnRegistered Entry for
call 0xa5bf08 with expires 0 ticks Transport 'TCP' inval Method 2 RROFO 0
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|CUser::NewWorkingServer user
0 oldServer 0 newServer 0 expires 0
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|SipOnEvNewWorkingServer User
0, old 0, new 0, expire 0
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|SipOnEvRegistrarUpdate User
0, index 0, state 0, expire 0, working 1
Jan 21 12:26:06 192.168.1.64 0121122606|sip |1|00|Dialog 'id8e3c0ceb' State
'Confirmed'->'Terminated'
Jan 21 12:26:06 192.168.1.64 0121122606|sip |2|00|CStkDialog::CStkDialog
SetAddressLocal Config 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0>
Jan 21 12:26:06 192.168.1.64 0121122606|sip |2|00|CStkDialog::CStkDialog
AddressLocal set to Config
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|CStkDialog::SetAddressLocal
```

Untitled

```
localTag set to ''
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|CStkDialog::SetAddressLocal
new address added of 1
Jan 21 12:26:06 192.168.1.64 0121122606|sip |2|00|CStkDialog::CStkDialog TAG
'1DBC7DBB-4C748249' generated
Jan 21 12:26:06 192.168.1.64 0121122606|sip |2|00|CStkDialog::CStkDialog local
addr 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0> Tag
'1DBC7DBB-4C748249'
Jan 21 12:26:06 192.168.1.64 0121122606|sip |2|00|CStkDialog::CStkDialog exit
0xa6f8d8 local list size 1
Jan 21 12:26:06 192.168.1.64 0121122606|sip
|2|00|CStkDialogList::CreateDialogObject localTarg usr '441258470209'
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|Reg UAC Response: code 480
consecutive Attempts 1 baseTimeOut 60 maxTimeOut 60 exponTimeOut 120
randomTimeOut 55
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|Reg UAC Response: code 480
new m_nExpire 110 m_nOverlap 0 Trans 0x40e044c8
Jan 21 12:26:06 192.168.1.64 0121122606|sip |3|00|CTrans::TimeOut500ms Self
Generated 480 Response, m_nMainTimeoutCount 10 m_nExpres 110 method 'REGISTER'
Jan 21 12:26:06 192.168.1.64 0121122606|sip |1|00|Client State finished
REGISTER (0xa6ecf8)
Jan 21 12:26:23 192.168.1.64 0121122623|cfg |5|00|Prm|Parameter
voIpProt.SIP.allowTransferOnProceeding requested type 2 but is of type 0
Jan 21 12:26:23 192.168.1.64 0121122623|sip |2|00|SipCallDrop a52e38,ef1758
reason 6
Jan 21 12:26:23 192.168.1.64 0121122623|sip |2|00|CStkCall::Drop(reason = 6)
(0xa52e38)
Jan 21 12:26:23 192.168.1.64 0121122623|sip |3|00|UA Server INVITE INVITE trans
state 'proceeding'->'completed' by 486 resp 65 timeout(0x40e06da8)
Jan 21 12:26:23 192.168.1.64 0121122623|sip |1|00|Dialog 'idf047f1ab' State
'Early'->'Terminated'
Jan 21 12:26:23 192.168.1.64 0121122623|dns |1|00|doDnsLookupForList for record
A: hostname '213.136.73.2' attempting..
Jan 21 12:26:23 192.168.1.64 0121122623|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '213.136.73.2'
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| Trying to send data to
Destination %s on socket %d
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|>>> Data Send to
213.136.73.2:5070
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| SIP/2.0 486 Busy Here
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| Via: SIP/2.0/UDP
213.136.73.2:5070;branch=z9hG4bK-317d78a0a2f4ec66c1e8e5b6b80e02a6;rport
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| From: "1001"
<sip:1001@81.129.155.65>;tag=c224bf27
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| To: "902032399504"
<sip:902032399504@81.129.155.65>;tag=D59C5FD9-E2A1535B
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| CSeq: 1 INVITE
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| Call-ID:
317d78a0a2f4ec66c1e8e5b6b80e02a6
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| Contact:
<sip:441258470209@192.168.1.64:5060>
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| User-Agent:
```

Untitled

PolycomV VX-VVX_300-UA/4.1.8.0628

```
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| Accept-Language:
en-us,en;q=0.9
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00| Content-Length: 0
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |3|00|CStkCall::NewCallState
'Offering'-'>'Idle' (0xa52e38)
Jan 21 12:26:23 192.168.1.64 0121122623|sip |2|00|SipOnEvCallNewState
a52e38,ef1758 10,Idle
Jan 21 12:26:23 192.168.1.64 0121122623|log |5|00|Skipped uploading of failed
log file because no of failres are > 4 or last upload failed time is < 60
seconds.
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|>>> Data Send TCP
199.255.120.183:5090
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |0|00|
Jan 21 12:26:23 192.168.1.64 0121122623|sip |1|00|CTcpSocket::SendData TCP
queuedTxData = 1505 TotalLen 16 loop count 1 maxQueueDepth 40000
Jan 21 12:26:23 192.168.1.64 0121122623|sip |3|00|SipStartFailOver 0
Jan 21 12:26:27 192.168.1.64 0121122627|sip |1|00|CStateInviteServer
TimeOut500ms true
Jan 21 12:26:27 192.168.1.64 0121122627|sip |1|00|Server State finished INVITE
(0xa6f5e0)
Jan 21 12:26:30 192.168.1.64 0121122630|sip |1|00|TimeOut500ms Call (0xa52e38)
finished
Jan 21 12:26:45 192.168.1.64 0121122645|dns |1|00|doDnsLookupForList for record
A: hostname '192.168.1.70' attempting..
Jan 21 12:26:45 192.168.1.64 0121122645|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '192.168.1.70'
Jan 21 12:26:50 192.168.1.64 0121122650|dns |1|00|doDnsLookupForList for record
A: hostname 'pp.ringcentral.com' attempting..
Jan 21 12:26:50 192.168.1.64 0121122650|dns |2|00|Miss in All DNS cache for
pp.ringcentral.com(A)
Jan 21 12:26:50 192.168.1.64 0121122650|dns |2|00|Found DNS cache entry for
pp.ringcentral.com(A)
Jan 21 12:26:50 192.168.1.64 0121122650|dns |2|00|dnsCacheAdd: duplicate entry
in Dynamic DNS cache for pp.ringcentral.com(A) found. expiring older result
Jan 21 12:26:50 192.168.1.64 0121122650|dns |2|00|Trimming Dynamic DNS cache
for sip.ringcentral.co.uk(A) (1453379210 > 0)
Jan 21 12:26:50 192.168.1.64 0121122650|dns |2|00|Retaining Dynamic DNS cache
for sip411.ringcentral.co.uk(A)
Jan 21 12:26:50 192.168.1.64 0121122650|dns |2|00|Trimming Dynamic DNS cache
for pp.ringcentral.com(A) (1453379210 > 0)
Jan 21 12:26:50 192.168.1.64 0121122650|dns |2|00|Added Dynamic DNS cache entry
for pp.ringcentral.com(A) expires in 600 seconds
Jan 21 12:27:00 192.168.1.64 0121122700|sip |3|00|NoCall::TimeOut500ms
```

Untitled

```
'Registering' m_nExpire == 0 RegisterCall -> Schedule Register listSize 0
lTimeout 0
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|Shedule 'Register' busyFlag 0
num events waiting 0
Jan 21 12:27:00 192.168.1.64 0121122700|sip |2|00|new UA Client Non-INVITE
trans state 'callingTrying', timeout=0 (0x40e03408)
Jan 21 12:27:00 192.168.1.64 0121122700|sip |3|00|RegClient:RegClient expire 66
overlap 0
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|CreateFailOverProxyList : Reg
to Domain 'sip.ringcentral.co.uk' nPort 5090
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|CreateFailOverProxyList : For
REGISTER Request nPort 5090
Jan 21 12:27:00 192.168.1.64 0121122700|dns
|1|00|doDnsSrvLookupForARecordList(tcp): Doing DNS lookup (port 5090)
Jan 21 12:27:00 192.168.1.64 0121122700|dns |1|00|doDnsLookupForList for record
A: hostname 'sip411.ringcentral.co.uk' attempting..
Jan 21 12:27:00 192.168.1.64 0121122700|dns |2|00|Hit in Dynamic DNS cache for
sip411.ringcentral.co.uk(A) expires in 11496 seconds
Jan 21 12:27:00 192.168.1.64 0121122700|dns
|1|00|doDnsSrvLookupForARecordList(tcp): kept port at 5090
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList for 'sip411.ringcentral.co.uk' port 5090 returned 1
results
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|doDnsListLookup(tcp): result
0 '199.255.120.183' port 5090 isInBound 0
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|CreateFailOverProxyList :
'TCP Only' for 'sip411.ringcentral.co.uk' port 5090 IP 0 is '199.255.120.183' on
tcp port 5090
Jan 21 12:27:00 192.168.1.64 0121122700|sip |2|00|CreateFailOverProxyList :
Exit 'TCP Only' lookup with 1 IP Addresses
Jan 21 12:27:00 192.168.1.64 0121122700|sip |2|00|CreateFailOverProxyList : IP
1 is '199.255.120.183' on tcp port 5090
Jan 21 12:27:00 192.168.1.64 0121122700|dns |1|00|doDnsLookupForList for record
A: hostname '199.255.120.183' attempting..
Jan 21 12:27:00 192.168.1.64 0121122700|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '199.255.120.183'
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|CTcp::Send(TCP) entry for
address 199.255.120.183 port 5090 can Connect 1 canFailOver 0
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|CTcp::Send(TCP) address
199.255.120.183 port 5090 can Connect 1
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00|>>> Data Send TCP
199.255.120.183:5090
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| REGISTER
sip:sip.ringcentral.co.uk;transport=tcp SIP/2.0
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| Via: SIP/2.0/TCP
192.168.1.64:5060;branch=z9hG4bKab70a66b626C7919
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| From: "Chris Juett"
<sip:441258470209@sip.ringcentral.co.uk>;tag=1DBC7DBB-4C748249
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| To:
<sip:441258470209@sip.ringcentral.co.uk>
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| CSeq: 1 REGISTER
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| Call-ID:
```


Untitled

5e5b1c1b-978feae9-96358ecb@192.168.1.64
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| Contact:
<sip:441258470209@192.168.1.64:5060;transport=tcp>;methods="INVITE, ACK, BYE,
CANCEL, OPTIONS, INFO, MESSAGE, SUBSCRIBE, NOTIFY, PRACK, UPDATE, REFER"
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| User-Agent:
PolycomV VX-V VX_300-UA/4.1.8.0628
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| Accept-Language:
en-us,en;q=0.9
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| Max-Forwards: 70
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| Expires: 3600
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00| Content-Length: 0
Jan 21 12:27:00 192.168.1.64 0121122700|sip |0|00|
Jan 21 12:27:00 192.168.1.64 0121122700|sip |1|00|CTcpSocket::SendData TCP
queuedTxData = 1521 TotalLen 617 loop count 1 maxQueueDepth 40000
Jan 21 12:27:00 192.168.1.64 0121122700|sip |2|00|adjustRetransWhenTimerCreated
UA Client Non-INVITE REGISTER state 'callingTrying' timeout=65 (0x40e03408)
Jan 21 12:27:01 192.168.1.64 0121122701|dns |1|00|doDnsLookupForList for record
A: hostname 'pp.ringcentral.com' attempting..
Jan 21 12:27:01 192.168.1.64 0121122701|dns |2|00|Hit in Dynamic DNS cache for
pp.ringcentral.com(A) expires in 589 seconds
Jan 21 12:27:12 192.168.1.64 0121122712|dns |1|00|doDnsLookupForList for record
A: hostname 'pp.ringcentral.com' attempting..
Jan 21 12:27:12 192.168.1.64 0121122712|dns |2|00|Hit in Dynamic DNS cache for
pp.ringcentral.com(A) expires in 578 seconds
Jan 21 12:27:23 192.168.1.64 0121122723|clist|4|00|dbIO::processResult:copy
error
Jan 21 12:27:23 192.168.1.64 0121122723|clist|4|00|dbSet::mem2srv:transfer
failed
Jan 21 12:27:33 192.168.1.64 0121122733|sip |1|00|CTrans::TimeOut500ms
m_nMainTimeoutCount == 0. Call SndMsgFail
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|CTrans::TimeOut500ms Self
Generated 480 Response
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|UA Client Non-INVITE REGISTER
trans state 'callingTrying'->'completed' by 480 resp 10 timeout(0x40e03408)
Jan 21 12:27:33 192.168.1.64 0121122733|sip |2|00|CTrans:: REGISTER NonInv
reTrans ALREADY stopped in 'completed' state at retryCount 0 code 480,
timeout=10 (0x40e03408)
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|CTrans::ResponseProcess Self
Generated 480. RROFO Invalidate Registration
Jan 21 12:27:33 192.168.1.64 0121122733|sip |1|00|Dialog 'id89953679' State
'Trying'->'Confirmed'
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|CUser::OnRegistered Entry for
call 0xa5bf08 with expires 0 ticks Transport 'TCP' inval Method 2 RROFO 0
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|CUser::NewWorkingServer user
0 oldServer 0 newServer 0 expires 0
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|SipOnEvNewWorkingServer User
0, old 0, new 0, expire 0
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|SipOnEvRegistrarUpdate User
0, index 0, state 0, expire 0, working 1
Jan 21 12:27:33 192.168.1.64 0121122733|sip |1|00|Dialog 'id89953679' State
'Confirmed'->'Terminated'
Jan 21 12:27:33 192.168.1.64 0121122733|sip |2|00|CStkDialog::CStkDialog

Untitled

```
SetAddressLocal Config 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0>
Jan 21 12:27:33 192.168.1.64 0121122733|sip |2|00|CStkDialog::CStkDialog
AddressLocal set to Config
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|CStkDialog::SetAddressLocal
localTag set to ''
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|CStkDialog::SetAddressLocal
new address added of 1
Jan 21 12:27:33 192.168.1.64 0121122733|sip |2|00|CStkDialog::CStkDialog TAG
'A3022B2B-94904259' generated
Jan 21 12:27:33 192.168.1.64 0121122733|sip |2|00|CStkDialog::CStkDialog local
addr 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0> Tag
'A3022B2B-94904259'
Jan 21 12:27:33 192.168.1.64 0121122733|sip |2|00|CStkDialog::CStkDialog exit
0xa6ecf8 local list size 1
Jan 21 12:27:33 192.168.1.64 0121122733|sip
|2|00|CStkDialogList::CreateDialogObject localTarg usr '441258470209'
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|Reg UAC Response: code 480
consecutive Attempts 2 baseTimeOut 60 maxTimeOut 60 exponTimeOut 240
randomTimeOut 38
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|Reg UAC Response: code 480
new m_nExpire 76 m_nOverlap 0 Trans 0x40e03408
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|CTrans::Timeout500ms Self
Generated 480 Response, m_nMainTimeoutCount 10 m_nExpire 76 method 'REGISTER'
Jan 21 12:27:33 192.168.1.64 0121122733|sip |1|00|Client State finished
REGISTER (0xa6f8d8)
Jan 21 12:27:33 192.168.1.64 0121122733|sip |3|00|SipStartFailOver 0
Jan 21 12:27:33 192.168.1.64 0121122733|dns |1|00|doDnsLookupForList for record
A: hostname '192.168.1.70' attempting..
Jan 21 12:27:33 192.168.1.64 0121122733|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '192.168.1.70'
Jan 21 12:27:50 192.168.1.64 0121122750|sip |0|00|>>> Data Send TCP
199.255.120.183:5090
Jan 21 12:27:50 192.168.1.64 0121122750|sip |0|00|
Jan 21 12:27:50 192.168.1.64 0121122750|sip |0|00|
Jan 21 12:27:50 192.168.1.64 0121122750|sip |0|00|
Jan 21 12:27:50 192.168.1.64 0121122750|sip |0|00|
Jan 21 12:27:50 192.168.1.64 0121122750|sip |0|00|
Jan 21 12:27:50 192.168.1.64 0121122750|sip |0|00|
Jan 21 12:27:50 192.168.1.64 0121122750|sip |0|00|
Jan 21 12:27:50 192.168.1.64 0121122750|sip |1|00|CTcpSocket::SendData TCP
queuedTxData = 2138 TotalLen 16 loop count 1 maxQueueDepth 40000
Jan 21 12:28:10 192.168.1.64 0121122810|sip |3|00|NoCall::Timeout500ms
'Registering' m_nExpire == 0 RegisterCall -> Schedule Register listSize 0
lTimeout 0
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|Shedule 'Register' busyFlag 0
num events waiting 0
Jan 21 12:28:10 192.168.1.64 0121122810|sip |2|00|new UA Client Non-INVITE
trans state 'callingTrying', timeout=0 (0x40e03408)
Jan 21 12:28:10 192.168.1.64 0121122810|sip |3|00|RegClient:RegClient expire 66
overlap 0
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|CreateFailOverProxyList : Reg
```

Untitled

to Domain 'sip.ringcentral.co.uk' nPort 5090
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|CreateFailOverProxyList : For REGISTER Request nPort 5090
Jan 21 12:28:10 192.168.1.64 0121122810|dns |1|00|doDnsSrvLookupForARecordList(tcp): Doing DNS lookup (port 5090)
Jan 21 12:28:10 192.168.1.64 0121122810|dns |1|00|doDnsLookupForList for record A: hostname 'sip411.ringcentral.co.uk' attempting..
Jan 21 12:28:10 192.168.1.64 0121122810|dns |2|00|Hit in Dynamic DNS cache for sip411.ringcentral.co.uk(A) expires in 11426 seconds
Jan 21 12:28:10 192.168.1.64 0121122810|dns |1|00|doDnsSrvLookupForARecordList(tcp): kept port at 5090
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|doDnsListLookup(tcp): doDnsSrvLookupForARecordList for 'sip411.ringcentral.co.uk' port 5090 returned 1 results
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|doDnsListLookup(tcp): result 0 '199.255.120.183' port 5090 isInBound 0
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|CreateFailOverProxyList : 'TCP Only' for 'sip411.ringcentral.co.uk' port 5090 IP 0 is '199.255.120.183' on tcp port 5090
Jan 21 12:28:10 192.168.1.64 0121122810|sip |2|00|CreateFailOverProxyList : Exit 'TCP Only' lookup with 1 IP Addresses
Jan 21 12:28:10 192.168.1.64 0121122810|sip |2|00|CreateFailOverProxyList : IP 1 is '199.255.120.183' on tcp port 5090
Jan 21 12:28:10 192.168.1.64 0121122810|dns |1|00|doDnsLookupForList for record A: hostname '199.255.120.183' attempting..
Jan 21 12:28:10 192.168.1.64 0121122810|dns |1|00|doDnsLookupForList(A): returning passed in ipAddress '199.255.120.183'
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|CTcp::Send(TCP) entry for address 199.255.120.183 port 5090 can Connect 1 canFailOver 0
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|CTcp::Send(TCP) address 199.255.120.183 port 5090 can Connect 1
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00|>>> Data Send TCP 199.255.120.183:5090
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| REGISTER
sip:sip.ringcentral.co.uk;transport=tcp SIP/2.0
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| Via: SIP/2.0/TCP 192.168.1.64:5060;branch=z9hG4bK63d8b4db1EE9C029
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| From: "Chris Juett" <sip:441258470209@sip.ringcentral.co.uk>;tag=A3022B2B-94904259
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| To: <sip:441258470209@sip.ringcentral.co.uk>
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| CSeq: 1 REGISTER
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| Call-ID: adc7fb8b-b201c8f9-f21aaf3b@192.168.1.64
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| Contact: <sip:441258470209@192.168.1.64:5060;transport=tcp>;methods="INVITE, ACK, BYE, CANCEL, OPTIONS, INFO, MESSAGE, SUBSCRIBE, NOTIFY, PRACK, UPDATE, REFER"
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| User-Agent: PolycomV VX-V VX_300-UA/4.1.8.0628
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| Accept-Language: en-us,en;q=0.9
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| Max-Forwards: 70

Untitled

```
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| Expires: 3600
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00| Content-Length: 0
Jan 21 12:28:10 192.168.1.64 0121122810|sip |0|00|
Jan 21 12:28:10 192.168.1.64 0121122810|sip |1|00|CTcpSocket::SendData TCP
queuedTxData = 2154 TotalLen 617 loop count 1 maxQueueDepth 40000
Jan 21 12:28:10 192.168.1.64 0121122810|sip |2|00|adjustRetransWhenTimerCreated
UA Client Non-INVITE REGISTER state 'callingTrying' timeout=65 (0x40e03408)
Jan 21 12:28:21 192.168.1.64 0121122821|dns |1|00|doDnsLookupForList for record
A: hostname '192.168.1.70' attempting..
Jan 21 12:28:21 192.168.1.64 0121122821|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '192.168.1.70'
Jan 21 12:28:43 192.168.1.64 0121122843|sip |1|00|CTrans::TimeOut500ms
m_nMainTimeoutCount == 0. Call SndMsgFail
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|CTrans::TimeOut500ms Self
Generated 480 Response
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|UA Client Non-INVITE REGISTER
trans state 'callingTrying'->'completed' by 480 resp 10 timeout(0x40e03408)
Jan 21 12:28:43 192.168.1.64 0121122843|sip |2|00|CTrans:: REGISTER NonInv
reTrans ALREADY stopped in 'completed' state at retryCount 0 code 480,
timeout=10 (0x40e03408)
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|CTrans::ResponseProcess Self
Generated 480. RROFO Invalidate Registration
Jan 21 12:28:43 192.168.1.64 0121122843|sip |1|00|Dialog 'idb01b7f89' State
'Trying'->'Confirmed'
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|CUser::OnRegistered Entry for
call 0xa5bf08 with expires 0 ticks Transport 'TCP' inval Method 2 RROFO 0
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|CUser::NewWorkingServer user
0 oldServer 0 newServer 0 expires 0
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|SipOnEvNewWorkingServer User
0, old 0, new 0, expire 0
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|SipOnEvRegistrarUpdate User
0, index 0, state 0, expire 0, working 1
Jan 21 12:28:43 192.168.1.64 0121122843|sip |1|00|Dialog 'idb01b7f89' State
'Confirmed'->'Terminated'
Jan 21 12:28:43 192.168.1.64 0121122843|sip |2|00|CStkDialog::CStkDialog
SetAddressLocal Config 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0>
Jan 21 12:28:43 192.168.1.64 0121122843|sip |2|00|CStkDialog::CStkDialog
AddressLocal set to Config
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|CStkDialog::SetAddressLocal
localTag set to ''
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|CStkDialog::SetAddressLocal
new address added of 1
Jan 21 12:28:43 192.168.1.64 0121122843|sip |2|00|CStkDialog::CStkDialog TAG
'A4A61D9B-D2084569' generated
Jan 21 12:28:43 192.168.1.64 0121122843|sip |2|00|CStkDialog::CStkDialog local
addr 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0> Tag
'A4A61D9B-D2084569'
Jan 21 12:28:43 192.168.1.64 0121122843|sip |2|00|CStkDialog::CStkDialog exit
0xa6f5e0 local list size 1
Jan 21 12:28:43 192.168.1.64 0121122843|sip
|2|00|CStkDialogList::CreateDialogObject localTarg usr '441258470209'
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|Reg UAC Response: code 480
```

Untitled

```
consecutive Attempts 3 baseTimeOut 60 maxTimeOut 60 exponTimeOut 480
randomTimeOut 55
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|Reg UAC Response: code 480
new m_nExpire 110 m_nOverlap 0 Trans 0x40e03408
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|CTrans::Timeout500ms Self
Generated 480 Response, m_nMainTimeoutCount 10 m_nExpires 110 method 'REGISTER'
Jan 21 12:28:43 192.168.1.64 0121122843|sip |1|00|Client State finished
REGISTER (0xa6ecf8)
Jan 21 12:28:43 192.168.1.64 0121122843|sip |3|00|SipStartFailOver 0
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|>>> Data Send TCP
199.255.120.183:5090
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|
Jan 21 12:29:00 192.168.1.64 0121122900|sip |0|00|
Jan 21 12:29:00 192.168.1.64 0121122900|sip |1|00|CTcpSocket::SendData TCP
queuedTxData = 2771 TotalLen 16 loop count 1 maxQueueDepth 40000
Jan 21 12:29:09 192.168.1.64 0121122909|dns |1|00|doDnsLookupForList for record
A: hostname '192.168.1.70' attempting..
Jan 21 12:29:09 192.168.1.64 0121122909|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '192.168.1.70'
Jan 21 12:29:37 192.168.1.64 0121122937|sip |3|00|NoCall::Timeout500ms
'Registering' m_nExpire == 0 RegisterCall -> Schedule Register listSize 0
lTimeout 0
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|Shedule 'Register' busyFlag 0
num events waiting 0
Jan 21 12:29:37 192.168.1.64 0121122937|sip |2|00|new UA Client Non-INVITE
trans state 'callingTrying', timeout=0 (0x40e03408)
Jan 21 12:29:37 192.168.1.64 0121122937|sip |3|00|RegClient:RegClient expire 66
overlap 0
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|CreateFailOverProxyList : Reg
to Domain 'sip.ringcentral.co.uk' nPort 5090
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|CreateFailOverProxyList : For
REGISTER Request nPort 5090
Jan 21 12:29:37 192.168.1.64 0121122937|dns
|1|00|doDnsSrvLookupForARecordList(tcp): Doing DNS lookup (port 5090)
Jan 21 12:29:37 192.168.1.64 0121122937|dns |1|00|doDnsLookupForList for record
A: hostname 'sip411.ringcentral.co.uk' attempting..
Jan 21 12:29:37 192.168.1.64 0121122937|dns |2|00|Hit in Dynamic DNS cache for
sip411.ringcentral.co.uk(A) expires in 11339 seconds
Jan 21 12:29:37 192.168.1.64 0121122937|dns
|1|00|doDnsSrvLookupForARecordList(tcp): kept port at 5090
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|doDnsListLookup(tcp):
doDnsSrvLookupForARecordList for 'sip411.ringcentral.co.uk' port 5090 returned 1
results
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|doDnsListLookup(tcp): result
0 '199.255.120.183' port 5090 isInBound 0
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|CreateFailOverProxyList :
```

Untitled

'TCP Only' for 'sip411.ringcentral.co.uk' port 5090 IP 0 is '199.255.120.183' on tcp port 5090
Jan 21 12:29:37 192.168.1.64 0121122937|sip |2|00|CreateFailOverProxyList :
Exit 'TCP Only' lookup with 1 IP Addresses
Jan 21 12:29:37 192.168.1.64 0121122937|sip |2|00|CreateFailOverProxyList : IP
1 is '199.255.120.183' on tcp port 5090
Jan 21 12:29:37 192.168.1.64 0121122937|dns |1|00|doDnsLookupForList for record
A: hostname '199.255.120.183' attempting..
Jan 21 12:29:37 192.168.1.64 0121122937|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '199.255.120.183'
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|CTcp::Send(TCP) entry for
address 199.255.120.183 port 5090 can Connect 1 canFailOver 0
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|CTcp::Send(TCP) address
199.255.120.183 port 5090 can Connect 1
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00|>>> Data Send TCP
199.255.120.183:5090
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| REGISTER
sip:sip.ringcentral.co.uk;transport=tcp SIP/2.0
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| Via: SIP/2.0/TCP
192.168.1.64:5060;branch=z9hG4bKbb15384b6AA89A39
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| From: "Chris Juett"
<sip:441258470209@sip.ringcentral.co.uk>;tag=A4A61D9B-D2084569
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| To:
<sip:441258470209@sip.ringcentral.co.uk>
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| CSeq: 1 REGISTER
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| Call-ID:
1ab47ffb-b56d8a09-558fa4ab@192.168.1.64
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| Contact:
<sip:441258470209@192.168.1.64:5060;transport=tcp>;methods="INVITE, ACK, BYE,
CANCEL, OPTIONS, INFO, MESSAGE, SUBSCRIBE, NOTIFY, PRACK, UPDATE, REFER"
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| User-Agent:
PolycomV VX-VVX_300-UA/4.1.8.0628
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| Accept-Language:
en-us,en;q=0.9
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| Max-Forwards: 70
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| Expires: 3600
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00| Content-Length: 0
Jan 21 12:29:37 192.168.1.64 0121122937|sip |0|00|
Jan 21 12:29:37 192.168.1.64 0121122937|sip |1|00|CTcpSocket::SendData TCP
queuedTxData = 2787 TotalLen 617 loop count 1 maxQueueDepth 40000
Jan 21 12:29:37 192.168.1.64 0121122937|sip |2|00|adjustRetransWhenTimerCreated
UA Client Non-INVITE REGISTER state 'callingTrying' timeout=65 (0x40e03408)
Jan 21 12:29:37 192.168.1.64 0121122937|log |5|00|Skipped uploading of failed
log file because no of failres are > 4 or last upload failed time is < 60
seconds.
Jan 21 12:30:01 192.168.1.64 0121123001|dns |1|00|doDnsLookupForList for record
A: hostname '192.168.1.70' attempting..
Jan 21 12:30:01 192.168.1.64 0121123001|dns |1|00|doDnsLookupForList(A):
returning passed in ipAddress '192.168.1.70'
Jan 21 12:30:10 192.168.1.64 0121123010|sip |1|00|CTrans::Timeout500ms
m_nMainTimeoutCount == 0. Call SndMsgFail
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|CTrans::Timeout500ms Self

Untitled

Generated 480 Response

```
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|UA Client Non-INVITE REGISTER
trans state 'callingTrying'->'completed' by 480 resp 10 timeout(0x40e03408)
Jan 21 12:30:10 192.168.1.64 0121123010|sip |2|00|CTrans:: REGISTER NonInv
reTrans ALREADY stopped in 'completed' state at retryCount 0 code 480,
timeout=10 (0x40e03408)
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|CTrans::ResponseProcess Self
Generated 480. RROFO Invalidate Registration
Jan 21 12:30:10 192.168.1.64 0121123010|sip |1|00|Dialog 'id109bbb99' State
'Trying'->'Confirmed'
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|CUser::OnRegistered Entry for
call 0xa5bf08 with expires 0 ticks Transport 'TCP' inval Method 2 RROFO 0
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|CUser::NewWorkingServer user
0 oldServer 0 newServer 0 expires 0
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|SipOnEvNewWorkingServer User
0, old 0, new 0, expire 0
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|SipOnEvRegistrarUpdate User
0, index 0, state 0, expire 0, working 1
Jan 21 12:30:10 192.168.1.64 0121123010|sip |1|00|Dialog 'id109bbb99' State
'Confirmed'->'Terminated'
Jan 21 12:30:10 192.168.1.64 0121123010|sip |2|00|CStkDialog::CStkDialog
SetAddressLocal Config 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0>
Jan 21 12:30:10 192.168.1.64 0121123010|sip |2|00|CStkDialog::CStkDialog
AddressLocal set to Config
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|CStkDialog::SetAddressLocal
localTag set to ''
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|CStkDialog::SetAddressLocal
new address added of 1
Jan 21 12:30:10 192.168.1.64 0121123010|sip |2|00|CStkDialog::CStkDialog TAG
'E9E9450B-4EB51B79' generated
Jan 21 12:30:10 192.168.1.64 0121123010|sip |2|00|CStkDialog::CStkDialog local
addr 'Chris Juett' <441258470209@sip.ringcentral.co.uk:0> Tag
'E9E9450B-4EB51B79'
Jan 21 12:30:10 192.168.1.64 0121123010|sip |2|00|CStkDialog::CStkDialog exit
0xa6ecf8 local list size 1
Jan 21 12:30:10 192.168.1.64 0121123010|sip
|2|00|CStkDialogList::CreateDialogObject localTarg usr '441258470209'
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|Reg UAC Response: code 480
consecutive Attempts 4 baseTimeOut 60 maxTimeOut 60 exponTimeOut 960
randomTimeOut 46
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|Reg UAC Response: code 480
new m_nExpire 92 m_nOverlap 0 Trans 0x40e03408
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|CTrans::TimeOut500ms Self
Generated 480 Response, m_nMainTimeoutCount 10 m_nExpres 92 method 'REGISTER'
Jan 21 12:30:10 192.168.1.64 0121123010|sip |1|00|Client State finished
REGISTER (0xa6f5e0)
Jan 21 12:30:10 192.168.1.64 0121123010|sip |3|00|SipStartFailOver 0
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|>>> Data Send TCP
199.255.120.183:5090
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|
```

Untitled

```
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|
Jan 21 12:30:27 192.168.1.64 0121123027|sip |0|00|
```