

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <!-- OBi Configuration File (18:52:33 12/26/2019, Thursday)-->
3 <ParameterList>
4 <O>
5 <N>DeviceInfo.WAN.</N>
6 <P>
7 <N>AddressingType</N>
8 <V X_UD="Y" X_DV="DHCP"/>
9 </P>
10 <P>
11 <N>IPAddress</N>
12 <V X_UD="N" X_DV=""/>
13 </P>
14 <P>
15 <N>SubnetMask</N>
16 <V X_UD="Y" X_DV=""/>
17 </P>
18 <P>
19 <N>DefaultGateway</N>
20 <V X_UD="Y" X_DV=""/>
21 </P>
22 <P>
23 <N>DNSServer1</N>
24 <V X_UD="Y" X_DV=""/>
25 </P>
26 <P>
27 <N>DNSServer2</N>
28 <V X_UD="Y" X_DV=""/>
29 </P>
30 <P>
31 <N>VLANEnable</N>
32 <V X_UD="Y" X_DV="false"/>
33 </P>
34 <P>
35 <N>VLANID</N>
36 <V X_UD="Y" X_DV="0"/>
37 </P>
38 <P>
39 <N>VLANPriority</N>
40 <V X_UD="Y" X_DV="0"/>
41 </P>
42 <P>
43 <N>VLANDiscovery</N>
44 <V X_UD="Y" X_DV="0"/>
45 </P>
46 <P>
47 <N>VLANDiscoveryOption</N>
48 <V X_UD="Y" X_DV="129"/>
49 </P>
50 <P>
51 <N>802_1XMode</N>
52 <V X_UD="Y" X_DV="Disable"/>
53 </P>
54 <P>
55 <N>802_1XIdentity</N>
56 <V X_UD="Y" X_DV=""/>
57 </P>
58 <P>
59 <N>802_1XAnonymousID</N>
60 <V X_UD="Y" X_DV=""/>
61 </P>
62 <P>
63 <N>802_1XTLSecurityProfile</N>
64 <V X_UD="Y" X_DV="1"/>
65 </P>
66 <P>
67 <N>LLDP-MED</N>
```

```
68     <V X_UD="Y" X_DV="true"/>
69 </P>
70 <P>
71     <N>LLDP-MEDExclusivePeriod</N>
72     <V X_UD="Y" X_DV="5"/>
73 </P>
74 <P>
75     <N>LLDP-MEDAssetID</N>
76     <V X_UD="Y" X_DV="$DSN"/>
77 </P>
78 <P>
79     <N>OpenSSLCiphers</N>
80     <V X_UD="Y" X_DV=""/>
81 </P>
82 </O>
83 <O>
84     <N>DeviceInfo.X_Switch.Port.1.</N>
85     <P>
86         <N>Name</N>
87         <V X_UD="Y" X_DV="SW"/>
88     </P>
89     <P>
90         <N>Speed</N>
91         <V X_UD="Y" X_DV="Auto"/>
92     </P>
93 </O>
94 <O>
95     <N>DeviceInfo.X_Switch.Port.2.</N>
96     <P>
97         <N>Name</N>
98         <V X_UD="Y" X_DV="PC"/>
99     </P>
100    <P>
101        <N>Speed</N>
102        <V X_UD="Y" X_DV="Auto"/>
103    </P>
104 </O>
105 <O>
106     <N>DeviceInfo.Time.</N>
107 </O>
108 <O>
109     <N>DeviceInfo.Time.</N>
110     <P>
111         <N>NTPServer1</N>
112         <V X_UD="Y" X_DV="ntp.polycom.com"/>
113     </P>
114     <P>
115         <N>NTPServer2</N>
116         <V X_UD="Y" X_DV=""/>
117     </P>
118     <P>
119         <N>LocalTimeZone</N>
120         <V>{$poly_obi_timezone}</V>
121     </P>
122     <P>
123         <N>DaylightSavingTimeEnable</N>
124         <V X_UD="N" X_DV="true">{$poly_obi_dst_enabled}</V>
125     </P>
126     <P>
127         <N>DaylightSavingTimeStart</N>
128         <V X_UD="Y" X_DV="3/8/7/2"/>
129     </P>
130     <P>
131         <N>DaylightSavingTimeEnd</N>
132         <V X_UD="Y" X_DV="11/1/7/2"/>
133     </P>
134     <P>
```

```
135     <N>DaylightSavingTimeDiff</N>
136     <V X_UD="Y" X_DV="1"/>
137 </P>
138 </O>
139 <O>
140     <N>X_DHCP.</N>
141     <P>
142         <N>ExtraOptions</N>
143         <V X_UD="Y" X_DV="66,42"/>
144     </P>
145 </O>
146 <O>
147     <N>X_DNSControl.</N>
148     <P>
149         <N>DNSQueryOrder</N>
150         <V X_UD="Y" X_DV="DNS Server1, DNS Server2, DHCP Offered DNS Servers"/>
151     </P>
152     <P>
153         <N>DNSQueryDelay</N>
154         <V X_UD="Y" X_DV="2"/>
155     </P>
156 </O>
157 <O>
158     <N>X_LocalDNSRec.</N>
159     <P>
160         <N>1</N>
161         <V X_UD="Y" X_DV=""/>
162     </P>
163     <P>
164         <N>2</N>
165         <V X_UD="Y" X_DV=""/>
166     </P>
167     <P>
168         <N>3</N>
169         <V X_UD="Y" X_DV=""/>
170     </P>
171     <P>
172         <N>4</N>
173         <V X_UD="Y" X_DV=""/>
174     </P>
175     <P>
176         <N>5</N>
177         <V X_UD="Y" X_DV=""/>
178     </P>
179     <P>
180         <N>6</N>
181         <V X_UD="Y" X_DV=""/>
182     </P>
183     <P>
184         <N>7</N>
185         <V X_UD="Y" X_DV=""/>
186     </P>
187     <P>
188         <N>8</N>
189         <V X_UD="Y" X_DV=""/>
190     </P>
191     <P>
192         <N>9</N>
193         <V X_UD="Y" X_DV=""/>
194     </P>
195     <P>
196         <N>10</N>
197         <V X_UD="Y" X_DV=""/>
198     </P>
199     <P>
200         <N>11</N>
201         <V X_UD="Y" X_DV=""/>
```

202 </P>  
203 <P>  
204 <N>12</N>  
205 <V X\_UD="Y" X\_DV="" />  
206 </P>  
207 <P>  
208 <N>13</N>  
209 <V X\_UD="Y" X\_DV="" />  
210 </P>  
211 <P>  
212 <N>14</N>  
213 <V X\_UD="Y" X\_DV="" />  
214 </P>  
215 <P>  
216 <N>15</N>  
217 <V X\_UD="Y" X\_DV="" />  
218 </P>  
219 <P>  
220 <N>16</N>  
221 <V X\_UD="Y" X\_DV="" />  
222 </P>  
223 <P>  
224 <N>17</N>  
225 <V X\_UD="Y" X\_DV="" />  
226 </P>  
227 <P>  
228 <N>18</N>  
229 <V X\_UD="Y" X\_DV="" />  
230 </P>  
231 <P>  
232 <N>19</N>  
233 <V X\_UD="Y" X\_DV="" />  
234 </P>  
235 <P>  
236 <N>20</N>  
237 <V X\_UD="Y" X\_DV="" />  
238 </P>  
239 <P>  
240 <N>21</N>  
241 <V X\_UD="Y" X\_DV="" />  
242 </P>  
243 <P>  
244 <N>22</N>  
245 <V X\_UD="Y" X\_DV="" />  
246 </P>  
247 <P>  
248 <N>23</N>  
249 <V X\_UD="Y" X\_DV="" />  
250 </P>  
251 <P>  
252 <N>24</N>  
253 <V X\_UD="Y" X\_DV="" />  
254 </P>  
255 <P>  
256 <N>25</N>  
257 <V X\_UD="Y" X\_DV="" />  
258 </P>  
259 <P>  
260 <N>26</N>  
261 <V X\_UD="Y" X\_DV="" />  
262 </P>  
263 <P>  
264 <N>27</N>  
265 <V X\_UD="Y" X\_DV="" />  
266 </P>  
267 <P>  
268 <N>28</N>

```
269     <V X_UD="Y" X_DV="" />
270 </P>
271 <P>
272     <N>29</N>
273     <V X_UD="Y" X_DV="" />
274 </P>
275 <P>
276     <N>30</N>
277     <V X_UD="Y" X_DV="" />
278 </P>
279 <P>
280     <N>31</N>
281     <V X_UD="Y" X_DV="" />
282 </P>
283 <P>
284     <N>32</N>
285     <V X_UD="Y" X_DV="" />
286 </P>
287 </O>
288 <O>
289     <N>DeviceInfo.Network.Status.WAN</N>
290 </O>
291 <O>
292     <N>DeviceInfo.</N>
293 <P>
294     <N>ModelName</N>
295     <V X_UD="Y" />
296 </P>
297 <P>
298     <N>MACAddress</N>
299     <V X_UD="Y" />
300 </P>
301 <P>
302     <N>SerialNumber</N>
303     <V X_UD="Y" />
304 </P>
305 <P>
306     <N>X_OBiNumber</N>
307     <V X_UD="Y" />
308 </P>
309 <P>
310     <N>HardwareVersion</N>
311     <V X_UD="Y" />
312 </P>
313 <P>
314     <N>SoftwareVersion</N>
315     <V X_UD="Y" />
316 </P>
317 <P>
318     <N>SystemTime</N>
319     <V X_UD="Y" />
320 </P>
321 <P>
322     <N>UpTime</N>
323     <V X_UD="Y" />
324 </P>
325 <P>
326     <N>X_CertificatesStatus</N>
327     <V X_UD="Y" />
328 </P>
329 <P>
330     <N>X_CustomizationStatus</N>
331     <V X_UD="Y" />
332 </P>
333 </O>
334 <O>
335     <N>X_DeviceManagement.WebServer.</N>
```

```
336 <P>
337   <N>Port</N>
338   <V X_UD="Y" X_DV="80"/>
339 </P>
340 <P>
341   <N>PasswordMinimumLength</N>
342   <V X_UD="Y" X_DV="0"/>
343 </P>
344 <P>
345   <N>AdminPassword</N>
346   {if isset($admin_password)}
347   <V X_UD="N" X_DV="admin">{$admin_password}</V>
348   {else}
349   <V X_UD="Y" X_DV="admin"/>
350   {/if}
351 </P>
352 <P>
353   <N>UserPassword</N>
354   {if isset($user_password)}
355   <V X_UD="N" X_DV="">{$user_password}</V>
356   {else}
357   <V X_UD="Y" X_DV=""/>
358   {/if}
359 </P>
360 </O>
361 <O>
362   <N>X_DeviceManagement.IVR.</N>
363   <P>
364     <N>Enable</N>
365     <V X_UD="Y" X_DV="true"/>
366   </P>
367 </O>
368 <O>
369   <N>X_DeviceManagement.MLB.</N>
370   <P>
371     <N>AcceptMediaLoopback</N>
372     <V X_UD="Y" X_DV="true"/>
373   </P>
374   <P>
375     <N>MediaLoopbackAnswerDelay</N>
376     <V X_UD="Y" X_DV="0"/>
377   </P>
378   <P>
379     <N>MediaLoopbackMaxDuration</N>
380     <V X_UD="Y" X_DV="0"/>
381   </P>
382 </O>
383 <O>
384   <N>X_DeviceManagement.Syslog.</N>
385   <P>
386     <N>Server</N>
387     <V X_UD="Y" X_DV=""/>
388   </P>
389   <P>
390     <N>Port</N>
391     <V X_UD="Y" X_DV="514"/>
392   </P>
393   <P>
394     <N>Level</N>
395     <V X_UD="Y" X_DV="7"/>
396   </P>
397   <P>
398     <N>TAG</N>
399     <V X_UD="Y" X_DV=""/>
400   </P>
401   <P>
402     <N>LevelDectTerm</N>
```

```
403     <V X_UD="Y" X_DV="Event 3"/>
404 </P>
405 <P>
406     <N>LevelDspObi</N>
407     <V X_UD="Y" X_DV="Event 3"/>
408 </P>
409 <P>
410     <N>DebugChanTxMask</N>
411     <V X_UD="Y" X_DV="255"/>
412 </P>
413 <P>
414     <N>DebugChanRxMask</N>
415     <V X_UD="Y" X_DV="255"/>
416 </P>
417 <P>
418     <N>LevelCmbsObi</N>
419     <V X_UD="Y" X_DV="Event 3"/>
420 </P>
421 <P>
422     <N>LevelLibTDM</N>
423     <V X_UD="Y" X_DV="Warning"/>
424 </P>
425 <P>
426     <N>LevelLibRTP</N>
427     <V X_UD="Y" X_DV="Warning"/>
428 </P>
429 <P>
430     <N>LevelLibMedExt</N>
431     <V X_UD="Y" X_DV="Warning"/>
432 </P>
433 <P>
434     <N>LevelCmbsDbg</N>
435     <V X_UD="Y" X_DV="Off"/>
436 </P>
437 <P>
438     <N>LevelCmbsAppCmbs</N>
439     <V X_UD="Y" X_DV="Warning"/>
440 </P>
441 <P>
442     <N>LevelCmbsAppCall</N>
443     <V X_UD="Y" X_DV="Warning"/>
444 </P>
445 <P>
446     <N>LevelCmbsFacility</N>
447     <V X_UD="Y" X_DV="Warning"/>
448 </P>
449 <P>
450     <N>LevelCmbsListAccess</N>
451     <V X_UD="Y" X_DV="Warning"/>
452 </P>
453 <P>
454     <N>LevelCmbsAppRouter</N>
455     <V X_UD="Y" X_DV="Warning"/>
456 </P>
457 <P>
458     <N>LevelCmbsAppSrv</N>
459     <V X_UD="Y" X_DV="Warning"/>
460 </P>
461 <P>
462     <N>LevelCmbsSuota</N>
463     <V X_UD="Y" X_DV="Warning"/>
464 </P>
465 </O>
466 <O>
467 <N>X_DeviceManagement.HTTPClient.</N>
468 <P>
469     <N>UserAgent</N>
```

```
470     <V X_UD="Y" X_DV="$DM"/>
471 </P>
472 <P>
473     <N>TimeOut</N>
474     <V X_UD="Y" X_DV="600"/>
475 </P>
476 <P>
477     <N>ProxyServer</N>
478     <V X_UD="Y" X_DV=""/>
479 </P>
480 <P>
481     <N>ProxyServerPort</N>
482     <V X_UD="Y" X_DV="80"/>
483 </P>
484 <P>
485     <N>ProxyAuthUsername</N>
486     <V X_UD="Y" X_DV=""/>
487 </P>
488 <P>
489     <N>BypassProxyServerForLocalAddresses</N>
490     <V X_UD="Y" X_DV="false"/>
491 </P>
492 <P>
493     <N>BypassProxyForSubnets</N>
494     <V X_UD="Y" X_DV=""/>
495 </P>
496 </O>
497 <O>
498     <N>X_DeviceManagement.X_PortSecurity.</N>
499     <P>
500         <N>PCPort</N>
501         <V X_UD="Y" X_DV="false"/>
502     </P>
503 </O>
504 <O>
505     <N>X_DeviceManagement.X_RPCAPD.</N>
506     <P>
507         <N>Enable</N>
508         <V X_UD="Y" X_DV="false"/>
509     </P>
510     <P>
511         <N>Port</N>
512         <V X_UD="Y" X_DV="2002"/>
513     </P>
514     <P>
515         <N>Clients</N>
516         <V X_UD="Y" X_DV=""/>
517     </P>
518 </O>
519 <O>
520     <N>X_DeviceManagement.X_RemotePCAP.</N>
521     <P>
522         <N>On</N>
523         <V>false</V>
524     </P>
525     <P>
526         <N>Status</N>
527         <V>Stopped (0 pkts, 0 kB captured)</V>
528     </P>
529     <P>
530         <N>Storage</N>
531         <V X_UD="Y" X_DV="Internal"/>
532     </P>
533     <P>
534         <N>RestartCaptureOnReboot</N>
535         <V X_UD="Y" X_DV="false"/>
536     </P>
```



```
537 <P>
538 <N>PromiscuousMode</N>
539 <V X_UD="Y" X_DV="true"/>
540 </P>
541 <P>
542 <N>WebAccessExcluded</N>
543 <V X_UD="Y" X_DV="true"/>
544 </P>
545 <P>
546 <N>PostponeFirmwareUpdate</N>
547 <V X_UD="Y" X_DV="true"/>
548 </P>
549 </O>
550 <O>
551 <N>X_DeviceManagement.PlatformCACert.1.</N>
552 <P>
553 <N>DownloadURL</N>
554 <V X_UD="Y" X_DV=""/>
555 </P>
556 <P>
557 <N>MD5Checksum</N>
558 <V X_UD="Y" X_DV=""/>
559 </P>
560 <P>
561 <N>CommonName</N>
562 <V X_UD="Y" X_DV=""/>
563 </P>
564 <P>
565 <N>FingerPrint</N>
566 <V X_UD="Y" X_DV=""/>
567 </P>
568 <P>
569 <N>Obsolete</N>
570 <V X_UD="Y" X_DV="false"/>
571 </P>
572 </O>
573 <O>
574 <N>X_DeviceManagement.PlatformCACert.2.</N>
575 <P>
576 <N>DownloadURL</N>
577 <V X_UD="Y" X_DV=""/>
578 </P>
579 <P>
580 <N>MD5Checksum</N>
581 <V X_UD="Y" X_DV=""/>
582 </P>
583 <P>
584 <N>CommonName</N>
585 <V X_UD="Y" X_DV=""/>
586 </P>
587 <P>
588 <N>FingerPrint</N>
589 <V X_UD="Y" X_DV=""/>
590 </P>
591 <P>
592 <N>Obsolete</N>
593 <V X_UD="Y" X_DV="false"/>
594 </P>
595 </O>
596 <O>
597 <N>X_DeviceManagement.CustomDeviceCert.1.</N>
598 <P>
599 <N>DownloadURL</N>
600 <V X_UD="Y" X_DV=""/>
601 </P>
602 <P>
603 <N>MD5Checksum</N>
```

```
604     <V X_UD="Y" X_DV=""/>
605 </P>
606 <P>
607     <N>CommonName</N>
608     <V X_UD="Y" X_DV=""/>
609 </P>
610 <P>
611     <N>FingerPrint</N>
612     <V X_UD="Y" X_DV=""/>
613 </P>
614 <P>
615     <N>Obsolete</N>
616     <V X_UD="Y" X_DV="false"/>
617 </P>
618 </O>
619 <O>
620     <N>X_DeviceManagement.CustomDeviceCert.2.</N>
621     <P>
622         <N>DownloadURL</N>
623         <V X_UD="Y" X_DV=""/>
624     </P>
625     <P>
626         <N>MD5Checksum</N>
627         <V X_UD="Y" X_DV=""/>
628     </P>
629     <P>
630         <N>CommonName</N>
631         <V X_UD="Y" X_DV=""/>
632     </P>
633     <P>
634         <N>FingerPrint</N>
635         <V X_UD="Y" X_DV=""/>
636     </P>
637     <P>
638         <N>Obsolete</N>
639         <V X_UD="Y" X_DV="false"/>
640     </P>
641 </O>
642 <O>
643     <N>X_DeviceManagement.TLSPlatformProfile.1.</N>
644     <P>
645         <N>CipherSuite</N>
646         <V X_UD="Y" X_DV=""/>
647     </P>
648     <P>
649         <N>CACertList</N>
650         <V X_UD="Y" X_DV="ppp"/>
651     </P>
652     <P>
653         <N>DeviceCert</N>
654         <V X_UD="Y" X_DV="Polycom"/>
655     </P>
656 </O>
657 <O>
658     <N>X_DeviceManagement.TLSPlatformProfile.2.</N>
659     <P>
660         <N>CipherSuite</N>
661         <V X_UD="Y" X_DV=""/>
662     </P>
663     <P>
664         <N>CACertList</N>
665         <V X_UD="Y" X_DV="ppp"/>
666     </P>
667     <P>
668         <N>DeviceCert</N>
669         <V X_UD="Y" X_DV="Polycom"/>
670     </P>
```

```

671 </O>
672 <O>
673 <N>X_DeviceManagement.FirmwareUpdate.</N>
674 <P>
675 <N>Method</N>
676 <V X_UD="Y" X_DV="Disabled"/>
677 </P>
678 <P>
679 <N>Interval</N>
680 <V X_UD="Y" X_DV="0"/>
681 </P>
682 <P>
683 <N>TimeofDay</N>
684 <V X_UD="Y" X_DV="00:00+30"/>
685 </P>
686 <P>
687 <N>RandomDelayRange</N>
688 <V X_UD="Y" X_DV="30"/>
689 </P>
690 <P>
691 <N>FirmwareURL</N>
692 <V X_UD="Y" X_DV=""/>
693 </P>
694 <P>
695 <N>TLSecurityProfile</N>
696 <V X_UD="Y" X_DV="1"/>
697 </P>
698 <P>
699 <N>DnsLookupType</N>
700 <V X_UD="Y" X_DV="A Record Only"/>
701 </P>
702 <P>
703 <N>DnsSrvPrefix</N>
704 <V X_UD="Y" X_DV="No Prefix"/>
705 </P>
706 <P>
707 <N>Username</N>
708 <V X_UD="Y" X_DV=""/>
709 </P>
710 <P>
711 <N>Suspend</N>
712 <V X_UD="Y" X_DV="false"/>
713 </P>
714 </O>
715 <O>
716 <N>X_DeviceManagement.ITSPProvisioning.</N>
717 <P>
718 <N>Method</N>
719 <V X_UD="Y" X_DV="System Start"/>
720 </P>
721 <P>
722 <N>Interval</N>
723 <V X_UD="Y" X_DV="0"/>
724 </P>
725 <P>
726 <N>TimeofDay</N>
727 <V X_UD="Y" X_DV="00:00+30"/>
728 </P>
729 <P>
730 <N>ConfigURL</N>
731 {if isset($poly_provision_url)}
732 <V X_UD="N" X_DV="">{$poly_provision_url}/{literal}${mac}/{literal}.xml</V>
733 {else}
734 <V X_UD="N"
X_DV="">https://{domain_name}/app/provision/{literal}${mac}/{literal}.xml</V>
735 {/if}
736 </P>

```

```
737 <P>
738 <N>DnsLookupType</N>
739 <V X_UD="Y" X_DV="A Record Only"/>
740 </P>
741 <P>
742 <N>DnsSrvPrefix</N>
743 <V X_UD="Y" X_DV="No Prefix"/>
744 </P>
745 <P>
746 <N>Override</N>
747 <V X_UD="Y" X_DV="All"/>
748 </P>
749 <P>
750 <N>GPRM0</N>
751 <V X_UD="Y" X_DV=""/>
752 </P>
753 <P>
754 <N>GPRM1</N>
755 <V X_UD="Y" X_DV=""/>
756 </P>
757 <P>
758 <N>GPRM2</N>
759 <V X_UD="Y" X_DV=""/>
760 </P>
761 <P>
762 <N>GPRM3</N>
763 <V X_UD="Y" X_DV=""/>
764 </P>
765 <P>
766 <N>GPRM4</N>
767 <V X_UD="Y" X_DV=""/>
768 </P>
769 <P>
770 <N>GPRM5</N>
771 <V X_UD="Y" X_DV=""/>
772 </P>
773 <P>
774 <N>GPRM6</N>
775 <V X_UD="Y" X_DV=""/>
776 </P>
777 <P>
778 <N>GPRM7</N>
779 <V X_UD="Y" X_DV=""/>
780 </P>
781 <P>
782 <N>TPRM0</N>
783 <V>0</V>
784 </P>
785 <P>
786 <N>TPRM1</N>
787 <V X_UD="Y" X_DV=""/>
788 </P>
789 <P>
790 <N>TPRM2</N>
791 <V X_UD="Y" X_DV=""/>
792 </P>
793 <P>
794 <N>TPRM3</N>
795 <V X_UD="Y" X_DV=""/>
796 </P>
797 </O>
798 <O>
799 <N>X_DeviceManagement.Provisioning.</N>
800 <P>
801 <N>Method</N>
802 <V X_UD="Y" X_DV="Disabled"/>
803 </P>
```

804 <P>  
805 <N>Interval</N>  
806 <V X\_UD="Y" X\_DV="0"/>  
807 </P>  
808 <P>  
809 <N>TimeofDay</N>  
810 <V X\_UD="Y" X\_DV="00:00+30"/>  
811 </P>  
812 <P>  
813 <N>ConfigURL</N>  
814 <V X\_UD="Y" X\_DV=""/>  
815 </P>  
816 <P>  
817 <N>DnsLookupType</N>  
818 <V X\_UD="Y" X\_DV="A Record Only"/>  
819 </P>  
820 <P>  
821 <N>DnsSrvPrefix</N>  
822 <V X\_UD="Y" X\_DV="No Prefix"/>  
823 </P>  
824 <P>  
825 <N>GPRM0</N>  
826 <V X\_UD="Y" X\_DV=""/>  
827 </P>  
828 <P>  
829 <N>GPRM1</N>  
830 <V X\_UD="Y" X\_DV=""/>  
831 </P>  
832 <P>  
833 <N>GPRM2</N>  
834 <V X\_UD="Y" X\_DV=""/>  
835 </P>  
836 <P>  
837 <N>GPRM3</N>  
838 <V X\_UD="Y" X\_DV=""/>  
839 </P>  
840 <P>  
841 <N>GPRM4</N>  
842 <V X\_UD="Y" X\_DV=""/>  
843 </P>  
844 <P>  
845 <N>GPRM5</N>  
846 <V X\_UD="Y" X\_DV=""/>  
847 </P>  
848 <P>  
849 <N>GPRM6</N>  
850 <V X\_UD="Y" X\_DV=""/>  
851 </P>  
852 <P>  
853 <N>GPRM7</N>  
854 <V X\_UD="Y" X\_DV=""/>  
855 </P>  
856 <P>  
857 <N>TPRM0</N>  
858 <V X\_UD="Y" X\_DV=""/>  
859 </P>  
860 <P>  
861 <N>TPRM1</N>  
862 <V X\_UD="Y" X\_DV=""/>  
863 </P>  
864 <P>  
865 <N>TPRM2</N>  
866 <V X\_UD="Y" X\_DV=""/>  
867 </P>  
868 <P>  
869 <N>TPRM3</N>  
870 <V X\_UD="Y" X\_DV=""/>

```
871     </P>
872 </O>
873 <O>
874     <N>VoiceService.1.</N>
875     <P>
876         <N>VoiceProfileNumberOfEntries</N>
877         <V X_UD="Y" X_DV="4"/>
878     </P>
879 </O>
880 <O>
881     <N>X_DeviceManagement.X_UserDefinedMacro.0.</N>
882     <P>
883         <N>Value</N>
884         <V X_UD="Y" X_DV=""/>
885     </P>
886     <P>
887         <N>ExpandIn</N>
888         <V X_UD="Y" X_DV=""/>
889     </P>
890     <P>
891         <N>SyntaxCheckResult</N>
892         <V>Disabled</V>
893     </P>
894 </O>
895 <O>
896     <N>X_DeviceManagement.X_UserDefinedMacro.1.</N>
897     <P>
898         <N>Value</N>
899         <V X_UD="Y" X_DV=""/>
900     </P>
901     <P>
902         <N>ExpandIn</N>
903         <V X_UD="Y" X_DV=""/>
904     </P>
905     <P>
906         <N>SyntaxCheckResult</N>
907         <V>Disabled</V>
908     </P>
909 </O>
910 <O>
911     <N>X_DeviceManagement.X_UserDefinedMacro.2.</N>
912     <P>
913         <N>Value</N>
914         <V X_UD="Y" X_DV=""/>
915     </P>
916     <P>
917         <N>ExpandIn</N>
918         <V X_UD="Y" X_DV=""/>
919     </P>
920     <P>
921         <N>SyntaxCheckResult</N>
922         <V>Disabled</V>
923     </P>
924 </O>
925 <O>
926     <N>X_DeviceManagement.X_UserDefinedMacro.3.</N>
927     <P>
928         <N>Value</N>
929         <V X_UD="Y" X_DV=""/>
930     </P>
931     <P>
932         <N>ExpandIn</N>
933         <V X_UD="Y" X_DV=""/>
934     </P>
935     <P>
936         <N>SyntaxCheckResult</N>
937         <V>Disabled</V>
```

```
938     </P>
939 </O>
940 <O>
941     <N>VoiceService.1.X_HS.</N>
942     <P>
943         <N>TargetVersion</N>
944         <V>Version 04.14 - Build 4 - RC 6</V>
945     </P>
946     <P>
947         <N>RFPI</N>
948         <V>035391d550</V>
949     </P>
950     <P>
951         <N>DectType</N>
952         <V>US FCC DECT (CMBS_DECT_TYPE_US_FCC)</V>
953     </P>
954     <P>
955         <N>BaseName</N>
956         <V X_UD="Y" X_DV=""/>
957     </P>
958     <P>
959         <N>TargetFWFileToUse</N>
960         <V X_UD="Y" X_DV=""/>
961     </P>
962     <P>
963         <N>TargetFWUpgrade</N>
964         <V X_UD="Y" X_DV="true"/>
965     </P>
966     <P>
967         <N>TargetFWDowngradeAllowed</N>
968         <V X_UD="Y" X_DV="false"/>
969     </P>
970     <P>
971         <N>IntercomEnable</N>
972         <V X_UD="Y" X_DV="true"/>
973     </P>
974 </O>
975 <O>
976     <N>VoiceService.1.X_HS.</N>
977     <P>
978         <N>Handset1Status</N>
979         <V>Idle RSSI=216</V>
980     </P>
981     <P>
982         <N>Handset2Status</N>
983         <V></V>
984     </P>
985     <P>
986         <N>Handset3Status</N>
987         <V></V>
988     </P>
989     <P>
990         <N>Handset4Status</N>
991         <V></V>
992     </P>
993     <P>
994         <N>Handset5Status</N>
995         <V></V>
996     </P>
997     <P>
998         <N>Handset6Status</N>
999         <V></V>
1000    </P>
1001    <P>
1002        <N>Handset7Status</N>
1003        <V></V>
1004    </P>
```

1005 <P>  
1006 <N>Handset8Status</N>  
1007 <V></V>  
1008 </P>  
1009 <P>  
1010 <N>Handset9Status</N>  
1011 <V></V>  
1012 </P>  
1013 <P>  
1014 <N>Handset10Status</N>  
1015 <V></V>  
1016 </P>  
1017 </O>  
1018 <O>  
1019 <N>VoiceService.1.X\_HS.</N>  
1020 <P>  
1021 <N>Handset1Type</N>  
1022 <V>CAT-iq 2.0</V>  
1023 </P>  
1024 <P>  
1025 <N>Handset2Type</N>  
1026 <V X\_UD="Y" X\_DV=""/>  
1027 </P>  
1028 <P>  
1029 <N>Handset3Type</N>  
1030 <V X\_UD="Y" X\_DV=""/>  
1031 </P>  
1032 <P>  
1033 <N>Handset4Type</N>  
1034 <V X\_UD="Y" X\_DV=""/>  
1035 </P>  
1036 <P>  
1037 <N>Handset5Type</N>  
1038 <V X\_UD="Y" X\_DV=""/>  
1039 </P>  
1040 <P>  
1041 <N>Handset6Type</N>  
1042 <V X\_UD="Y" X\_DV=""/>  
1043 </P>  
1044 <P>  
1045 <N>Handset7Type</N>  
1046 <V X\_UD="Y" X\_DV=""/>  
1047 </P>  
1048 <P>  
1049 <N>Handset8Type</N>  
1050 <V X\_UD="Y" X\_DV=""/>  
1051 </P>  
1052 <P>  
1053 <N>Handset9Type</N>  
1054 <V X\_UD="Y" X\_DV=""/>  
1055 </P>  
1056 <P>  
1057 <N>Handset10Type</N>  
1058 <V X\_UD="Y" X\_DV=""/>  
1059 </P>  
1060 <P>  
1061 <N>Handset1IPEI</N>  
1062 <V>033A0BFD71</V>  
1063 </P>  
1064 <P>  
1065 <N>Handset2IPEI</N>  
1066 <V X\_UD="Y" X\_DV=""/>  
1067 </P>  
1068 <P>  
1069 <N>Handset3IPEI</N>  
1070 <V X\_UD="Y" X\_DV=""/>  
1071 </P>



```
1072 <P>
1073 <N>Handset4IPEI</N>
1074 <V X_UD="Y" X_DV=""/>
1075 </P>
1076 <P>
1077 <N>Handset5IPEI</N>
1078 <V X_UD="Y" X_DV=""/>
1079 </P>
1080 <P>
1081 <N>Handset6IPEI</N>
1082 <V X_UD="Y" X_DV=""/>
1083 </P>
1084 <P>
1085 <N>Handset7IPEI</N>
1086 <V X_UD="Y" X_DV=""/>
1087 </P>
1088 <P>
1089 <N>Handset8IPEI</N>
1090 <V X_UD="Y" X_DV=""/>
1091 </P>
1092 <P>
1093 <N>Handset9IPEI</N>
1094 <V X_UD="Y" X_DV=""/>
1095 </P>
1096 <P>
1097 <N>Handset10IPEI</N>
1098 <V X_UD="Y" X_DV=""/>
1099 </P>
1100 </O>
1101 <O>
1102 <N>VoiceService.1.X_HS.</N>
1103 <P>
1104 <N>FindHandsetAll</N>
1105 <V>false</V>
1106 </P>
1107 <P>
1108 <N>FindHandset1</N>
1109 <V>false</V>
1110 </P>
1111 <P>
1112 <N>FindHandset2</N>
1113 <V>false</V>
1114 </P>
1115 <P>
1116 <N>FindHandset3</N>
1117 <V>false</V>
1118 </P>
1119 <P>
1120 <N>FindHandset4</N>
1121 <V>false</V>
1122 </P>
1123 <P>
1124 <N>FindHandset5</N>
1125 <V>false</V>
1126 </P>
1127 <P>
1128 <N>FindHandset6</N>
1129 <V>false</V>
1130 </P>
1131 <P>
1132 <N>FindHandset7</N>
1133 <V>false</V>
1134 </P>
1135 <P>
1136 <N>FindHandset8</N>
1137 <V>false</V>
1138 </P>
```

1139 <P>  
1140 <N>FindHandset9</N>  
1141 <V>>false</V>  
1142 </P>  
1143 <P>  
1144 <N>FindHandset10</N>  
1145 <V>>false</V>  
1146 </P>  
1147 </O>  
1148 <O>  
1149 <N>VoiceService.1.X\_HS.</N>  
1150 <P>  
1151 <N>Handset1FWVersion</N>  
1152 <V>1.09</V>  
1153 </P>  
1154 <P>  
1155 <N>Handset2FWVersion</N>  
1156 <V></V>  
1157 </P>  
1158 <P>  
1159 <N>Handset3FWVersion</N>  
1160 <V></V>  
1161 </P>  
1162 <P>  
1163 <N>Handset4FWVersion</N>  
1164 <V></V>  
1165 </P>  
1166 <P>  
1167 <N>Handset5FWVersion</N>  
1168 <V></V>  
1169 </P>  
1170 <P>  
1171 <N>Handset6FWVersion</N>  
1172 <V></V>  
1173 </P>  
1174 <P>  
1175 <N>Handset7FWVersion</N>  
1176 <V></V>  
1177 </P>  
1178 <P>  
1179 <N>Handset8FWVersion</N>  
1180 <V></V>  
1181 </P>  
1182 <P>  
1183 <N>Handset9FWVersion</N>  
1184 <V></V>  
1185 </P>  
1186 <P>  
1187 <N>Handset10FWVersion</N>  
1188 <V></V>  
1189 </P>  
1190 <P>  
1191 <N>HandsetFWFileToUse</N>  
1192 <V X\_UD="Y" X\_DV=""/>  
1193 </P>  
1194 <P>  
1195 <N>HandsetFWVersionToUse</N>  
1196 <V X\_UD="Y" X\_DV=""/>  
1197 </P>  
1198 <P>  
1199 <N>HandsetFWDowngradeAllowed</N>  
1200 <V X\_UD="Y" X\_DV="false"/>  
1201 </P>  
1202 <P>  
1203 <N>Handset1FWUpgrade</N>  
1204 <V X\_UD="Y" X\_DV="true"/>  
1205 </P>

1206 <P>  
1207 <N>Handset2FWUpgrade</N>  
1208 <V X\_UD="Y" X\_DV="true"/>  
1209 </P>  
1210 <P>  
1211 <N>Handset3FWUpgrade</N>  
1212 <V X\_UD="Y" X\_DV="true"/>  
1213 </P>  
1214 <P>  
1215 <N>Handset4FWUpgrade</N>  
1216 <V X\_UD="Y" X\_DV="true"/>  
1217 </P>  
1218 <P>  
1219 <N>Handset5FWUpgrade</N>  
1220 <V X\_UD="Y" X\_DV="true"/>  
1221 </P>  
1222 <P>  
1223 <N>Handset6FWUpgrade</N>  
1224 <V X\_UD="Y" X\_DV="true"/>  
1225 </P>  
1226 <P>  
1227 <N>Handset7FWUpgrade</N>  
1228 <V X\_UD="Y" X\_DV="true"/>  
1229 </P>  
1230 <P>  
1231 <N>Handset8FWUpgrade</N>  
1232 <V X\_UD="Y" X\_DV="true"/>  
1233 </P>  
1234 <P>  
1235 <N>Handset9FWUpgrade</N>  
1236 <V X\_UD="Y" X\_DV="true"/>  
1237 </P>  
1238 <P>  
1239 <N>Handset10FWUpgrade</N>  
1240 <V X\_UD="Y" X\_DV="true"/>  
1241 </P>  
1242 </O>  
1243 <O>  
1244 <N>VoiceService.1.X\_HS.</N>  
1245 <P>  
1246 <N>RegistrationWindow</N>  
1247 <V>CLOSED</V>  
1248 </P>  
1249 <P>  
1250 <N>OpenRegistration</N>  
1251 <V>>false</V>  
1252 </P>  
1253 <P>  
1254 <N>RegisteredHandsets</N>  
1255 <V>1</V>  
1256 </P>  
1257 <P>  
1258 <N>InRangeHandsets</N>  
1259 <V>1</V>  
1260 </P>  
1261 <P>  
1262 <N>DeleteHandsetAll</N>  
1263 <V>>false</V>  
1264 </P>  
1265 <P>  
1266 <N>DeleteHandset1</N>  
1267 <V>>false</V>  
1268 </P>  
1269 <P>  
1270 <N>DeleteHandset2</N>  
1271 <V>>false</V>  
1272 </P>

```
1273 <P>
1274 <N>DeleteHandset3</N>
1275 <V>>false</V>
1276 </P>
1277 <P>
1278 <N>DeleteHandset4</N>
1279 <V>>false</V>
1280 </P>
1281 <P>
1282 <N>DeleteHandset5</N>
1283 <V>>false</V>
1284 </P>
1285 <P>
1286 <N>DeleteHandset6</N>
1287 <V>>false</V>
1288 </P>
1289 <P>
1290 <N>DeleteHandset7</N>
1291 <V>>false</V>
1292 </P>
1293 <P>
1294 <N>DeleteHandset8</N>
1295 <V>>false</V>
1296 </P>
1297 <P>
1298 <N>DeleteHandset9</N>
1299 <V>>false</V>
1300 </P>
1301 <P>
1302 <N>DeleteHandset10</N>
1303 <V>>false</V>
1304 </P>
1305 </O>
1306 <O>
1307 <N>VoiceService.1.X_HS.1.</N>
1308 <P>
1309 <N>Enable</N>
1310 <V X_UD="Y" X_DV="true"/>
1311 </P>
1312 <P>
1313 <N>Name</N>
1314 <V X_UD="Y" X_DV="DT1"/>
1315 </P>
1316 <P>
1317 <N>DigitMap</N>
1318 <V X_UD="Y" X_DV="">{$poly_handset_1_digitmap}</V>
1319 </P>
1320 <P>
1321 <N>OutboundCallRoute</N>
1322 <V X_UD="Y" X_DV="">{$poly_handset_1_outbound_call_route}</V>
1323 </P>
1324 <P>
1325 <N>OutboundServices</N>
1326 <V X_UD="Y" X_DV="sp1"/>
1327 </P>
1328 <P>
1329 <N>CallReturnDigitMaps</N>
1330 <V X_UD="Y" X_DV="">
1331 </P>
1332 <P>
1333 <N>PrimaryLine</N>
1334 <V X_UD="Y" X_DV="SP1 Service"/>
1335 </P>
1336 </O>
1337 <O>
1338 <N>VoiceService.1.X_HS.1.CallingFeatures.</N>
1339 <P>
```

```
1340     <N>CallerIDEnable</N>
1341     <V X_UD="Y" X_DV="true"/>
1342 </P>
1343 <P>
1344     <N>CallWaitingCallerIDEnable</N>
1345     <V X_UD="Y" X_DV="true"/>
1346 </P>
1347 <P>
1348     <N>MWIEnable</N>
1349     <V X_UD="Y" X_DV="true"/>
1350 </P>
1351 <P>
1352     <N>VMWIEEnable</N>
1353     <V X_UD="Y" X_DV="true"/>
1354 </P>
1355 <P>
1356     <N>CallTransferEnable</N>
1357     <V X_UD="Y" X_DV="true"/>
1358 </P>
1359 <P>
1360     <N>ConferenceCallEnable</N>
1361     <V X_UD="Y" X_DV="true"/>
1362 </P>
1363 <P>
1364     <N>UseExternalConferenceBridge</N>
1365     <V X_UD="Y" X_DV="false"/>
1366 </P>
1367 <P>
1368     <N>CallWaitingEnable</N>
1369     <V X_UD="Y" X_DV="true"/>
1370 </P>
1371 <P>
1372     <N>ToneProfile</N>
1373     <V X_UD="Y" X_DV="A"/>
1374 </P>
1375 <P>
1376     <N>StarCodeProfile</N>
1377     <V X_UD="Y" X_DV="A"/>
1378 </P>
1379 <P>
1380     <N>LastDialedNumber</N>
1381     <V>***</V>
1382 </P>
1383 <P>
1384     <N>LastCallerNumber</N>
1385     <V X_UD="Y" X_DV=""/>
1386 </P>
1387 <P>
1388     <N>RepeatDialInterval</N>
1389     <V X_UD="Y" X_DV="30"/>
1390 </P>
1391 <P>
1392     <N>RepeatDialExpires</N>
1393     <V X_UD="Y" X_DV="1800"/>
1394 </P>
1395 <P>
1396     <N>MOHServiceNumber</N>
1397     <V X_UD="Y" X_DV=""/>
1398 </P>
1399 <P>
1400     <N>PlaySITOnCallFailureCodes</N>
1401     <V X_UD="Y" X_DV="([4-9]xx)"/>
1402 </P>
1403 <P>
1404     <N>PlaySITWithAnnouncement</N>
1405     <V X_UD="Y" X_DV="true"/>
1406 </P>
```

```
1407 </O>
1408 <O>
1409 <N>VoiceService.1.X_HS.1.Timer.</N>
1410 <P>
1411 <N>ReorderDelayTime</N>
1412 <V X_UD="Y" X_DV="5500"/>
1413 </P>
1414 <P>
1415 <N>DigitMapLongTimer</N>
1416 <V X_UD="Y" X_DV="10"/>
1417 </P>
1418 <P>
1419 <N>DigitMapShortTimer</N>
1420 <V X_UD="Y" X_DV="2"/>
1421 </P>
1422 </O>
1423 <O>
1424 <N>VoiceService.1.X_HS.2.</N>
1425 <P>
1426 <N>Enable</N>
1427 <V X_UD="Y" X_DV="true"/>
1428 </P>
1429 <P>
1430 <N>Name</N>
1431 <V X_UD="Y" X_DV="DT2"/>
1432 </P>
1433 <P>
1434 <N>DigitMap</N>
1435 <V X_UD="Y" X_DV="">{$poly_handset_2_digitmap}</V>
1436 </P>
1437 <P>
1438 <N>OutboundCallRoute</N>
1439 <V X_UD="Y" X_DV="">{$poly_handset_2_outbound_call_route}</V>
1440 </P>
1441 <P>
1442 <N>OutboundServices</N>
1443 <V X_UD="Y" X_DV="sp1"/>
1444 </P>
1445 <P>
1446 <N>CallReturnDigitMaps</N>
1447 <V X_UD="Y" X_DV="">
1448 </P>
1449 <P>
1450 <N>PrimaryLine</N>
1451 <V X_UD="Y" X_DV="SP1 Service"/>
1452 </P>
1453 </O>
1454 <O>
1455 <N>VoiceService.1.X_HS.2.CallingFeatures.</N>
1456 <P>
1457 <N>CallerIDEnable</N>
1458 <V X_UD="Y" X_DV="true"/>
1459 </P>
1460 <P>
1461 <N>CallWaitingCallerIDEnable</N>
1462 <V X_UD="Y" X_DV="true"/>
1463 </P>
1464 <P>
1465 <N>MWIEnable</N>
1466 <V X_UD="Y" X_DV="true"/>
1467 </P>
1468 <P>
1469 <N>VMWIEnable</N>
1470 <V X_UD="Y" X_DV="true"/>
1471 </P>
1472 <P>
1473 <N>CallTransferEnable</N>
```

```
1474     <V X_UD="Y" X_DV="true"/>
1475 </P>
1476 <P>
1477     <N>ConferenceCallEnable</N>
1478     <V X_UD="Y" X_DV="true"/>
1479 </P>
1480 <P>
1481     <N>UseExternalConferenceBridge</N>
1482     <V X_UD="Y" X_DV="false"/>
1483 </P>
1484 <P>
1485     <N>CallWaitingEnable</N>
1486     <V X_UD="Y" X_DV="true"/>
1487 </P>
1488 <P>
1489     <N>ToneProfile</N>
1490     <V X_UD="Y" X_DV="A"/>
1491 </P>
1492 <P>
1493     <N>StarCodeProfile</N>
1494     <V X_UD="Y" X_DV="A"/>
1495 </P>
1496 <P>
1497     <N>LastDialedNumber</N>
1498     <V X_UD="Y" X_DV=""/>
1499 </P>
1500 <P>
1501     <N>LastCallerNumber</N>
1502     <V X_UD="Y" X_DV=""/>
1503 </P>
1504 <P>
1505     <N>RepeatDialInterval</N>
1506     <V X_UD="Y" X_DV="30"/>
1507 </P>
1508 <P>
1509     <N>RepeatDialExpires</N>
1510     <V X_UD="Y" X_DV="1800"/>
1511 </P>
1512 <P>
1513     <N>MOHServiceNumber</N>
1514     <V X_UD="Y" X_DV=""/>
1515 </P>
1516 <P>
1517     <N>PlaySITOnCallFailureCodes</N>
1518     <V X_UD="Y" X_DV="([4-9]xx)"/>
1519 </P>
1520 <P>
1521     <N>PlaySITWithAnnouncement</N>
1522     <V X_UD="Y" X_DV="true"/>
1523 </P>
1524 </O>
1525 <O>
1526     <N>VoiceService.1.X_HS.2.Timer.</N>
1527     <P>
1528         <N>ReorderDelayTime</N>
1529         <V X_UD="Y" X_DV="5500"/>
1530     </P>
1531     <P>
1532         <N>DigitMapLongTimer</N>
1533         <V X_UD="Y" X_DV="10"/>
1534     </P>
1535     <P>
1536         <N>DigitMapShortTimer</N>
1537         <V X_UD="Y" X_DV="2"/>
1538     </P>
1539 </O>
1540 <O>
```

```
1541 <N>VoiceService.1.X_HS.3.</N>
1542 <P>
1543 <N>Enable</N>
1544 <V X_UD="Y" X_DV="true"/>
1545 </P>
1546 <P>
1547 <N>Name</N>
1548 <V X_UD="Y" X_DV="DT3"/>
1549 </P>
1550 <P>
1551 <N>DigitMap</N>
1552 <V X_UD="Y" X_DV="">{$poly_handset_3_digitmap}</V>
1553 </P>
1554 <P>
1555 <N>OutboundCallRoute</N>
1556 <V X_UD="Y" X_DV="">{$poly_handset_3_outbound_call_route}</V>
1557 </P>
1558 <P>
1559 <N>OutboundServices</N>
1560 <V X_UD="Y" X_DV="sp1"/>
1561 </P>
1562 <P>
1563 <N>CallReturnDigitMaps</N>
1564 <V X_UD="Y" X_DV="">
1565 </P>
1566 <P>
1567 <N>PrimaryLine</N>
1568 <V X_UD="Y" X_DV="SP1 Service"/>
1569 </P>
1570 </O>
1571 <O>
1572 <N>VoiceService.1.X_HS.3.CallingFeatures.</N>
1573 <P>
1574 <N>CallerIDEnable</N>
1575 <V X_UD="Y" X_DV="true"/>
1576 </P>
1577 <P>
1578 <N>CallWaitingCallerIDEnable</N>
1579 <V X_UD="Y" X_DV="true"/>
1580 </P>
1581 <P>
1582 <N>MWIEnable</N>
1583 <V X_UD="Y" X_DV="true"/>
1584 </P>
1585 <P>
1586 <N>VMWIEEnable</N>
1587 <V X_UD="Y" X_DV="true"/>
1588 </P>
1589 <P>
1590 <N>CallTransferEnable</N>
1591 <V X_UD="Y" X_DV="true"/>
1592 </P>
1593 <P>
1594 <N>ConferenceCallEnable</N>
1595 <V X_UD="Y" X_DV="true"/>
1596 </P>
1597 <P>
1598 <N>UseExternalConferenceBridge</N>
1599 <V X_UD="Y" X_DV="false"/>
1600 </P>
1601 <P>
1602 <N>CallWaitingEnable</N>
1603 <V X_UD="Y" X_DV="true"/>
1604 </P>
1605 <P>
1606 <N>ToneProfile</N>
1607 <V X_UD="Y" X_DV="A"/>
```



```
1608 </P>
1609 <P>
1610 <N>StarCodeProfile</N>
1611 <V X_UD="Y" X_DV="A"/>
1612 </P>
1613 <P>
1614 <N>LastDialedNumber</N>
1615 <V X_UD="Y" X_DV=""/>
1616 </P>
1617 <P>
1618 <N>LastCallerNumber</N>
1619 <V X_UD="Y" X_DV=""/>
1620 </P>
1621 <P>
1622 <N>RepeatDialInterval</N>
1623 <V X_UD="Y" X_DV="30"/>
1624 </P>
1625 <P>
1626 <N>RepeatDialExpires</N>
1627 <V X_UD="Y" X_DV="1800"/>
1628 </P>
1629 <P>
1630 <N>MOHServiceNumber</N>
1631 <V X_UD="Y" X_DV=""/>
1632 </P>
1633 <P>
1634 <N>PlaySITOnCallFailureCodes</N>
1635 <V X_UD="Y" X_DV="([4-9]xx)"/>
1636 </P>
1637 <P>
1638 <N>PlaySITWithAnnouncement</N>
1639 <V X_UD="Y" X_DV="true"/>
1640 </P>
1641 </O>
1642 <O>
1643 <N>VoiceService.1.X_HS.3.Timer.</N>
1644 <P>
1645 <N>ReorderDelayTime</N>
1646 <V X_UD="Y" X_DV="5500"/>
1647 </P>
1648 <P>
1649 <N>DigitMapLongTimer</N>
1650 <V X_UD="Y" X_DV="10"/>
1651 </P>
1652 <P>
1653 <N>DigitMapShortTimer</N>
1654 <V X_UD="Y" X_DV="2"/>
1655 </P>
1656 </O>
1657 <O>
1658 <N>VoiceService.1.X_HS.4.</N>
1659 <P>
1660 <N>Enable</N>
1661 <V X_UD="Y" X_DV="true"/>
1662 </P>
1663 <P>
1664 <N>Name</N>
1665 <V X_UD="Y" X_DV="DT4"/>
1666 </P>
1667 <P>
1668 <N>DigitMap</N>
1669 <V X_UD="Y" X_DV="">{$poly_handset_4_digitmap}</V>
1670 </P>
1671 <P>
1672 <N>OutboundCallRoute</N>
1673 <V X_UD="Y" X_DV="">{$poly_handset_4_outbound_call_route}</V>
1674 </P>
```

```
1675 <P>
1676 <N>OutboundServices</N>
1677 <V X_UD="Y" X_DV="sp1"/>
1678 </P>
1679 <P>
1680 <N>CallReturnDigitMaps</N>
1681 <V X_UD="Y" X_DV=""/>
1682 </P>
1683 <P>
1684 <N>PrimaryLine</N>
1685 <V X_UD="Y" X_DV="SP1 Service"/>
1686 </P>
1687 </O>
1688 <O>
1689 <N>VoiceService.1.X_HS.4.CallingFeatures.</N>
1690 <P>
1691 <N>CallerIDEnable</N>
1692 <V X_UD="Y" X_DV="true"/>
1693 </P>
1694 <P>
1695 <N>CallWaitingCallerIDEnable</N>
1696 <V X_UD="Y" X_DV="true"/>
1697 </P>
1698 <P>
1699 <N>MWIEnable</N>
1700 <V X_UD="Y" X_DV="true"/>
1701 </P>
1702 <P>
1703 <N>VMWIEEnable</N>
1704 <V X_UD="Y" X_DV="true"/>
1705 </P>
1706 <P>
1707 <N>CallTransferEnable</N>
1708 <V X_UD="Y" X_DV="true"/>
1709 </P>
1710 <P>
1711 <N>ConferenceCallEnable</N>
1712 <V X_UD="Y" X_DV="true"/>
1713 </P>
1714 <P>
1715 <N>UseExternalConferenceBridge</N>
1716 <V X_UD="Y" X_DV="false"/>
1717 </P>
1718 <P>
1719 <N>CallWaitingEnable</N>
1720 <V X_UD="Y" X_DV="true"/>
1721 </P>
1722 <P>
1723 <N>ToneProfile</N>
1724 <V X_UD="Y" X_DV="A"/>
1725 </P>
1726 <P>
1727 <N>StarCodeProfile</N>
1728 <V X_UD="Y" X_DV="A"/>
1729 </P>
1730 <P>
1731 <N>LastDialedNumber</N>
1732 <V X_UD="Y" X_DV=""/>
1733 </P>
1734 <P>
1735 <N>LastCallerNumber</N>
1736 <V X_UD="Y" X_DV=""/>
1737 </P>
1738 <P>
1739 <N>RepeatDialInterval</N>
1740 <V X_UD="Y" X_DV="30"/>
1741 </P>
```

```
1742 <P>
1743 <N>RepeatDialExpires</N>
1744 <V X_UD="Y" X_DV="1800"/>
1745 </P>
1746 <P>
1747 <N>MOHServiceNumber</N>
1748 <V X_UD="Y" X_DV=""/>
1749 </P>
1750 <P>
1751 <N>PlaySITOnCallFailureCodes</N>
1752 <V X_UD="Y" X_DV="([4-9]xx)"/>
1753 </P>
1754 <P>
1755 <N>PlaySITWithAnnouncement</N>
1756 <V X_UD="Y" X_DV="true"/>
1757 </P>
1758 </O>
1759 <O>
1760 <N>VoiceService.1.X_HS.4.Timer.</N>
1761 <P>
1762 <N>ReorderDelayTime</N>
1763 <V X_UD="Y" X_DV="5500"/>
1764 </P>
1765 <P>
1766 <N>DigitMapLongTimer</N>
1767 <V X_UD="Y" X_DV="10"/>
1768 </P>
1769 <P>
1770 <N>DigitMapShortTimer</N>
1771 <V X_UD="Y" X_DV="2"/>
1772 </P>
1773 </O>
1774 <O>
1775 <N>VoiceService.1.X_HS.5.</N>
1776 <P>
1777 <N>Enable</N>
1778 <V X_UD="Y" X_DV="true"/>
1779 </P>
1780 <P>
1781 <N>Name</N>
1782 <V X_UD="Y" X_DV="DT5"/>
1783 </P>
1784 <P>
1785 <N>DigitMap</N>
1786 <V X_UD="Y" X_DV="">{$poly_handset_5_digitmap}</V>
1787 </P>
1788 <P>
1789 <N>OutboundCallRoute</N>
1790 <V X_UD="Y" X_DV="">{$poly_handset_5_outbound_call_route}</V>
1791 </P>
1792 <P>
1793 <N>OutboundServices</N>
1794 <V X_UD="Y" X_DV="sp1"/>
1795 </P>
1796 <P>
1797 <N>CallReturnDigitMaps</N>
1798 <V X_UD="Y" X_DV=""/>
1799 </P>
1800 <P>
1801 <N>PrimaryLine</N>
1802 <V X_UD="Y" X_DV="SP1 Service"/>
1803 </P>
1804 </O>
1805 <O>
1806 <N>VoiceService.1.X_HS.5.CallingFeatures.</N>
1807 <P>
1808 <N>CallerIDEnable</N>
```

```
1809     <V X_UD="Y" X_DV="true"/>
1810 </P>
1811 <P>
1812     <N>CallWaitingCallerIDEnable</N>
1813     <V X_UD="Y" X_DV="true"/>
1814 </P>
1815 <P>
1816     <N>MWIEnable</N>
1817     <V X_UD="Y" X_DV="true"/>
1818 </P>
1819 <P>
1820     <N>VMWIEnable</N>
1821     <V X_UD="Y" X_DV="true"/>
1822 </P>
1823 <P>
1824     <N>CallTransferEnable</N>
1825     <V X_UD="Y" X_DV="true"/>
1826 </P>
1827 <P>
1828     <N>ConferenceCallEnable</N>
1829     <V X_UD="Y" X_DV="true"/>
1830 </P>
1831 <P>
1832     <N>UseExternalConferenceBridge</N>
1833     <V X_UD="Y" X_DV="false"/>
1834 </P>
1835 <P>
1836     <N>CallWaitingEnable</N>
1837     <V X_UD="Y" X_DV="true"/>
1838 </P>
1839 <P>
1840     <N>ToneProfile</N>
1841     <V X_UD="Y" X_DV="A"/>
1842 </P>
1843 <P>
1844     <N>StarCodeProfile</N>
1845     <V X_UD="Y" X_DV="A"/>
1846 </P>
1847 <P>
1848     <N>LastDialedNumber</N>
1849     <V X_UD="Y" X_DV=""/>
1850 </P>
1851 <P>
1852     <N>LastCallerNumber</N>
1853     <V X_UD="Y" X_DV=""/>
1854 </P>
1855 <P>
1856     <N>RepeatDialInterval</N>
1857     <V X_UD="Y" X_DV="30"/>
1858 </P>
1859 <P>
1860     <N>RepeatDialExpires</N>
1861     <V X_UD="Y" X_DV="1800"/>
1862 </P>
1863 <P>
1864     <N>MOHServiceNumber</N>
1865     <V X_UD="Y" X_DV=""/>
1866 </P>
1867 <P>
1868     <N>PlaySITOnCallFailureCodes</N>
1869     <V X_UD="Y" X_DV="([4-9]xx)"/>
1870 </P>
1871 <P>
1872     <N>PlaySITWithAnnouncement</N>
1873     <V X_UD="Y" X_DV="true"/>
1874 </P>
1875 </O>
```

```
1876 <O>
1877 <N>VoiceService.1.X_HS.5.Timer.</N>
1878 <P>
1879 <N>ReorderDelayTime</N>
1880 <V X_UD="Y" X_DV="5500"/>
1881 </P>
1882 <P>
1883 <N>DigitMapLongTimer</N>
1884 <V X_UD="Y" X_DV="10"/>
1885 </P>
1886 <P>
1887 <N>DigitMapShortTimer</N>
1888 <V X_UD="Y" X_DV="2"/>
1889 </P>
1890 </O>
1891 <O>
1892 <N>VoiceService.1.X_HS.6.</N>
1893 <P>
1894 <N>Enable</N>
1895 <V X_UD="Y" X_DV="true"/>
1896 </P>
1897 <P>
1898 <N>Name</N>
1899 <V X_UD="Y" X_DV="DT6"/>
1900 </P>
1901 <P>
1902 <N>DigitMap</N>
1903 <V X_UD="Y" X_DV="">{$poly_handset_6_digitmap}</V>
1904 </P>
1905 <P>
1906 <N>OutboundCallRoute</N>
1907 <V X_UD="Y" X_DV="">{$poly_handset_6_outbound_call_route}</V>
1908 </P>
1909 <P>
1910 <N>OutboundServices</N>
1911 <V X_UD="Y" X_DV="sp1"/>
1912 </P>
1913 <P>
1914 <N>CallReturnDigitMaps</N>
1915 <V X_UD="Y" X_DV="">
1916 </P>
1917 <P>
1918 <N>PrimaryLine</N>
1919 <V X_UD="Y" X_DV="SP1 Service"/>
1920 </P>
1921 </O>
1922 <O>
1923 <N>VoiceService.1.X_HS.6.CallingFeatures.</N>
1924 <P>
1925 <N>CallerIDEnable</N>
1926 <V X_UD="Y" X_DV="true"/>
1927 </P>
1928 <P>
1929 <N>CallWaitingCallerIDEnable</N>
1930 <V X_UD="Y" X_DV="true"/>
1931 </P>
1932 <P>
1933 <N>MWIEnable</N>
1934 <V X_UD="Y" X_DV="true"/>
1935 </P>
1936 <P>
1937 <N>VMWIEEnable</N>
1938 <V X_UD="Y" X_DV="true"/>
1939 </P>
1940 <P>
1941 <N>CallTransferEnable</N>
1942 <V X_UD="Y" X_DV="true"/>
```

1943 </P>  
1944 <P>  
1945 <N>ConferenceCallEnable</N>  
1946 <V X\_UD="Y" X\_DV="true"/>  
1947 </P>  
1948 <P>  
1949 <N>UseExternalConferenceBridge</N>  
1950 <V X\_UD="Y" X\_DV="false"/>  
1951 </P>  
1952 <P>  
1953 <N>CallWaitingEnable</N>  
1954 <V X\_UD="Y" X\_DV="true"/>  
1955 </P>  
1956 <P>  
1957 <N>ToneProfile</N>  
1958 <V X\_UD="Y" X\_DV="A"/>  
1959 </P>  
1960 <P>  
1961 <N>StarCodeProfile</N>  
1962 <V X\_UD="Y" X\_DV="A"/>  
1963 </P>  
1964 <P>  
1965 <N>LastDialedNumber</N>  
1966 <V X\_UD="Y" X\_DV=""/>  
1967 </P>  
1968 <P>  
1969 <N>LastCallerNumber</N>  
1970 <V X\_UD="Y" X\_DV=""/>  
1971 </P>  
1972 <P>  
1973 <N>RepeatDialInterval</N>  
1974 <V X\_UD="Y" X\_DV="30"/>  
1975 </P>  
1976 <P>  
1977 <N>RepeatDialExpires</N>  
1978 <V X\_UD="Y" X\_DV="1800"/>  
1979 </P>  
1980 <P>  
1981 <N>MOHServiceNumber</N>  
1982 <V X\_UD="Y" X\_DV=""/>  
1983 </P>  
1984 <P>  
1985 <N>PlaySITOnCallFailureCodes</N>  
1986 <V X\_UD="Y" X\_DV="([4-9]xx)"/>  
1987 </P>  
1988 <P>  
1989 <N>PlaySITWithAnnouncement</N>  
1990 <V X\_UD="Y" X\_DV="true"/>  
1991 </P>  
1992 </O>  
1993 <O>  
1994 <N>VoiceService.1.X\_HS.6.Timer.</N>  
1995 <P>  
1996 <N>ReorderDelayTime</N>  
1997 <V X\_UD="Y" X\_DV="5500"/>  
1998 </P>  
1999 <P>  
2000 <N>DigitMapLongTimer</N>  
2001 <V X\_UD="Y" X\_DV="10"/>  
2002 </P>  
2003 <P>  
2004 <N>DigitMapShortTimer</N>  
2005 <V X\_UD="Y" X\_DV="2"/>  
2006 </P>  
2007 </O>  
2008 <O>  
2009 <N>VoiceService.1.X\_HS.7.</N>

```
2010 <P>
2011 <N>Enable</N>
2012 <V X_UD="Y" X_DV="true"/>
2013 </P>
2014 <P>
2015 <N>Name</N>
2016 <V X_UD="Y" X_DV="DT7"/>
2017 </P>
2018 <P>
2019 <N>DigitMap</N>
2020 <V X_UD="Y" X_DV="">{$poly_handset_7_digitmap}</V>
2021 </P>
2022 <P>
2023 <N>OutboundCallRoute</N>
2024 <V X_UD="Y" X_DV="">{$poly_handset_7_outbound_call_route}</V>
2025 </P>
2026 <P>
2027 <N>OutboundServices</N>
2028 <V X_UD="Y" X_DV="sp1"/>
2029 </P>
2030 <P>
2031 <N>CallReturnDigitMaps</N>
2032 <V X_UD="Y" X_DV="">
2033 </P>
2034 <P>
2035 <N>PrimaryLine</N>
2036 <V X_UD="Y" X_DV="SP1 Service"/>
2037 </P>
2038 </O>
2039 <O>
2040 <N>VoiceService.1.X_HS.7.CallingFeatures.</N>
2041 <P>
2042 <N>CallerIDEnable</N>
2043 <V X_UD="Y" X_DV="true"/>
2044 </P>
2045 <P>
2046 <N>CallWaitingCallerIDEnable</N>
2047 <V X_UD="Y" X_DV="true"/>
2048 </P>
2049 <P>
2050 <N>MWIEnable</N>
2051 <V X_UD="Y" X_DV="true"/>
2052 </P>
2053 <P>
2054 <N>VMWIEEnable</N>
2055 <V X_UD="Y" X_DV="true"/>
2056 </P>
2057 <P>
2058 <N>CallTransferEnable</N>
2059 <V X_UD="Y" X_DV="true"/>
2060 </P>
2061 <P>
2062 <N>ConferenceCallEnable</N>
2063 <V X_UD="Y" X_DV="true"/>
2064 </P>
2065 <P>
2066 <N>UseExternalConferenceBridge</N>
2067 <V X_UD="Y" X_DV="false"/>
2068 </P>
2069 <P>
2070 <N>CallWaitingEnable</N>
2071 <V X_UD="Y" X_DV="true"/>
2072 </P>
2073 <P>
2074 <N>ToneProfile</N>
2075 <V X_UD="Y" X_DV="A"/>
2076 </P>
```

```
2077 <P>
2078 <N>StarCodeProfile</N>
2079 <V X_UD="Y" X_DV="A"/>
2080 </P>
2081 <P>
2082 <N>LastDialedNumber</N>
2083 <V X_UD="Y" X_DV=""/>
2084 </P>
2085 <P>
2086 <N>LastCallerNumber</N>
2087 <V X_UD="Y" X_DV=""/>
2088 </P>
2089 <P>
2090 <N>RepeatDialInterval</N>
2091 <V X_UD="Y" X_DV="30"/>
2092 </P>
2093 <P>
2094 <N>RepeatDialExpires</N>
2095 <V X_UD="Y" X_DV="1800"/>
2096 </P>
2097 <P>
2098 <N>MOHServiceNumber</N>
2099 <V X_UD="Y" X_DV=""/>
2100 </P>
2101 <P>
2102 <N>PlaySITOnCallFailureCodes</N>
2103 <V X_UD="Y" X_DV="([4-9]xx)"/>
2104 </P>
2105 <P>
2106 <N>PlaySITWithAnnouncement</N>
2107 <V X_UD="Y" X_DV="true"/>
2108 </P>
2109 </O>
2110 <O>
2111 <N>VoiceService.1.X_HS.7.Timer.</N>
2112 <P>
2113 <N>ReorderDelayTime</N>
2114 <V X_UD="Y" X_DV="5500"/>
2115 </P>
2116 <P>
2117 <N>DigitMapLongTimer</N>
2118 <V X_UD="Y" X_DV="10"/>
2119 </P>
2120 <P>
2121 <N>DigitMapShortTimer</N>
2122 <V X_UD="Y" X_DV="2"/>
2123 </P>
2124 </O>
2125 <O>
2126 <N>VoiceService.1.X_HS.8.</N>
2127 <P>
2128 <N>Enable</N>
2129 <V X_UD="Y" X_DV="true"/>
2130 </P>
2131 <P>
2132 <N>Name</N>
2133 <V X_UD="Y" X_DV="DT8"/>
2134 </P>
2135 <P>
2136 <N>DigitMap</N>
2137 <V X_UD="Y" X_DV="">{$poly_handset_8_digitmap}</V>
2138 </P>
2139 <P>
2140 <N>OutboundCallRoute</N>
2141 <V X_UD="Y" X_DV="">{$poly_handset_8_outbound_call_route}</V>
2142 </P>
2143 <P>
```



```
2144     <N>OutboundServices</N>
2145     <V X_UD="Y" X_DV="sp1"/>
2146 </P>
2147 <P>
2148     <N>CallReturnDigitMaps</N>
2149     <V X_UD="Y" X_DV=""/>
2150 </P>
2151 <P>
2152     <N>PrimaryLine</N>
2153     <V X_UD="Y" X_DV="SP1 Service"/>
2154 </P>
2155 </O>
2156 <O>
2157 <N>VoiceService.1.X_HS.8.CallingFeatures.</N>
2158 <P>
2159     <N>CallerIDEnable</N>
2160     <V X_UD="Y" X_DV="true"/>
2161 </P>
2162 <P>
2163     <N>CallWaitingCallerIDEnable</N>
2164     <V X_UD="Y" X_DV="true"/>
2165 </P>
2166 <P>
2167     <N>MWIEnable</N>
2168     <V X_UD="Y" X_DV="true"/>
2169 </P>
2170 <P>
2171     <N>VMWIEEnable</N>
2172     <V X_UD="Y" X_DV="true"/>
2173 </P>
2174 <P>
2175     <N>CallTransferEnable</N>
2176     <V X_UD="Y" X_DV="true"/>
2177 </P>
2178 <P>
2179     <N>ConferenceCallEnable</N>
2180     <V X_UD="Y" X_DV="true"/>
2181 </P>
2182 <P>
2183     <N>UseExternalConferenceBridge</N>
2184     <V X_UD="Y" X_DV="false"/>
2185 </P>
2186 <P>
2187     <N>CallWaitingEnable</N>
2188     <V X_UD="Y" X_DV="true"/>
2189 </P>
2190 <P>
2191     <N>ToneProfile</N>
2192     <V X_UD="Y" X_DV="A"/>
2193 </P>
2194 <P>
2195     <N>StarCodeProfile</N>
2196     <V X_UD="Y" X_DV="A"/>
2197 </P>
2198 <P>
2199     <N>LastDialedNumber</N>
2200     <V X_UD="Y" X_DV=""/>
2201 </P>
2202 <P>
2203     <N>LastCallerNumber</N>
2204     <V X_UD="Y" X_DV=""/>
2205 </P>
2206 <P>
2207     <N>RepeatDialInterval</N>
2208     <V X_UD="Y" X_DV="30"/>
2209 </P>
2210 <P>
```

```
2211     <N>RepeatDialExpires</N>
2212     <V X_UD="Y" X_DV="1800"/>
2213 </P>
2214 <P>
2215     <N>MOHServiceNumber</N>
2216     <V X_UD="Y" X_DV=""/>
2217 </P>
2218 <P>
2219     <N>PlaySITOnCallFailureCodes</N>
2220     <V X_UD="Y" X_DV="([4-9]xx)"/>
2221 </P>
2222 <P>
2223     <N>PlaySITWithAnnouncement</N>
2224     <V X_UD="Y" X_DV="true"/>
2225 </P>
2226 </O>
2227 <O>
2228     <N>VoiceService.1.X_HS.8.Timer.</N>
2229     <P>
2230         <N>ReorderDelayTime</N>
2231         <V X_UD="Y" X_DV="5500"/>
2232     </P>
2233     <P>
2234         <N>DigitMapLongTimer</N>
2235         <V X_UD="Y" X_DV="10"/>
2236     </P>
2237     <P>
2238         <N>DigitMapShortTimer</N>
2239         <V X_UD="Y" X_DV="2"/>
2240     </P>
2241 </O>
2242 <O>
2243     <N>VoiceService.1.X_HS.9.</N>
2244     <P>
2245         <N>Enable</N>
2246         <V X_UD="Y" X_DV="true"/>
2247     </P>
2248     <P>
2249         <N>Name</N>
2250         <V X_UD="Y" X_DV="DT9"/>
2251     </P>
2252     <P>
2253         <N>DigitMap</N>
2254         <V X_UD="Y" X_DV="">{$poly_handset_9_digitmap}</V>
2255     </P>
2256     <P>
2257         <N>OutboundCallRoute</N>
2258         <V X_UD="Y" X_DV="">{$poly_handset_9_outbound_call_route}</V>
2259     </P>
2260     <P>
2261         <N>OutboundServices</N>
2262         <V X_UD="Y" X_DV="sp1"/>
2263     </P>
2264     <P>
2265         <N>CallReturnDigitMaps</N>
2266         <V X_UD="Y" X_DV=""/>
2267     </P>
2268     <P>
2269         <N>PrimaryLine</N>
2270         <V X_UD="Y" X_DV="SP1 Service"/>
2271     </P>
2272 </O>
2273 <O>
2274     <N>VoiceService.1.X_HS.9.CallingFeatures.</N>
2275     <P>
2276         <N>CallerIDEnable</N>
2277         <V X_UD="Y" X_DV="true"/>
```

```
2278 </P>
2279 <P>
2280 <N>CallWaitingCallerIDEnable</N>
2281 <V X_UD="Y" X_DV="true"/>
2282 </P>
2283 <P>
2284 <N>MWIEnable</N>
2285 <V X_UD="Y" X_DV="true"/>
2286 </P>
2287 <P>
2288 <N>VMWIEnable</N>
2289 <V X_UD="Y" X_DV="true"/>
2290 </P>
2291 <P>
2292 <N>CallTransferEnable</N>
2293 <V X_UD="Y" X_DV="true"/>
2294 </P>
2295 <P>
2296 <N>ConferenceCallEnable</N>
2297 <V X_UD="Y" X_DV="true"/>
2298 </P>
2299 <P>
2300 <N>UseExternalConferenceBridge</N>
2301 <V X_UD="Y" X_DV="false"/>
2302 </P>
2303 <P>
2304 <N>CallWaitingEnable</N>
2305 <V X_UD="Y" X_DV="true"/>
2306 </P>
2307 <P>
2308 <N>ToneProfile</N>
2309 <V X_UD="Y" X_DV="A"/>
2310 </P>
2311 <P>
2312 <N>StarCodeProfile</N>
2313 <V X_UD="Y" X_DV="A"/>
2314 </P>
2315 <P>
2316 <N>LastDialedNumber</N>
2317 <V X_UD="Y" X_DV=""/>
2318 </P>
2319 <P>
2320 <N>LastCallerNumber</N>
2321 <V X_UD="Y" X_DV=""/>
2322 </P>
2323 <P>
2324 <N>RepeatDialInterval</N>
2325 <V X_UD="Y" X_DV="30"/>
2326 </P>
2327 <P>
2328 <N>RepeatDialExpires</N>
2329 <V X_UD="Y" X_DV="1800"/>
2330 </P>
2331 <P>
2332 <N>MOHServiceNumber</N>
2333 <V X_UD="Y" X_DV=""/>
2334 </P>
2335 <P>
2336 <N>PlaySITOnCallFailureCodes</N>
2337 <V X_UD="Y" X_DV="([4-9]xx)"/>
2338 </P>
2339 <P>
2340 <N>PlaySITWithAnnouncement</N>
2341 <V X_UD="Y" X_DV="true"/>
2342 </P>
2343 </O>
2344 <O>
```

```
2345 <N>VoiceService.1.X_HS.9.Timer.</N>
2346 <P>
2347 <N>ReorderDelayTime</N>
2348 <V X_UD="Y" X_DV="5500"/>
2349 </P>
2350 <P>
2351 <N>DigitMapLongTimer</N>
2352 <V X_UD="Y" X_DV="10"/>
2353 </P>
2354 <P>
2355 <N>DigitMapShortTimer</N>
2356 <V X_UD="Y" X_DV="2"/>
2357 </P>
2358 </O>
2359 <O>
2360 <N>VoiceService.1.X_HS.10.</N>
2361 <P>
2362 <N>Enable</N>
2363 <V X_UD="Y" X_DV="true"/>
2364 </P>
2365 <P>
2366 <N>Name</N>
2367 <V X_UD="Y" X_DV="DT10"/>
2368 </P>
2369 <P>
2370 <N>DigitMap</N>
2371 <V X_UD="Y" X_DV="">{$poly_handset_10_digitmap}</V>
2372 </P>
2373 <P>
2374 <N>OutboundCallRoute</N>
2375 <V X_UD="Y" X_DV="">{$poly_handset_10_outbound_call_route}</V>
2376 </P>
2377 <P>
2378 <N>OutboundServices</N>
2379 <V X_UD="Y" X_DV="sp1"/>
2380 </P>
2381 <P>
2382 <N>CallReturnDigitMaps</N>
2383 <V X_UD="Y" X_DV="">
2384 </P>
2385 <P>
2386 <N>PrimaryLine</N>
2387 <V X_UD="Y" X_DV="SP1 Service"/>
2388 </P>
2389 </O>
2390 <O>
2391 <N>VoiceService.1.X_HS.10.CallingFeatures.</N>
2392 <P>
2393 <N>CallerIDEnable</N>
2394 <V X_UD="Y" X_DV="true"/>
2395 </P>
2396 <P>
2397 <N>CallWaitingCallerIDEnable</N>
2398 <V X_UD="Y" X_DV="true"/>
2399 </P>
2400 <P>
2401 <N>MWIEnable</N>
2402 <V X_UD="Y" X_DV="true"/>
2403 </P>
2404 <P>
2405 <N>VMWIEEnable</N>
2406 <V X_UD="Y" X_DV="true"/>
2407 </P>
2408 <P>
2409 <N>CallTransferEnable</N>
2410 <V X_UD="Y" X_DV="true"/>
2411 </P>
```

2412 <P>  
2413 <N>ConferenceCallEnable</N>  
2414 <V X\_UD="Y" X\_DV="true"/>  
2415 </P>  
2416 <P>  
2417 <N>UseExternalConferenceBridge</N>  
2418 <V X\_UD="Y" X\_DV="false"/>  
2419 </P>  
2420 <P>  
2421 <N>CallWaitingEnable</N>  
2422 <V X\_UD="Y" X\_DV="true"/>  
2423 </P>  
2424 <P>  
2425 <N>ToneProfile</N>  
2426 <V X\_UD="Y" X\_DV="A"/>  
2427 </P>  
2428 <P>  
2429 <N>StarCodeProfile</N>  
2430 <V X\_UD="Y" X\_DV="A"/>  
2431 </P>  
2432 <P>  
2433 <N>LastDialedNumber</N>  
2434 <V X\_UD="Y" X\_DV=""/>  
2435 </P>  
2436 <P>  
2437 <N>LastCallerNumber</N>  
2438 <V X\_UD="Y" X\_DV=""/>  
2439 </P>  
2440 <P>  
2441 <N>RepeatDialInterval</N>  
2442 <V X\_UD="Y" X\_DV="30"/>  
2443 </P>  
2444 <P>  
2445 <N>RepeatDialExpires</N>  
2446 <V X\_UD="Y" X\_DV="1800"/>  
2447 </P>  
2448 <P>  
2449 <N>MOHServiceNumber</N>  
2450 <V X\_UD="Y" X\_DV=""/>  
2451 </P>  
2452 <P>  
2453 <N>PlaySITOnCallFailureCodes</N>  
2454 <V X\_UD="Y" X\_DV="([4-9]xx)"/>  
2455 </P>  
2456 <P>  
2457 <N>PlaySITWithAnnouncement</N>  
2458 <V X\_UD="Y" X\_DV="true"/>  
2459 </P>  
2460 </O>  
2461 <O>  
2462 <N>VoiceService.1.X\_HS.10.Timer.</N>  
2463 <P>  
2464 <N>ReorderDelayTime</N>  
2465 <V X\_UD="Y" X\_DV="5500"/>  
2466 </P>  
2467 <P>  
2468 <N>DigitMapLongTimer</N>  
2469 <V X\_UD="Y" X\_DV="10"/>  
2470 </P>  
2471 <P>  
2472 <N>DigitMapShortTimer</N>  
2473 <V X\_UD="Y" X\_DV="2"/>  
2474 </P>  
2475 </O>  
2476 <O>  
2477 <N>VoiceService.1.X\_FXO.1.</N>  
2478 <P>

```
2479     <N>DigitMap</N>
2480     <V X_UD="Y" X_DV="(xxxxxxxxS4|1xxxxxxxxxxxx|xx.)" />
2481 </P>
2482 <P>
2483     <N>InboundCallRoute</N>
2484     <V X_UD="Y" X_DV="ph, ph2" />
2485 </P>
2486 <P>
2487     <N>RingDelay</N>
2488     <V X_UD="Y" X_DV="4000" />
2489 </P>
2490 <P>
2491     <N>RingProfile</N>
2492     <V X_UD="Y" X_DV="A" />
2493 </P>
2494 <P>
2495     <N>DefaultRing</N>
2496     <V X_UD="Y" X_DV="1" />
2497 </P>
2498 <P>
2499     <N>CallOnHoldRing</N>
2500     <V X_UD="Y" X_DV="8" />
2501 </P>
2502 <P>
2503     <N>ToneProfile</N>
2504     <V X_UD="Y" X_DV="A" />
2505 </P>
2506 <P>
2507     <N>DetectOutboundConnectMethod</N>
2508     <V X_UD="Y" X_DV="None" />
2509 </P>
2510 <P>
2511     <N>DialDelay</N>
2512     <V X_UD="Y" X_DV="600" />
2513 </P>
2514 <P>
2515     <N>DialDigitOnTime</N>
2516     <V X_UD="Y" X_DV="200" />
2517 </P>
2518 <P>
2519     <N>DialDigitOffTime</N>
2520     <V X_UD="Y" X_DV="200" />
2521 </P>
2522 <P>
2523     <N>HookFlashTimer</N>
2524     <V X_UD="Y" X_DV="350" />
2525 </P>
2526 <P>
2527     <N>OutboundCallConfirmTone</N>
2528     <V X_UD="Y" X_DV="false" />
2529 </P>
2530 <P>
2531     <N>DirectoryNumber</N>
2532     <V X_UD="Y" X_DV="" />
2533 </P>
2534 </O>
2535 <O>
2536     <N>VoiceService.1.X_FXO.1.CallingFeatures.</N>
2537     <P>
2538         <N>CallForwardUnconditionalEnable</N>
2539         <V X_UD="Y" X_DV="false" />
2540     </P>
2541     <P>
2542         <N>CallForwardUnconditionalNumber</N>
2543         <V X_UD="Y" X_DV="" />
2544     </P>
2545     <P>
```

```
2546     <N>CallForwardOnBusyEnable</N>
2547     <V X_UD="Y" X_DV="false"/>
2548 </P>
2549 <P>
2550     <N>CallForwardOnBusyNumber</N>
2551     <V X_UD="Y" X_DV=""/>
2552 </P>
2553 <P>
2554     <N>CallForwardOnNoAnswerEnable</N>
2555     <V X_UD="Y" X_DV="false"/>
2556 </P>
2557 <P>
2558     <N>CallForwardOnNoAnswerNumber</N>
2559     <V X_UD="Y" X_DV=""/>
2560 </P>
2561 <P>
2562     <N>CallForwardOnNoAnswerRingCount</N>
2563     <V X_UD="Y" X_DV="2"/>
2564 </P>
2565 <P>
2566     <N>AnonymousCallBlockEnable</N>
2567     <V X_UD="Y" X_DV="false"/>
2568 </P>
2569 <P>
2570     <N>DoNotDisturbEnable</N>
2571     <V X_UD="Y" X_DV="false"/>
2572 </P>
2573 <P>
2574     <N>BridgedOutboundCallMaxDuration</N>
2575     <V X_UD="Y" X_DV=""/>
2576 </P>
2577 </O>
2578 <O>
2579     <N>VoiceService.1.X_FXO.1.DisconnctDetect</N>
2580 <P>
2581     <N>DetectCPC</N>
2582     <V X_UD="Y" X_DV="true"/>
2583 </P>
2584 <P>
2585     <N>CPCTimeThreshold</N>
2586     <V X_UD="Y" X_DV="450"/>
2587 </P>
2588 <P>
2589     <N>DetectPolarityReversal</N>
2590     <V X_UD="Y" X_DV="true"/>
2591 </P>
2592 <P>
2593     <N>DetectFarEndLongSilence</N>
2594     <V X_UD="Y" X_DV="true"/>
2595 </P>
2596 <P>
2597     <N>SilenceDetectSensitivity</N>
2598     <V X_UD="Y" X_DV="Medium"/>
2599 </P>
2600 <P>
2601     <N>SilenceTimeThreshold</N>
2602     <V X_UD="Y" X_DV="60"/>
2603 </P>
2604 <P>
2605     <N>DetectDisconnectTone</N>
2606     <V X_UD="Y" X_DV="true"/>
2607 </P>
2608 <P>
2609     <N>DisconnectTonePattern</N>
2610     <V X_UD="Y" X_DV="480-30,620-30;10; (.25+.25)"/>
2611 </P>
2612 </O>
```

```
2613 <O>
2614 <N>VoiceService.1.X_FXO.1.Settings.</N>
2615 <P>
2616 <N>ACImpedance</N>
2617 <V X_UD="Y" X_DV="600"/>
2618 </P>
2619 <P>
2620 <N>OnHookSpeed</N>
2621 <V X_UD="Y" X_DV="0.5 ms"/>
2622 </P>
2623 <P>
2624 <N>TipRingVoltageAdjust</N>
2625 <V X_UD="Y" X_DV="3.5 V"/>
2626 </P>
2627 <P>
2628 <N>MinOperationalLoopCurrent</N>
2629 <V X_UD="Y" X_DV="10 mA"/>
2630 </P>
2631 <P>
2632 <N>CurrentLimitingEnable</N>
2633 <V X_UD="Y" X_DV="false"/>
2634 </P>
2635 <P>
2636 <N>ChannelTxGain</N>
2637 <V X_UD="Y" X_DV="0"/>
2638 </P>
2639 <P>
2640 <N>ChannelRxGain</N>
2641 <V X_UD="Y" X_DV="5"/>
2642 </P>
2643 <P>
2644 <N>LineInUseVoltageThreshold</N>
2645 <V X_UD="Y" X_DV="25"/>
2646 </P>
2647 <P>
2648 <N>LineInUseCurrentThreshold</N>
2649 <V X_UD="Y" X_DV="12"/>
2650 </P>
2651 <P>
2652 <N>CallerIDDetectMethod</N>
2653 <V X_UD="Y" X_DV="FSK(Bell 202)"/>
2654 </P>
2655 <P>
2656 <N>DTMFPlaybackLevel</N>
2657 <V X_UD="Y" X_DV="-18"/>
2658 </P>
2659 </O>
2660 <O>
2661 <N>VoiceService.1.X_FXO.1.RingDetect.</N>
2662 <P>
2663 <N>RingFrequencyMin</N>
2664 <V X_UD="Y" X_DV="15"/>
2665 </P>
2666 <P>
2667 <N>RingFrequencyMax</N>
2668 <V X_UD="Y" X_DV="100"/>
2669 </P>
2670 <P>
2671 <N>RingThreshold</N>
2672 <V X_UD="Y" X_DV="40.50-49.50"/>
2673 </P>
2674 <P>
2675 <N>RingValidationTime</N>
2676 <V X_UD="Y" X_DV="256"/>
2677 </P>
2678 <P>
2679 <N>RingIndicationDelayTime</N>
```



2680 <V X\_UD="Y" X\_DV="512"/>  
2681 </P>  
2682 <P>  
2683 <N>RingTimeout</N>  
2684 <V X\_UD="Y" X\_DV="640"/>  
2685 </P>  
2686 <P>  
2687 <N>RingerImpedance</N>  
2688 <V X\_UD="Y" X\_DV="High"/>  
2689 </P>  
2690 </O>  
2691 <O>  
2692 <N>SpeedDial.</N>  
2693 <P>  
2694 <N>1</N>  
2695 <V X\_UD="Y" X\_DV=""/>  
2696 </P>  
2697 <P>  
2698 <N>2</N>  
2699 <V X\_UD="Y" X\_DV=""/>  
2700 </P>  
2701 <P>  
2702 <N>3</N>  
2703 <V X\_UD="Y" X\_DV=""/>  
2704 </P>  
2705 <P>  
2706 <N>4</N>  
2707 <V X\_UD="Y" X\_DV=""/>  
2708 </P>  
2709 <P>  
2710 <N>5</N>  
2711 <V X\_UD="Y" X\_DV=""/>  
2712 </P>  
2713 <P>  
2714 <N>6</N>  
2715 <V X\_UD="Y" X\_DV=""/>  
2716 </P>  
2717 <P>  
2718 <N>7</N>  
2719 <V X\_UD="Y" X\_DV=""/>  
2720 </P>  
2721 <P>  
2722 <N>8</N>  
2723 <V X\_UD="Y" X\_DV=""/>  
2724 </P>  
2725 <P>  
2726 <N>9</N>  
2727 <V X\_UD="Y" X\_DV=""/>  
2728 </P>  
2729 <P>  
2730 <N>10</N>  
2731 <V X\_UD="Y" X\_DV=""/>  
2732 </P>  
2733 <P>  
2734 <N>11</N>  
2735 <V X\_UD="Y" X\_DV=""/>  
2736 </P>  
2737 <P>  
2738 <N>12</N>  
2739 <V X\_UD="Y" X\_DV=""/>  
2740 </P>  
2741 <P>  
2742 <N>13</N>  
2743 <V X\_UD="Y" X\_DV=""/>  
2744 </P>  
2745 <P>  
2746 <N>14</N>

2747 <V X\_UD="Y" X\_DV=""/>  
2748 </P>  
2749 <P>  
2750 <N>15</N>  
2751 <V X\_UD="Y" X\_DV=""/>  
2752 </P>  
2753 <P>  
2754 <N>16</N>  
2755 <V X\_UD="Y" X\_DV=""/>  
2756 </P>  
2757 <P>  
2758 <N>17</N>  
2759 <V X\_UD="Y" X\_DV=""/>  
2760 </P>  
2761 <P>  
2762 <N>18</N>  
2763 <V X\_UD="Y" X\_DV=""/>  
2764 </P>  
2765 <P>  
2766 <N>19</N>  
2767 <V X\_UD="Y" X\_DV=""/>  
2768 </P>  
2769 <P>  
2770 <N>20</N>  
2771 <V X\_UD="Y" X\_DV=""/>  
2772 </P>  
2773 <P>  
2774 <N>21</N>  
2775 <V X\_UD="Y" X\_DV=""/>  
2776 </P>  
2777 <P>  
2778 <N>22</N>  
2779 <V X\_UD="Y" X\_DV=""/>  
2780 </P>  
2781 <P>  
2782 <N>23</N>  
2783 <V X\_UD="Y" X\_DV=""/>  
2784 </P>  
2785 <P>  
2786 <N>24</N>  
2787 <V X\_UD="Y" X\_DV=""/>  
2788 </P>  
2789 <P>  
2790 <N>25</N>  
2791 <V X\_UD="Y" X\_DV=""/>  
2792 </P>  
2793 <P>  
2794 <N>26</N>  
2795 <V X\_UD="Y" X\_DV=""/>  
2796 </P>  
2797 <P>  
2798 <N>27</N>  
2799 <V X\_UD="Y" X\_DV=""/>  
2800 </P>  
2801 <P>  
2802 <N>28</N>  
2803 <V X\_UD="Y" X\_DV=""/>  
2804 </P>  
2805 <P>  
2806 <N>29</N>  
2807 <V X\_UD="Y" X\_DV=""/>  
2808 </P>  
2809 <P>  
2810 <N>30</N>  
2811 <V X\_UD="Y" X\_DV=""/>  
2812 </P>  
2813 <P>

2814 <N>**31**</N>  
2815 <V X\_UD="Y" X\_DV="" />  
2816 </P>  
2817 <P>  
2818 <N>**32**</N>  
2819 <V X\_UD="Y" X\_DV="" />  
2820 </P>  
2821 <P>  
2822 <N>**33**</N>  
2823 <V X\_UD="Y" X\_DV="" />  
2824 </P>  
2825 <P>  
2826 <N>**34**</N>  
2827 <V X\_UD="Y" X\_DV="" />  
2828 </P>  
2829 <P>  
2830 <N>**35**</N>  
2831 <V X\_UD="Y" X\_DV="" />  
2832 </P>  
2833 <P>  
2834 <N>**36**</N>  
2835 <V X\_UD="Y" X\_DV="" />  
2836 </P>  
2837 <P>  
2838 <N>**37**</N>  
2839 <V X\_UD="Y" X\_DV="" />  
2840 </P>  
2841 <P>  
2842 <N>**38**</N>  
2843 <V X\_UD="Y" X\_DV="" />  
2844 </P>  
2845 <P>  
2846 <N>**39**</N>  
2847 <V X\_UD="Y" X\_DV="" />  
2848 </P>  
2849 <P>  
2850 <N>**40**</N>  
2851 <V X\_UD="Y" X\_DV="" />  
2852 </P>  
2853 <P>  
2854 <N>**41**</N>  
2855 <V X\_UD="Y" X\_DV="" />  
2856 </P>  
2857 <P>  
2858 <N>**42**</N>  
2859 <V X\_UD="Y" X\_DV="" />  
2860 </P>  
2861 <P>  
2862 <N>**43**</N>  
2863 <V X\_UD="Y" X\_DV="" />  
2864 </P>  
2865 <P>  
2866 <N>**44**</N>  
2867 <V X\_UD="Y" X\_DV="" />  
2868 </P>  
2869 <P>  
2870 <N>**45**</N>  
2871 <V X\_UD="Y" X\_DV="" />  
2872 </P>  
2873 <P>  
2874 <N>**46**</N>  
2875 <V X\_UD="Y" X\_DV="" />  
2876 </P>  
2877 <P>  
2878 <N>**47**</N>  
2879 <V X\_UD="Y" X\_DV="" />  
2880 </P>

2881 <P>  
2882 <N>48</N>  
2883 <V X\_UD="Y" X\_DV=""/>  
2884 </P>  
2885 <P>  
2886 <N>49</N>  
2887 <V X\_UD="Y" X\_DV=""/>  
2888 </P>  
2889 <P>  
2890 <N>50</N>  
2891 <V X\_UD="Y" X\_DV=""/>  
2892 </P>  
2893 <P>  
2894 <N>51</N>  
2895 <V X\_UD="Y" X\_DV=""/>  
2896 </P>  
2897 <P>  
2898 <N>52</N>  
2899 <V X\_UD="Y" X\_DV=""/>  
2900 </P>  
2901 <P>  
2902 <N>53</N>  
2903 <V X\_UD="Y" X\_DV=""/>  
2904 </P>  
2905 <P>  
2906 <N>54</N>  
2907 <V X\_UD="Y" X\_DV=""/>  
2908 </P>  
2909 <P>  
2910 <N>55</N>  
2911 <V X\_UD="Y" X\_DV=""/>  
2912 </P>  
2913 <P>  
2914 <N>56</N>  
2915 <V X\_UD="Y" X\_DV=""/>  
2916 </P>  
2917 <P>  
2918 <N>57</N>  
2919 <V X\_UD="Y" X\_DV=""/>  
2920 </P>  
2921 <P>  
2922 <N>58</N>  
2923 <V X\_UD="Y" X\_DV=""/>  
2924 </P>  
2925 <P>  
2926 <N>59</N>  
2927 <V X\_UD="Y" X\_DV=""/>  
2928 </P>  
2929 <P>  
2930 <N>60</N>  
2931 <V X\_UD="Y" X\_DV=""/>  
2932 </P>  
2933 <P>  
2934 <N>61</N>  
2935 <V X\_UD="Y" X\_DV=""/>  
2936 </P>  
2937 <P>  
2938 <N>62</N>  
2939 <V X\_UD="Y" X\_DV=""/>  
2940 </P>  
2941 <P>  
2942 <N>63</N>  
2943 <V X\_UD="Y" X\_DV=""/>  
2944 </P>  
2945 <P>  
2946 <N>64</N>  
2947 <V X\_UD="Y" X\_DV=""/>

2948 </P>  
2949 <P>  
2950 <N>**65**</N>  
2951 <V X\_UD="Y" X\_DV="" />  
2952 </P>  
2953 <P>  
2954 <N>**66**</N>  
2955 <V X\_UD="Y" X\_DV="" />  
2956 </P>  
2957 <P>  
2958 <N>**67**</N>  
2959 <V X\_UD="Y" X\_DV="" />  
2960 </P>  
2961 <P>  
2962 <N>**68**</N>  
2963 <V X\_UD="Y" X\_DV="" />  
2964 </P>  
2965 <P>  
2966 <N>**69**</N>  
2967 <V X\_UD="Y" X\_DV="" />  
2968 </P>  
2969 <P>  
2970 <N>**70**</N>  
2971 <V X\_UD="Y" X\_DV="" />  
2972 </P>  
2973 <P>  
2974 <N>**71**</N>  
2975 <V X\_UD="Y" X\_DV="" />  
2976 </P>  
2977 <P>  
2978 <N>**72**</N>  
2979 <V X\_UD="Y" X\_DV="" />  
2980 </P>  
2981 <P>  
2982 <N>**73**</N>  
2983 <V X\_UD="Y" X\_DV="" />  
2984 </P>  
2985 <P>  
2986 <N>**74**</N>  
2987 <V X\_UD="Y" X\_DV="" />  
2988 </P>  
2989 <P>  
2990 <N>**75**</N>  
2991 <V X\_UD="Y" X\_DV="" />  
2992 </P>  
2993 <P>  
2994 <N>**76**</N>  
2995 <V X\_UD="Y" X\_DV="" />  
2996 </P>  
2997 <P>  
2998 <N>**77**</N>  
2999 <V X\_UD="Y" X\_DV="" />  
3000 </P>  
3001 <P>  
3002 <N>**78**</N>  
3003 <V X\_UD="Y" X\_DV="" />  
3004 </P>  
3005 <P>  
3006 <N>**79**</N>  
3007 <V X\_UD="Y" X\_DV="" />  
3008 </P>  
3009 <P>  
3010 <N>**80**</N>  
3011 <V X\_UD="Y" X\_DV="" />  
3012 </P>  
3013 <P>  
3014 <N>**81**</N>

3015 <V X\_UD="Y" X\_DV=""/>  
3016 </P>  
3017 <P>  
3018 <N>82</N>  
3019 <V X\_UD="Y" X\_DV=""/>  
3020 </P>  
3021 <P>  
3022 <N>83</N>  
3023 <V X\_UD="Y" X\_DV=""/>  
3024 </P>  
3025 <P>  
3026 <N>84</N>  
3027 <V X\_UD="Y" X\_DV=""/>  
3028 </P>  
3029 <P>  
3030 <N>85</N>  
3031 <V X\_UD="Y" X\_DV=""/>  
3032 </P>  
3033 <P>  
3034 <N>86</N>  
3035 <V X\_UD="Y" X\_DV=""/>  
3036 </P>  
3037 <P>  
3038 <N>87</N>  
3039 <V X\_UD="Y" X\_DV=""/>  
3040 </P>  
3041 <P>  
3042 <N>88</N>  
3043 <V X\_UD="Y" X\_DV=""/>  
3044 </P>  
3045 <P>  
3046 <N>89</N>  
3047 <V X\_UD="Y" X\_DV=""/>  
3048 </P>  
3049 <P>  
3050 <N>90</N>  
3051 <V X\_UD="Y" X\_DV=""/>  
3052 </P>  
3053 <P>  
3054 <N>91</N>  
3055 <V X\_UD="Y" X\_DV=""/>  
3056 </P>  
3057 <P>  
3058 <N>92</N>  
3059 <V X\_UD="Y" X\_DV=""/>  
3060 </P>  
3061 <P>  
3062 <N>93</N>  
3063 <V X\_UD="Y" X\_DV=""/>  
3064 </P>  
3065 <P>  
3066 <N>94</N>  
3067 <V X\_UD="Y" X\_DV=""/>  
3068 </P>  
3069 <P>  
3070 <N>95</N>  
3071 <V X\_UD="Y" X\_DV=""/>  
3072 </P>  
3073 <P>  
3074 <N>96</N>  
3075 <V X\_UD="Y" X\_DV=""/>  
3076 </P>  
3077 <P>  
3078 <N>97</N>  
3079 <V X\_UD="Y" X\_DV=""/>  
3080 </P>  
3081 <P>

3082 <N>98</N>  
3083 <V X\_UD="Y" X\_DV=""/>  
3084 </P>  
3085 <P>  
3086 <N>99</N>  
3087 <V X\_UD="Y" X\_DV=""/>  
3088 </P>  
3089 </O>  
3090 <O>  
3091 <N>SpeedDial.Name.</N>  
3092 <P>  
3093 <N>1</N>  
3094 <V X\_UD="Y" X\_DV=""/>  
3095 </P>  
3096 <P>  
3097 <N>2</N>  
3098 <V X\_UD="Y" X\_DV=""/>  
3099 </P>  
3100 <P>  
3101 <N>3</N>  
3102 <V X\_UD="Y" X\_DV=""/>  
3103 </P>  
3104 <P>  
3105 <N>4</N>  
3106 <V X\_UD="Y" X\_DV=""/>  
3107 </P>  
3108 <P>  
3109 <N>5</N>  
3110 <V X\_UD="Y" X\_DV=""/>  
3111 </P>  
3112 <P>  
3113 <N>6</N>  
3114 <V X\_UD="Y" X\_DV=""/>  
3115 </P>  
3116 <P>  
3117 <N>7</N>  
3118 <V X\_UD="Y" X\_DV=""/>  
3119 </P>  
3120 <P>  
3121 <N>8</N>  
3122 <V X\_UD="Y" X\_DV=""/>  
3123 </P>  
3124 <P>  
3125 <N>9</N>  
3126 <V X\_UD="Y" X\_DV=""/>  
3127 </P>  
3128 <P>  
3129 <N>10</N>  
3130 <V X\_UD="Y" X\_DV=""/>  
3131 </P>  
3132 <P>  
3133 <N>11</N>  
3134 <V X\_UD="Y" X\_DV=""/>  
3135 </P>  
3136 <P>  
3137 <N>12</N>  
3138 <V X\_UD="Y" X\_DV=""/>  
3139 </P>  
3140 <P>  
3141 <N>13</N>  
3142 <V X\_UD="Y" X\_DV=""/>  
3143 </P>  
3144 <P>  
3145 <N>14</N>  
3146 <V X\_UD="Y" X\_DV=""/>  
3147 </P>  
3148 <P>

3149 <N>15</N>  
3150 <V X\_UD="Y" X\_DV="" />  
3151 </P>  
3152 <P>  
3153 <N>16</N>  
3154 <V X\_UD="Y" X\_DV="" />  
3155 </P>  
3156 <P>  
3157 <N>17</N>  
3158 <V X\_UD="Y" X\_DV="" />  
3159 </P>  
3160 <P>  
3161 <N>18</N>  
3162 <V X\_UD="Y" X\_DV="" />  
3163 </P>  
3164 <P>  
3165 <N>19</N>  
3166 <V X\_UD="Y" X\_DV="" />  
3167 </P>  
3168 <P>  
3169 <N>20</N>  
3170 <V X\_UD="Y" X\_DV="" />  
3171 </P>  
3172 <P>  
3173 <N>21</N>  
3174 <V X\_UD="Y" X\_DV="" />  
3175 </P>  
3176 <P>  
3177 <N>22</N>  
3178 <V X\_UD="Y" X\_DV="" />  
3179 </P>  
3180 <P>  
3181 <N>23</N>  
3182 <V X\_UD="Y" X\_DV="" />  
3183 </P>  
3184 <P>  
3185 <N>24</N>  
3186 <V X\_UD="Y" X\_DV="" />  
3187 </P>  
3188 <P>  
3189 <N>25</N>  
3190 <V X\_UD="Y" X\_DV="" />  
3191 </P>  
3192 <P>  
3193 <N>26</N>  
3194 <V X\_UD="Y" X\_DV="" />  
3195 </P>  
3196 <P>  
3197 <N>27</N>  
3198 <V X\_UD="Y" X\_DV="" />  
3199 </P>  
3200 <P>  
3201 <N>28</N>  
3202 <V X\_UD="Y" X\_DV="" />  
3203 </P>  
3204 <P>  
3205 <N>29</N>  
3206 <V X\_UD="Y" X\_DV="" />  
3207 </P>  
3208 <P>  
3209 <N>30</N>  
3210 <V X\_UD="Y" X\_DV="" />  
3211 </P>  
3212 <P>  
3213 <N>31</N>  
3214 <V X\_UD="Y" X\_DV="" />  
3215 </P>



3216 <P>  
3217 <N>**32**</N>  
3218 <V X\_UD="Y" X\_DV=""/>  
3219 </P>  
3220 <P>  
3221 <N>**33**</N>  
3222 <V X\_UD="Y" X\_DV=""/>  
3223 </P>  
3224 <P>  
3225 <N>**34**</N>  
3226 <V X\_UD="Y" X\_DV=""/>  
3227 </P>  
3228 <P>  
3229 <N>**35**</N>  
3230 <V X\_UD="Y" X\_DV=""/>  
3231 </P>  
3232 <P>  
3233 <N>**36**</N>  
3234 <V X\_UD="Y" X\_DV=""/>  
3235 </P>  
3236 <P>  
3237 <N>**37**</N>  
3238 <V X\_UD="Y" X\_DV=""/>  
3239 </P>  
3240 <P>  
3241 <N>**38**</N>  
3242 <V X\_UD="Y" X\_DV=""/>  
3243 </P>  
3244 <P>  
3245 <N>**39**</N>  
3246 <V X\_UD="Y" X\_DV=""/>  
3247 </P>  
3248 <P>  
3249 <N>**40**</N>  
3250 <V X\_UD="Y" X\_DV=""/>  
3251 </P>  
3252 <P>  
3253 <N>**41**</N>  
3254 <V X\_UD="Y" X\_DV=""/>  
3255 </P>  
3256 <P>  
3257 <N>**42**</N>  
3258 <V X\_UD="Y" X\_DV=""/>  
3259 </P>  
3260 <P>  
3261 <N>**43**</N>  
3262 <V X\_UD="Y" X\_DV=""/>  
3263 </P>  
3264 <P>  
3265 <N>**44**</N>  
3266 <V X\_UD="Y" X\_DV=""/>  
3267 </P>  
3268 <P>  
3269 <N>**45**</N>  
3270 <V X\_UD="Y" X\_DV=""/>  
3271 </P>  
3272 <P>  
3273 <N>**46**</N>  
3274 <V X\_UD="Y" X\_DV=""/>  
3275 </P>  
3276 <P>  
3277 <N>**47**</N>  
3278 <V X\_UD="Y" X\_DV=""/>  
3279 </P>  
3280 <P>  
3281 <N>**48**</N>  
3282 <V X\_UD="Y" X\_DV=""/>

3283 </P>  
3284 <P>  
3285 <N>49</N>  
3286 <V X\_UD="Y" X\_DV="" />  
3287 </P>  
3288 <P>  
3289 <N>50</N>  
3290 <V X\_UD="Y" X\_DV="" />  
3291 </P>  
3292 <P>  
3293 <N>51</N>  
3294 <V X\_UD="Y" X\_DV="" />  
3295 </P>  
3296 <P>  
3297 <N>52</N>  
3298 <V X\_UD="Y" X\_DV="" />  
3299 </P>  
3300 <P>  
3301 <N>53</N>  
3302 <V X\_UD="Y" X\_DV="" />  
3303 </P>  
3304 <P>  
3305 <N>54</N>  
3306 <V X\_UD="Y" X\_DV="" />  
3307 </P>  
3308 <P>  
3309 <N>55</N>  
3310 <V X\_UD="Y" X\_DV="" />  
3311 </P>  
3312 <P>  
3313 <N>56</N>  
3314 <V X\_UD="Y" X\_DV="" />  
3315 </P>  
3316 <P>  
3317 <N>57</N>  
3318 <V X\_UD="Y" X\_DV="" />  
3319 </P>  
3320 <P>  
3321 <N>58</N>  
3322 <V X\_UD="Y" X\_DV="" />  
3323 </P>  
3324 <P>  
3325 <N>59</N>  
3326 <V X\_UD="Y" X\_DV="" />  
3327 </P>  
3328 <P>  
3329 <N>60</N>  
3330 <V X\_UD="Y" X\_DV="" />  
3331 </P>  
3332 <P>  
3333 <N>61</N>  
3334 <V X\_UD="Y" X\_DV="" />  
3335 </P>  
3336 <P>  
3337 <N>62</N>  
3338 <V X\_UD="Y" X\_DV="" />  
3339 </P>  
3340 <P>  
3341 <N>63</N>  
3342 <V X\_UD="Y" X\_DV="" />  
3343 </P>  
3344 <P>  
3345 <N>64</N>  
3346 <V X\_UD="Y" X\_DV="" />  
3347 </P>  
3348 <P>  
3349 <N>65</N>

3350 <V X\_UD="Y" X\_DV=""/>  
3351 </P>  
3352 <P>  
3353 <N>66</N>  
3354 <V X\_UD="Y" X\_DV=""/>  
3355 </P>  
3356 <P>  
3357 <N>67</N>  
3358 <V X\_UD="Y" X\_DV=""/>  
3359 </P>  
3360 <P>  
3361 <N>68</N>  
3362 <V X\_UD="Y" X\_DV=""/>  
3363 </P>  
3364 <P>  
3365 <N>69</N>  
3366 <V X\_UD="Y" X\_DV=""/>  
3367 </P>  
3368 <P>  
3369 <N>70</N>  
3370 <V X\_UD="Y" X\_DV=""/>  
3371 </P>  
3372 <P>  
3373 <N>71</N>  
3374 <V X\_UD="Y" X\_DV=""/>  
3375 </P>  
3376 <P>  
3377 <N>72</N>  
3378 <V X\_UD="Y" X\_DV=""/>  
3379 </P>  
3380 <P>  
3381 <N>73</N>  
3382 <V X\_UD="Y" X\_DV=""/>  
3383 </P>  
3384 <P>  
3385 <N>74</N>  
3386 <V X\_UD="Y" X\_DV=""/>  
3387 </P>  
3388 <P>  
3389 <N>75</N>  
3390 <V X\_UD="Y" X\_DV=""/>  
3391 </P>  
3392 <P>  
3393 <N>76</N>  
3394 <V X\_UD="Y" X\_DV=""/>  
3395 </P>  
3396 <P>  
3397 <N>77</N>  
3398 <V X\_UD="Y" X\_DV=""/>  
3399 </P>  
3400 <P>  
3401 <N>78</N>  
3402 <V X\_UD="Y" X\_DV=""/>  
3403 </P>  
3404 <P>  
3405 <N>79</N>  
3406 <V X\_UD="Y" X\_DV=""/>  
3407 </P>  
3408 <P>  
3409 <N>80</N>  
3410 <V X\_UD="Y" X\_DV=""/>  
3411 </P>  
3412 <P>  
3413 <N>81</N>  
3414 <V X\_UD="Y" X\_DV=""/>  
3415 </P>  
3416 <P>

3417 <N>82</N>  
3418 <V X\_UD="Y" X\_DV="" />  
3419 </P>  
3420 <P>  
3421 <N>83</N>  
3422 <V X\_UD="Y" X\_DV="" />  
3423 </P>  
3424 <P>  
3425 <N>84</N>  
3426 <V X\_UD="Y" X\_DV="" />  
3427 </P>  
3428 <P>  
3429 <N>85</N>  
3430 <V X\_UD="Y" X\_DV="" />  
3431 </P>  
3432 <P>  
3433 <N>86</N>  
3434 <V X\_UD="Y" X\_DV="" />  
3435 </P>  
3436 <P>  
3437 <N>87</N>  
3438 <V X\_UD="Y" X\_DV="" />  
3439 </P>  
3440 <P>  
3441 <N>88</N>  
3442 <V X\_UD="Y" X\_DV="" />  
3443 </P>  
3444 <P>  
3445 <N>89</N>  
3446 <V X\_UD="Y" X\_DV="" />  
3447 </P>  
3448 <P>  
3449 <N>90</N>  
3450 <V X\_UD="Y" X\_DV="" />  
3451 </P>  
3452 <P>  
3453 <N>91</N>  
3454 <V X\_UD="Y" X\_DV="" />  
3455 </P>  
3456 <P>  
3457 <N>92</N>  
3458 <V X\_UD="Y" X\_DV="" />  
3459 </P>  
3460 <P>  
3461 <N>93</N>  
3462 <V X\_UD="Y" X\_DV="" />  
3463 </P>  
3464 <P>  
3465 <N>94</N>  
3466 <V X\_UD="Y" X\_DV="" />  
3467 </P>  
3468 <P>  
3469 <N>95</N>  
3470 <V X\_UD="Y" X\_DV="" />  
3471 </P>  
3472 <P>  
3473 <N>96</N>  
3474 <V X\_UD="Y" X\_DV="" />  
3475 </P>  
3476 <P>  
3477 <N>97</N>  
3478 <V X\_UD="Y" X\_DV="" />  
3479 </P>  
3480 <P>  
3481 <N>98</N>  
3482 <V X\_UD="Y" X\_DV="" />  
3483 </P>

```
3484 <P>
3485 <N>99</N>
3486 <V X_UD="Y" X_DV=""/>
3487 </P>
3488 </O>
3489 <O>
3490 <N>VoiceService.1.VoiceProfile.1.Line.1.</N>
3491 <P>
3492 <N>Enable</N>
3493 <V X_UD="Y" X_DV="true"/>
3494 </P>
3495 <P>
3496 <N>X_DisplayNumber</N>
3497 <V X_UD="Y" X_DV="">{$account.1.user_id}</V>
3498 </P>
3499 <P>
3500 <N>X_ServProvProfile</N>
3501 <V X_UD="Y" X_DV="A"/>
3502 </P>
3503 <P>
3504 <N>X_RingProfile</N>
3505 <V X_UD="Y" X_DV="A"/>
3506 </P>
3507 <P>
3508 <N>X_CodecProfile</N>
3509 <V X_UD="Y" X_DV="A"/>
3510 </P>
3511 <P>
3512 <N>X_InboundCallRoute</N>
3513 <V X_UD="Y" X_DV="dt1">{$poly_sp_1_inbound_call_route}</V>
3514 </P>
3515 <P>
3516 <N>X_RegisterEnable</N>
3517 <V X_UD="Y" X_DV="true"/>
3518 </P>
3519 <P>
3520 <N>X_AcceptSipFromRegistrarOnly</N>
3521 <V X_UD="Y" X_DV="false"/>
3522 </P>
3523 <P>
3524 <N>X_NoRegNoCall</N>
3525 <V X_UD="Y" X_DV="false"/>
3526 </P>
3527 <P>
3528 <N>X_KeepAliveEnable</N>
3529 <V X_UD="Y" X_DV="false"/>
3530 </P>
3531 <P>
3532 <N>X_KeepAliveExpires</N>
3533 <V X_UD="Y" X_DV="15"/>
3534 </P>
3535 <P>
3536 <N>X_KeepAliveMsgType</N>
3537 <V X_UD="Y" X_DV="keep-alive"/>
3538 </P>
3539 <P>
3540 <N>X_CustomKeepAliveMsg</N>
3541 <V X_UD="Y" X_DV=""/>
3542 </P>
3543 <P>
3544 <N>X_UserAgentPort</N>
3545 <V X_UD="Y" X_DV="5060"/>
3546 </P>
3547 <P>
3548 <N>X_UserAgentPorts</N>
3549 <V X_UD="Y" X_DV=""/>
3550 </P>
```

```
3551 <P>
3552 <N>DirectoryNumber</N>
3553 <V X_UD="Y" X_DV=""/>
3554 </P>
3555 <P>
3556 <N>X_DefaultRing</N>
3557 <V X_UD="Y" X_DV="1"/>
3558 </P>
3559 <P>
3560 <N>X_AcceptResync</N>
3561 <V X_UD="Y" X_DV="yes without authentication"/>
3562 </P>
3563 </O>
3564 <O>
3565 <N>VoiceService.1.VoiceProfile.1.Line.1.Debug.</N>
3566 <P>
3567 <N>X_SipDebugOption</N>
3568 <V X_UD="Y" X_DV="Disable"/>
3569 </P>
3570 <P>
3571 <N>X_SipDebugExclusion</N>
3572 <V X_UD="Y" X_DV=""/>
3573 </P>
3574 </O>
3575 <O>
3576 <N>VoiceService.1.VoiceProfile.1.Line.1.SIP.</N>
3577 <P>
3578 <N>AuthUserName</N>
3579 <V X_UD="N" X_DV="">{$account.1.user_id}</V>
3580 </P>
3581 <P>
3582 <N>AuthPassword</N>
3583 <V X_UD="N" >{$account.1.user_password}</V>
3584 </P>
3585 <P>
3586 <N>URI</N>
3587 <V X_UD="Y" X_DV=""/>
3588 </P>
3589 <P>
3590 <N>X_XsiUserName</N>
3591 <V X_UD="Y" X_DV=""/>
3592 </P>
3593 <P>
3594 <N>X_ContactUserID</N>
3595 <V X_UD="Y" X_DV=""/>
3596 </P>
3597 <P>
3598 <N>X_EnforceRequestUserID</N>
3599 <V X_UD="Y" X_DV="false"/>
3600 </P>
3601 </O>
3602 <O>
3603 <N>VoiceService.1.VoiceProfile.1.Line.1.SIP.</N>
3604 <P>
3605 <N>X_ShareLine</N>
3606 <V X_UD="Y" X_DV="false"/>
3607 </P>
3608 <P>
3609 <N>X_ShareLineUserID</N>
3610 <V X_UD="Y" X_DV=""/>
3611 </P>
3612 <P>
3613 <N>X_ShareLineBargeIn</N>
3614 <V X_UD="Y" X_DV="false"/>
3615 </P>
3616 </O>
3617 <O>
```

```
3618 <N>VoiceService.1.VoiceProfile.1.Line.1.CallingFeatures.</N>
3619 <P>
3620 <N>CallerIDName</N>
3621 <V X_UD="Y" X_DV=""/>
3622 </P>
3623 <P>
3624 <N>MaxSessions</N>
3625 <V X_UD="Y" X_DV="4"/>
3626 </P>
3627 <P>
3628 <N>CallForwardUnconditionalEnable</N>
3629 <V X_UD="Y" X_DV="false"/>
3630 </P>
3631 <P>
3632 <N>CallForwardUnconditionalNumber</N>
3633 <V X_UD="Y" X_DV=""/>
3634 </P>
3635 <P>
3636 <N>CallForwardOnBusyEnable</N>
3637 <V X_UD="Y" X_DV="false"/>
3638 </P>
3639 <P>
3640 <N>CallForwardOnBusyNumber</N>
3641 <V X_UD="Y" X_DV=""/>
3642 </P>
3643 <P>
3644 <N>CallForwardOnNoAnswerEnable</N>
3645 <V X_UD="Y" X_DV="false"/>
3646 </P>
3647 <P>
3648 <N>CallForwardOnNoAnswerNumber</N>
3649 <V X_UD="Y" X_DV=""/>
3650 </P>
3651 <P>
3652 <N>CallForwardOnNoAnswerRingCount</N>
3653 <V X_UD="Y" X_DV="2"/>
3654 </P>
3655 <P>
3656 <N>X_BlockedCallers</N>
3657 <V X_UD="Y" X_DV=""/>
3658 </P>
3659 <P>
3660 <N>X_MailboxID</N>
3661 <V X_UD="Y" X_DV=""/>
3662 </P>
3663 <P>
3664 <N>X_CheckVoiceMailNumber</N>
3665 <V X_UD="Y" X_DV=""/>
3666 </P>
3667 <P>
3668 <N>MWIEnableMask</N>
3669 <V X_UD="Y" X_DV="1023"/>
3670 </P>
3671 <P>
3672 <N>X_VMWIEnableMask</N>
3673 <V X_UD="Y" X_DV="1023"/>
3674 </P>
3675 <P>
3676 <N>X_MWIRoute</N>
3677 <V X_UD="Y" X_DV=""/>
3678 </P>
3679 <P>
3680 <N>X_VMWIRoute</N>
3681 <V X_UD="Y" X_DV=""/>
3682 </P>
3683 <P>
3684 <N>MessageWaiting</N>
```

```
3685     <V X_UD="Y" X_DV="false"/>
3686 </P>
3687 <P>
3688     <N>MessageCount</N>
3689     <V X_UD="Y" X_DV=""/>
3690 </P>
3691 <P>
3692     <N>AnonymousCallBlockEnable</N>
3693     <V X_UD="Y" X_DV="false"/>
3694 </P>
3695 <P>
3696     <N>AnonymousCallEnable</N>
3697     <V X_UD="Y" X_DV="false"/>
3698 </P>
3699 <P>
3700     <N>DoNotDisturbEnable</N>
3701     <V X_UD="Y" X_DV="false"/>
3702 </P>
3703 <P>
3704     <N>X_SRTP</N>
3705     <V X_UD="Y" X_DV="Disable SRTP"/>
3706 </P>
3707 <P>
3708     <N>X_ASFeatureEventSubscribe</N>
3709     <V X_UD="Y" X_DV="false"/>
3710 </P>
3711 <P>
3712     <N>X_ConferenceBridge</N>
3713     <V X_UD="Y" X_DV="cbridge"/>
3714 </P>
3715 </O>
3716 <O>
3717     <N>VoiceService.1.VoiceProfile.1.Line.1.X_NetServices.</N>
3718     <P>
3719         <N>CallPark</N>
3720         <V X_UD="Y" X_DV="false"/>
3721     </P>
3722     <P>
3723         <N>CallFowardAlways</N>
3724         <V X_UD="Y" X_DV="false"/>
3725     </P>
3726     <P>
3727         <N>CallFowardBusy</N>
3728         <V X_UD="Y" X_DV="false"/>
3729     </P>
3730     <P>
3731         <N>CallFowardNoAnswer</N>
3732         <V X_UD="Y" X_DV="false"/>
3733     </P>
3734     <P>
3735         <N>Directory</N>
3736         <V X_UD="Y" X_DV="false"/>
3737     </P>
3738     <P>
3739         <N>DoNotDisturb</N>
3740         <V X_UD="Y" X_DV="false"/>
3741     </P>
3742 </O>
3743 <O>
3744     <N>VoiceService.1.VoiceProfile.1.Line.2.</N>
3745     <P>
3746         <N>Enable</N>
3747         <V X_UD="Y" X_DV="true"/>
3748     </P>
3749     <P>
3750         <N>X_DisplayNumber</N>
3751         <V X_UD="Y" X_DV=""/>
```



```
3752 </P>
3753 <P>
3754 <N>X_ServProvProfile</N>
3755 <V X_UD="Y" X_DV="A"/>
3756 </P>
3757 <P>
3758 <N>X_RingProfile</N>
3759 <V X_UD="Y" X_DV="A"/>
3760 </P>
3761 <P>
3762 <N>X_CodecProfile</N>
3763 <V X_UD="Y" X_DV="A"/>
3764 </P>
3765 <P>
3766 <N>X_InboundCallRoute</N>
3767 <V X_UD="Y" X_DV="dt1"{$poly_sp_2_inbound_call_route}</V>
3768 </P>
3769 <P>
3770 <N>X_RegisterEnable</N>
3771 <V X_UD="Y" X_DV="true"/>
3772 </P>
3773 <P>
3774 <N>X_AcceptSipFromRegistrarOnly</N>
3775 <V X_UD="Y" X_DV="false"/>
3776 </P>
3777 <P>
3778 <N>X_NoRegNoCall</N>
3779 <V X_UD="Y" X_DV="false"/>
3780 </P>
3781 <P>
3782 <N>X_KeepAliveEnable</N>
3783 <V X_UD="Y" X_DV="false"/>
3784 </P>
3785 <P>
3786 <N>X_KeepAliveExpires</N>
3787 <V X_UD="Y" X_DV="15"/>
3788 </P>
3789 <P>
3790 <N>X_KeepAliveMsgType</N>
3791 <V X_UD="Y" X_DV="keep-alive"/>
3792 </P>
3793 <P>
3794 <N>X_CustomKeepAliveMsg</N>
3795 <V X_UD="Y" X_DV=""/>
3796 </P>
3797 <P>
3798 <N>X_UserAgentPort</N>
3799 <V X_UD="Y" X_DV="5061"/>
3800 </P>
3801 <P>
3802 <N>X_UserAgentPorts</N>
3803 <V X_UD="Y" X_DV=""/>
3804 </P>
3805 <P>
3806 <N>DirectoryNumber</N>
3807 <V X_UD="Y" X_DV=""/>
3808 </P>
3809 <P>
3810 <N>X_DefaultRing</N>
3811 <V X_UD="Y" X_DV="1"/>
3812 </P>
3813 <P>
3814 <N>X_AcceptResync</N>
3815 <V X_UD="Y" X_DV="yes without authentication"/>
3816 </P>
3817 </O>
3818 <O>
```

```
3819 <N>VoiceService.1.VoiceProfile.1.Line.2.Debug.</N>
3820 <P>
3821 <N>X_SipDebugOption</N>
3822 <V X_UD="Y" X_DV="Disable"/>
3823 </P>
3824 <P>
3825 <N>X_SipDebugExclusion</N>
3826 <V X_UD="Y" X_DV=""/>
3827 </P>
3828 </O>
3829 <O>
3830 <N>VoiceService.1.VoiceProfile.1.Line.2.SIP.</N>
3831 <P>
3832 <N>AuthUserName</N>
3833 <V X_UD="Y" X_DV=""/>
3834 </P>
3835 <P>
3836 <N>URI</N>
3837 <V X_UD="Y" X_DV=""/>
3838 </P>
3839 <P>
3840 <N>X_XsiUserName</N>
3841 <V X_UD="Y" X_DV=""/>
3842 </P>
3843 <P>
3844 <N>X_ContactUserID</N>
3845 <V X_UD="Y" X_DV=""/>
3846 </P>
3847 <P>
3848 <N>X_EnforceRequestUserID</N>
3849 <V X_UD="Y" X_DV="false"/>
3850 </P>
3851 </O>
3852 <O>
3853 <N>VoiceService.1.VoiceProfile.1.Line.2.SIP.</N>
3854 <P>
3855 <N>X_ShareLine</N>
3856 <V X_UD="Y" X_DV="false"/>
3857 </P>
3858 <P>
3859 <N>X_ShareLineUserID</N>
3860 <V X_UD="Y" X_DV=""/>
3861 </P>
3862 <P>
3863 <N>X_ShareLineBargeIn</N>
3864 <V X_UD="Y" X_DV="false"/>
3865 </P>
3866 </O>
3867 <O>
3868 <N>VoiceService.1.VoiceProfile.1.Line.2.CallingFeatures.</N>
3869 <P>
3870 <N>CallerIDName</N>
3871 <V X_UD="Y" X_DV=""/>
3872 </P>
3873 <P>
3874 <N>MaxSessions</N>
3875 <V X_UD="Y" X_DV="4"/>
3876 </P>
3877 <P>
3878 <N>CallForwardUnconditionalEnable</N>
3879 <V X_UD="Y" X_DV="false"/>
3880 </P>
3881 <P>
3882 <N>CallForwardUnconditionalNumber</N>
3883 <V X_UD="Y" X_DV=""/>
3884 </P>
3885 <P>
```

3886 <N>CallForwardOnBusyEnable</N>  
3887 <V X\_UD="Y" X\_DV="false"/>  
3888 </P>  
3889 <P>  
3890 <N>CallForwardOnBusyNumber</N>  
3891 <V X\_UD="Y" X\_DV=""/>  
3892 </P>  
3893 <P>  
3894 <N>CallForwardOnNoAnswerEnable</N>  
3895 <V X\_UD="Y" X\_DV="false"/>  
3896 </P>  
3897 <P>  
3898 <N>CallForwardOnNoAnswerNumber</N>  
3899 <V X\_UD="Y" X\_DV=""/>  
3900 </P>  
3901 <P>  
3902 <N>CallForwardOnNoAnswerRingCount</N>  
3903 <V X\_UD="Y" X\_DV="2"/>  
3904 </P>  
3905 <P>  
3906 <N>X\_BlockedCallers</N>  
3907 <V X\_UD="Y" X\_DV=""/>  
3908 </P>  
3909 <P>  
3910 <N>X\_MailboxID</N>  
3911 <V X\_UD="Y" X\_DV=""/>  
3912 </P>  
3913 <P>  
3914 <N>X\_CheckVoiceMailNumber</N>  
3915 <V X\_UD="Y" X\_DV=""/>  
3916 </P>  
3917 <P>  
3918 <N>MWIEnableMask</N>  
3919 <V X\_UD="Y" X\_DV="1023"/>  
3920 </P>  
3921 <P>  
3922 <N>X\_VMWIEnableMask</N>  
3923 <V X\_UD="Y" X\_DV="1023"/>  
3924 </P>  
3925 <P>  
3926 <N>X\_MWIRoute</N>  
3927 <V X\_UD="Y" X\_DV=""/>  
3928 </P>  
3929 <P>  
3930 <N>X\_VMWIRoute</N>  
3931 <V X\_UD="Y" X\_DV=""/>  
3932 </P>  
3933 <P>  
3934 <N>MessageWaiting</N>  
3935 <V X\_UD="Y" X\_DV="false"/>  
3936 </P>  
3937 <P>  
3938 <N>MessageCount</N>  
3939 <V X\_UD="Y" X\_DV=""/>  
3940 </P>  
3941 <P>  
3942 <N>AnonymousCallBlockEnable</N>  
3943 <V X\_UD="Y" X\_DV="false"/>  
3944 </P>  
3945 <P>  
3946 <N>AnonymousCallEnable</N>  
3947 <V X\_UD="Y" X\_DV="false"/>  
3948 </P>  
3949 <P>  
3950 <N>DoNotDisturbEnable</N>  
3951 <V X\_UD="Y" X\_DV="false"/>  
3952 </P>

```
3953 <P>
3954 <N>X_S RTP</N>
3955 <V X_UD="Y" X_DV="Disable SRTP"/>
3956 </P>
3957 <P>
3958 <N>X_ASFeatureEventSubscribe</N>
3959 <V X_UD="Y" X_DV="false"/>
3960 </P>
3961 <P>
3962 <N>X_ConferenceBridge</N>
3963 <V X_UD="Y" X_DV="cbridge"/>
3964 </P>
3965 </O>
3966 <O>
3967 <N>VoiceService.1.VoiceProfile.1.Line.2.X_NetServices.</N>
3968 <P>
3969 <N>CallPark</N>
3970 <V X_UD="Y" X_DV="false"/>
3971 </P>
3972 <P>
3973 <N>CallFowardAlways</N>
3974 <V X_UD="Y" X_DV="false"/>
3975 </P>
3976 <P>
3977 <N>CallFowardBusy</N>
3978 <V X_UD="Y" X_DV="false"/>
3979 </P>
3980 <P>
3981 <N>CallFowardNoAnswer</N>
3982 <V X_UD="Y" X_DV="false"/>
3983 </P>
3984 <P>
3985 <N>Directory</N>
3986 <V X_UD="Y" X_DV="false"/>
3987 </P>
3988 <P>
3989 <N>DoNotDisturb</N>
3990 <V X_UD="Y" X_DV="false"/>
3991 </P>
3992 </O>
3993 <O>
3994 <N>VoiceService.1.VoiceProfile.1.Line.3.</N>
3995 <P>
3996 <N>Enable</N>
3997 <V X_UD="Y" X_DV="true"/>
3998 </P>
3999 <P>
4000 <N>X_DisplayNumber</N>
4001 <V X_UD="Y" X_DV=""/>
4002 </P>
4003 <P>
4004 <N>X_ServProvProfile</N>
4005 <V X_UD="Y" X_DV="A"/>
4006 </P>
4007 <P>
4008 <N>X_RingProfile</N>
4009 <V X_UD="Y" X_DV="A"/>
4010 </P>
4011 <P>
4012 <N>X_CodecProfile</N>
4013 <V X_UD="Y" X_DV="A"/>
4014 </P>
4015 <P>
4016 <N>X_InboundCallRoute</N>
4017 <V X_UD="Y" X_DV="dt1"{$poly_sp_3_inbound_call_route}</V>
4018 </P>
4019 <P>
```

```
4020     <N>X_RegisterEnable</N>
4021     <V X_UD="Y" X_DV="true"/>
4022 </P>
4023 <P>
4024     <N>X_AcceptSipFromRegistrarOnly</N>
4025     <V X_UD="Y" X_DV="false"/>
4026 </P>
4027 <P>
4028     <N>X_NoRegNoCall</N>
4029     <V X_UD="Y" X_DV="false"/>
4030 </P>
4031 <P>
4032     <N>X_KeepAliveEnable</N>
4033     <V X_UD="Y" X_DV="false"/>
4034 </P>
4035 <P>
4036     <N>X_KeepAliveExpires</N>
4037     <V X_UD="Y" X_DV="15"/>
4038 </P>
4039 <P>
4040     <N>X_KeepAliveMsgType</N>
4041     <V X_UD="Y" X_DV="keep-alive"/>
4042 </P>
4043 <P>
4044     <N>X_CustomKeepAliveMsg</N>
4045     <V X_UD="Y" X_DV=""/>
4046 </P>
4047 <P>
4048     <N>X_UserAgentPort</N>
4049     <V X_UD="Y" X_DV="5062"/>
4050 </P>
4051 <P>
4052     <N>X_UserAgentPorts</N>
4053     <V X_UD="Y" X_DV=""/>
4054 </P>
4055 <P>
4056     <N>DirectoryNumber</N>
4057     <V X_UD="Y" X_DV=""/>
4058 </P>
4059 <P>
4060     <N>X_DefaultRing</N>
4061     <V X_UD="Y" X_DV="1"/>
4062 </P>
4063 <P>
4064     <N>X_AcceptResync</N>
4065     <V X_UD="Y" X_DV="yes without authentication"/>
4066 </P>
4067 </O>
4068 <O>
4069 <N>VoiceService.1.VoiceProfile.1.Line.3.Debug.</N>
4070 <P>
4071     <N>X_SipDebugOption</N>
4072     <V X_UD="Y" X_DV="Disable"/>
4073 </P>
4074 <P>
4075     <N>X_SipDebugExclusion</N>
4076     <V X_UD="Y" X_DV=""/>
4077 </P>
4078 </O>
4079 <O>
4080 <N>VoiceService.1.VoiceProfile.1.Line.3.SIP.</N>
4081 <P>
4082     <N>AuthUserName</N>
4083     <V X_UD="Y" X_DV=""/>
4084 </P>
4085 <P>
4086     <N>URI</N>
```

```
4087     <V X_UD="Y" X_DV=""/>
4088 </P>
4089 <P>
4090     <N>X_XsiUserName</N>
4091     <V X_UD="Y" X_DV=""/>
4092 </P>
4093 <P>
4094     <N>X_ContactUserID</N>
4095     <V X_UD="Y" X_DV=""/>
4096 </P>
4097 <P>
4098     <N>X_EnforceRequestUserID</N>
4099     <V X_UD="Y" X_DV="false"/>
4100 </P>
4101 </O>
4102 <O>
4103     <N>VoiceService.1.VoiceProfile.1.Line.3.SIP.</N>
4104     <P>
4105         <N>X_ShareLine</N>
4106         <V X_UD="Y" X_DV="false"/>
4107     </P>
4108     <P>
4109         <N>X_ShareLineUserID</N>
4110         <V X_UD="Y" X_DV=""/>
4111     </P>
4112     <P>
4113         <N>X_ShareLineBargeIn</N>
4114         <V X_UD="Y" X_DV="false"/>
4115     </P>
4116 </O>
4117 <O>
4118     <N>VoiceService.1.VoiceProfile.1.Line.3.CallingFeatures.</N>
4119     <P>
4120         <N>CallerIDName</N>
4121         <V X_UD="Y" X_DV=""/>
4122     </P>
4123     <P>
4124         <N>MaxSessions</N>
4125         <V X_UD="Y" X_DV="4"/>
4126     </P>
4127     <P>
4128         <N>CallForwardUnconditionalEnable</N>
4129         <V X_UD="Y" X_DV="false"/>
4130     </P>
4131     <P>
4132         <N>CallForwardUnconditionalNumber</N>
4133         <V X_UD="Y" X_DV=""/>
4134     </P>
4135     <P>
4136         <N>CallForwardOnBusyEnable</N>
4137         <V X_UD="Y" X_DV="false"/>
4138     </P>
4139     <P>
4140         <N>CallForwardOnBusyNumber</N>
4141         <V X_UD="Y" X_DV=""/>
4142     </P>
4143     <P>
4144         <N>CallForwardOnNoAnswerEnable</N>
4145         <V X_UD="Y" X_DV="false"/>
4146     </P>
4147     <P>
4148         <N>CallForwardOnNoAnswerNumber</N>
4149         <V X_UD="Y" X_DV=""/>
4150     </P>
4151     <P>
4152         <N>CallForwardOnNoAnswerRingCount</N>
4153         <V X_UD="Y" X_DV="2"/>
```

4154 </P>  
4155 <P>  
4156 <N>X\_BlockedCallers</N>  
4157 <V X\_UD="Y" X\_DV=""/>  
4158 </P>  
4159 <P>  
4160 <N>X\_MailboxID</N>  
4161 <V X\_UD="Y" X\_DV=""/>  
4162 </P>  
4163 <P>  
4164 <N>X\_CheckVoiceMailNumber</N>  
4165 <V X\_UD="Y" X\_DV=""/>  
4166 </P>  
4167 <P>  
4168 <N>MWIEnableMask</N>  
4169 <V X\_UD="Y" X\_DV="1023"/>  
4170 </P>  
4171 <P>  
4172 <N>X\_VMWIEnableMask</N>  
4173 <V X\_UD="Y" X\_DV="1023"/>  
4174 </P>  
4175 <P>  
4176 <N>X\_MWIRoute</N>  
4177 <V X\_UD="Y" X\_DV=""/>  
4178 </P>  
4179 <P>  
4180 <N>X\_VMWIRoute</N>  
4181 <V X\_UD="Y" X\_DV=""/>  
4182 </P>  
4183 <P>  
4184 <N>MessageWaiting</N>  
4185 <V X\_UD="Y" X\_DV="false"/>  
4186 </P>  
4187 <P>  
4188 <N>MessageCount</N>  
4189 <V X\_UD="Y" X\_DV=""/>  
4190 </P>  
4191 <P>  
4192 <N>AnonymousCallBlockEnable</N>  
4193 <V X\_UD="Y" X\_DV="false"/>  
4194 </P>  
4195 <P>  
4196 <N>AnonymousCallEnable</N>  
4197 <V X\_UD="Y" X\_DV="false"/>  
4198 </P>  
4199 <P>  
4200 <N>DoNotDisturbEnable</N>  
4201 <V X\_UD="Y" X\_DV="false"/>  
4202 </P>  
4203 <P>  
4204 <N>X\_SRTP</N>  
4205 <V X\_UD="Y" X\_DV="Disable SRTP"/>  
4206 </P>  
4207 <P>  
4208 <N>X\_ASFeatureEventSubscribe</N>  
4209 <V X\_UD="Y" X\_DV="false"/>  
4210 </P>  
4211 <P>  
4212 <N>X\_ConferenceBridge</N>  
4213 <V X\_UD="Y" X\_DV="cbridge"/>  
4214 </P>  
4215 </O>  
4216 <O>  
4217 <N>VoiceService.1.VoiceProfile.1.Line.3.X\_NetServices.</N>  
4218 <P>  
4219 <N>CallPark</N>  
4220 <V X\_UD="Y" X\_DV="false"/>

```
4221 </P>
4222 <P>
4223 <N>CallFowardAlways</N>
4224 <V X_UD="Y" X_DV="false"/>
4225 </P>
4226 <P>
4227 <N>CallFowardBusy</N>
4228 <V X_UD="Y" X_DV="false"/>
4229 </P>
4230 <P>
4231 <N>CallFowardNoAnswer</N>
4232 <V X_UD="Y" X_DV="false"/>
4233 </P>
4234 <P>
4235 <N>Directory</N>
4236 <V X_UD="Y" X_DV="false"/>
4237 </P>
4238 <P>
4239 <N>DoNotDisturb</N>
4240 <V X_UD="Y" X_DV="false"/>
4241 </P>
4242 </O>
4243 <O>
4244 <N>VoiceService.1.VoiceProfile.1.Line.4.</N>
4245 <P>
4246 <N>Enable</N>
4247 <V X_UD="Y" X_DV="true"/>
4248 </P>
4249 <P>
4250 <N>X_DisplayNumber</N>
4251 <V X_UD="Y" X_DV=""/>
4252 </P>
4253 <P>
4254 <N>X_ServProvProfile</N>
4255 <V X_UD="Y" X_DV="A"/>
4256 </P>
4257 <P>
4258 <N>X_RingProfile</N>
4259 <V X_UD="Y" X_DV="A"/>
4260 </P>
4261 <P>
4262 <N>X_CodecProfile</N>
4263 <V X_UD="Y" X_DV="A"/>
4264 </P>
4265 <P>
4266 <N>X_InboundCallRoute</N>
4267 <V X_UD="Y" X_DV="dt1">{$poly_sp_4_inbound_call_route}</V>
4268 </P>
4269 <P>
4270 <N>X_RegisterEnable</N>
4271 <V X_UD="Y" X_DV="true"/>
4272 </P>
4273 <P>
4274 <N>X_AcceptSipFromRegistrarOnly</N>
4275 <V X_UD="Y" X_DV="false"/>
4276 </P>
4277 <P>
4278 <N>X_NoRegNoCall</N>
4279 <V X_UD="Y" X_DV="false"/>
4280 </P>
4281 <P>
4282 <N>X_KeepAliveEnable</N>
4283 <V X_UD="Y" X_DV="false"/>
4284 </P>
4285 <P>
4286 <N>X_KeepAliveExpires</N>
4287 <V X_UD="Y" X_DV="15"/>
```



```
4288 </P>
4289 <P>
4290 <N>X_KeepAliveMsgType</N>
4291 <V X_UD="Y" X_DV="keep-alive"/>
4292 </P>
4293 <P>
4294 <N>X_CustomKeepAliveMsg</N>
4295 <V X_UD="Y" X_DV=""/>
4296 </P>
4297 <P>
4298 <N>X_UserAgentPort</N>
4299 <V X_UD="Y" X_DV="5063"/>
4300 </P>
4301 <P>
4302 <N>X_UserAgentPorts</N>
4303 <V X_UD="Y" X_DV=""/>
4304 </P>
4305 <P>
4306 <N>DirectoryNumber</N>
4307 <V X_UD="Y" X_DV=""/>
4308 </P>
4309 <P>
4310 <N>X_DefaultRing</N>
4311 <V X_UD="Y" X_DV="1"/>
4312 </P>
4313 <P>
4314 <N>X_AcceptResync</N>
4315 <V X_UD="Y" X_DV="yes without authentication"/>
4316 </P>
4317 </O>
4318 <O>
4319 <N>VoiceService.1.VoiceProfile.1.Line.4.Debug.</N>
4320 <P>
4321 <N>X_SipDebugOption</N>
4322 <V X_UD="Y" X_DV="Disable"/>
4323 </P>
4324 <P>
4325 <N>X_SipDebugExclusion</N>
4326 <V X_UD="Y" X_DV=""/>
4327 </P>
4328 </O>
4329 <O>
4330 <N>VoiceService.1.VoiceProfile.1.Line.4.SIP.</N>
4331 <P>
4332 <N>AuthUserName</N>
4333 <V X_UD="Y" X_DV=""/>
4334 </P>
4335 <P>
4336 <N>URI</N>
4337 <V X_UD="Y" X_DV=""/>
4338 </P>
4339 <P>
4340 <N>X_XsiUserName</N>
4341 <V X_UD="Y" X_DV=""/>
4342 </P>
4343 <P>
4344 <N>X_ContactUserID</N>
4345 <V X_UD="Y" X_DV=""/>
4346 </P>
4347 <P>
4348 <N>X_EnforceRequestUserID</N>
4349 <V X_UD="Y" X_DV="false"/>
4350 </P>
4351 </O>
4352 <O>
4353 <N>VoiceService.1.VoiceProfile.1.Line.4.SIP.</N>
4354 <P>
```

```
4355     <N>X_ShareLine</N>
4356     <V X_UD="Y" X_DV="false"/>
4357 </P>
4358 <P>
4359     <N>X_ShareLineUserID</N>
4360     <V X_UD="Y" X_DV=""/>
4361 </P>
4362 <P>
4363     <N>X_ShareLineBargeIn</N>
4364     <V X_UD="Y" X_DV="false"/>
4365 </P>
4366 </O>
4367 <O>
4368 <N>VoiceService.1.VoiceProfile.1.Line.4.CallingFeatures.</N>
4369 <P>
4370     <N>CallerIDName</N>
4371     <V X_UD="Y" X_DV=""/>
4372 </P>
4373 <P>
4374     <N>MaxSessions</N>
4375     <V X_UD="Y" X_DV="4"/>
4376 </P>
4377 <P>
4378     <N>CallForwardUnconditionalEnable</N>
4379     <V X_UD="Y" X_DV="false"/>
4380 </P>
4381 <P>
4382     <N>CallForwardUnconditionalNumber</N>
4383     <V X_UD="Y" X_DV=""/>
4384 </P>
4385 <P>
4386     <N>CallForwardOnBusyEnable</N>
4387     <V X_UD="Y" X_DV="false"/>
4388 </P>
4389 <P>
4390     <N>CallForwardOnBusyNumber</N>
4391     <V X_UD="Y" X_DV=""/>
4392 </P>
4393 <P>
4394     <N>CallForwardOnNoAnswerEnable</N>
4395     <V X_UD="Y" X_DV="false"/>
4396 </P>
4397 <P>
4398     <N>CallForwardOnNoAnswerNumber</N>
4399     <V X_UD="Y" X_DV=""/>
4400 </P>
4401 <P>
4402     <N>CallForwardOnNoAnswerRingCount</N>
4403     <V X_UD="Y" X_DV="2"/>
4404 </P>
4405 <P>
4406     <N>X_BlockedCallers</N>
4407     <V X_UD="Y" X_DV=""/>
4408 </P>
4409 <P>
4410     <N>X_MailboxID</N>
4411     <V X_UD="Y" X_DV=""/>
4412 </P>
4413 <P>
4414     <N>X_CheckVoiceMailNumber</N>
4415     <V X_UD="Y" X_DV=""/>
4416 </P>
4417 <P>
4418     <N>MWIEnableMask</N>
4419     <V X_UD="Y" X_DV="1023"/>
4420 </P>
4421 <P>
```

```
4422     <N>X_VMWIEnableMask</N>
4423     <V X_UD="Y" X_DV="1023"/>
4424 </P>
4425 <P>
4426     <N>X_MWIRoute</N>
4427     <V X_UD="Y" X_DV=""/>
4428 </P>
4429 <P>
4430     <N>X_VMWIRoute</N>
4431     <V X_UD="Y" X_DV=""/>
4432 </P>
4433 <P>
4434     <N>MessageWaiting</N>
4435     <V X_UD="Y" X_DV="false"/>
4436 </P>
4437 <P>
4438     <N>MessageCount</N>
4439     <V X_UD="Y" X_DV=""/>
4440 </P>
4441 <P>
4442     <N>AnonymousCallBlockEnable</N>
4443     <V X_UD="Y" X_DV="false"/>
4444 </P>
4445 <P>
4446     <N>AnonymousCallEnable</N>
4447     <V X_UD="Y" X_DV="false"/>
4448 </P>
4449 <P>
4450     <N>DoNotDisturbEnable</N>
4451     <V X_UD="Y" X_DV="false"/>
4452 </P>
4453 <P>
4454     <N>X_SRTP</N>
4455     <V X_UD="Y" X_DV="Disable SRTP"/>
4456 </P>
4457 <P>
4458     <N>X_ASFeatureEventSubscribe</N>
4459     <V X_UD="Y" X_DV="false"/>
4460 </P>
4461 <P>
4462     <N>X_ConferenceBridge</N>
4463     <V X_UD="Y" X_DV="cbridge"/>
4464 </P>
4465 </O>
4466 <O>
4467     <N>VoiceService.1.VoiceProfile.1.Line.4.X_NetServices.</N>
4468     <P>
4469         <N>CallPark</N>
4470         <V X_UD="Y" X_DV="false"/>
4471     </P>
4472     <P>
4473         <N>CallFowardAlways</N>
4474         <V X_UD="Y" X_DV="false"/>
4475     </P>
4476     <P>
4477         <N>CallFowardBusy</N>
4478         <V X_UD="Y" X_DV="false"/>
4479     </P>
4480     <P>
4481         <N>CallFowardNoAnswer</N>
4482         <V X_UD="Y" X_DV="false"/>
4483     </P>
4484     <P>
4485         <N>Directory</N>
4486         <V X_UD="Y" X_DV="false"/>
4487     </P>
4488     <P>
```

```
4489     <N>DoNotDisturb</N>
4490     <V X_UD="Y" X_DV="false"/>
4491 </P>
4492 </O>
4493 <O>
4494     <N>VoiceService.1.VoiceProfile.1.Line.5.</N>
4495     <P>
4496         <N>Enable</N>
4497         <V X_UD="Y" X_DV="true"/>
4498     </P>
4499     <P>
4500         <N>X_DisplayNumber</N>
4501         <V X_UD="Y" X_DV=""/>
4502     </P>
4503     <P>
4504         <N>X_ServProvProfile</N>
4505         <V X_UD="Y" X_DV="A"/>
4506     </P>
4507     <P>
4508         <N>X_RingProfile</N>
4509         <V X_UD="Y" X_DV="A"/>
4510     </P>
4511     <P>
4512         <N>X_CodecProfile</N>
4513         <V X_UD="Y" X_DV="A"/>
4514     </P>
4515     <P>
4516         <N>X_InboundCallRoute</N>
4517         <V X_UD="Y" X_DV="dt1">{$poly_sp_5_inbound_call_route}</V>
4518     </P>
4519     <P>
4520         <N>X_RegisterEnable</N>
4521         <V X_UD="Y" X_DV="true"/>
4522     </P>
4523     <P>
4524         <N>X_AcceptSipFromRegistrarOnly</N>
4525         <V X_UD="Y" X_DV="false"/>
4526     </P>
4527     <P>
4528         <N>X_NoRegNoCall</N>
4529         <V X_UD="Y" X_DV="false"/>
4530     </P>
4531     <P>
4532         <N>X_KeepAliveEnable</N>
4533         <V X_UD="Y" X_DV="false"/>
4534     </P>
4535     <P>
4536         <N>X_KeepAliveExpires</N>
4537         <V X_UD="Y" X_DV="15"/>
4538     </P>
4539     <P>
4540         <N>X_KeepAliveMsgType</N>
4541         <V X_UD="Y" X_DV="keep-alive"/>
4542     </P>
4543     <P>
4544         <N>X_CustomKeepAliveMsg</N>
4545         <V X_UD="Y" X_DV=""/>
4546     </P>
4547     <P>
4548         <N>X_UserAgentPort</N>
4549         <V X_UD="Y" X_DV="5064"/>
4550     </P>
4551     <P>
4552         <N>X_UserAgentPorts</N>
4553         <V X_UD="Y" X_DV=""/>
4554     </P>
4555     <P>
```

```
4556     <N>DirectoryNumber</N>
4557     <V X_UD="Y" X_DV=""/>
4558 </P>
4559 <P>
4560     <N>X_DefaultRing</N>
4561     <V X_UD="Y" X_DV="1"/>
4562 </P>
4563 <P>
4564     <N>X_AcceptResync</N>
4565     <V X_UD="Y" X_DV="yes without authentication"/>
4566 </P>
4567 </O>
4568 <O>
4569 <N>VoiceService.1.VoiceProfile.1.Line.5.Debug.</N>
4570 <P>
4571     <N>X_SipDebugOption</N>
4572     <V X_UD="Y" X_DV="Disable"/>
4573 </P>
4574 <P>
4575     <N>X_SipDebugExclusion</N>
4576     <V X_UD="Y" X_DV=""/>
4577 </P>
4578 </O>
4579 <O>
4580 <N>VoiceService.1.VoiceProfile.1.Line.5.SIP.</N>
4581 <P>
4582     <N>AuthUserName</N>
4583     <V X_UD="Y" X_DV=""/>
4584 </P>
4585 <P>
4586     <N>URI</N>
4587     <V X_UD="Y" X_DV=""/>
4588 </P>
4589 <P>
4590     <N>X_XsiUserName</N>
4591     <V X_UD="Y" X_DV=""/>
4592 </P>
4593 <P>
4594     <N>X_ContactUserID</N>
4595     <V X_UD="Y" X_DV=""/>
4596 </P>
4597 <P>
4598     <N>X_EnforceRequestUserID</N>
4599     <V X_UD="Y" X_DV="false"/>
4600 </P>
4601 </O>
4602 <O>
4603 <N>VoiceService.1.VoiceProfile.1.Line.5.SIP.</N>
4604 <P>
4605     <N>X_ShareLine</N>
4606     <V X_UD="Y" X_DV="false"/>
4607 </P>
4608 <P>
4609     <N>X_ShareLineUserID</N>
4610     <V X_UD="Y" X_DV=""/>
4611 </P>
4612 <P>
4613     <N>X_ShareLineBargeIn</N>
4614     <V X_UD="Y" X_DV="false"/>
4615 </P>
4616 </O>
4617 <O>
4618 <N>VoiceService.1.VoiceProfile.1.Line.5.CallingFeatures.</N>
4619 <P>
4620     <N>CallerIDName</N>
4621     <V X_UD="Y" X_DV=""/>
4622 </P>
```

4623 <P>  
4624 <N>MaxSessions</N>  
4625 <V X\_UD="Y" X\_DV="4"/>  
4626 </P>  
4627 <P>  
4628 <N>CallForwardUnconditionalEnable</N>  
4629 <V X\_UD="Y" X\_DV="false"/>  
4630 </P>  
4631 <P>  
4632 <N>CallForwardUnconditionalNumber</N>  
4633 <V X\_UD="Y" X\_DV=""/>  
4634 </P>  
4635 <P>  
4636 <N>CallForwardOnBusyEnable</N>  
4637 <V X\_UD="Y" X\_DV="false"/>  
4638 </P>  
4639 <P>  
4640 <N>CallForwardOnBusyNumber</N>  
4641 <V X\_UD="Y" X\_DV=""/>  
4642 </P>  
4643 <P>  
4644 <N>CallForwardOnNoAnswerEnable</N>  
4645 <V X\_UD="Y" X\_DV="false"/>  
4646 </P>  
4647 <P>  
4648 <N>CallForwardOnNoAnswerNumber</N>  
4649 <V X\_UD="Y" X\_DV=""/>  
4650 </P>  
4651 <P>  
4652 <N>CallForwardOnNoAnswerRingCount</N>  
4653 <V X\_UD="Y" X\_DV="2"/>  
4654 </P>  
4655 <P>  
4656 <N>X BlockedCallers</N>  
4657 <V X\_UD="Y" X\_DV=""/>  
4658 </P>  
4659 <P>  
4660 <N>X MailboxID</N>  
4661 <V X\_UD="Y" X\_DV=""/>  
4662 </P>  
4663 <P>  
4664 <N>X CheckVoiceMailNumber</N>  
4665 <V X\_UD="Y" X\_DV=""/>  
4666 </P>  
4667 <P>  
4668 <N>MWIEnableMask</N>  
4669 <V X\_UD="Y" X\_DV="1023"/>  
4670 </P>  
4671 <P>  
4672 <N>X VMWIEnableMask</N>  
4673 <V X\_UD="Y" X\_DV="1023"/>  
4674 </P>  
4675 <P>  
4676 <N>X MWIRoute</N>  
4677 <V X\_UD="Y" X\_DV=""/>  
4678 </P>  
4679 <P>  
4680 <N>X VMWIRoute</N>  
4681 <V X\_UD="Y" X\_DV=""/>  
4682 </P>  
4683 <P>  
4684 <N>MessageWaiting</N>  
4685 <V X\_UD="Y" X\_DV="false"/>  
4686 </P>  
4687 <P>  
4688 <N>MessageCount</N>  
4689 <V X\_UD="Y" X\_DV=""/>

4690 </P>  
4691 <P>  
4692 <N>AnonymousCallBlockEnable</N>  
4693 <V X\_UD="Y" X\_DV="false"/>  
4694 </P>  
4695 <P>  
4696 <N>AnonymousCallEnable</N>  
4697 <V X\_UD="Y" X\_DV="false"/>  
4698 </P>  
4699 <P>  
4700 <N>DoNotDisturbEnable</N>  
4701 <V X\_UD="Y" X\_DV="false"/>  
4702 </P>  
4703 <P>  
4704 <N>X\_SRTP</N>  
4705 <V X\_UD="Y" X\_DV="Disable SRTP"/>  
4706 </P>  
4707 <P>  
4708 <N>X\_ASFeatureEventSubscribe</N>  
4709 <V X\_UD="Y" X\_DV="false"/>  
4710 </P>  
4711 <P>  
4712 <N>X\_ConferenceBridge</N>  
4713 <V X\_UD="Y" X\_DV="cbridge"/>  
4714 </P>  
4715 </O>  
4716 <O>  
4717 <N>VoiceService.1.VoiceProfile.1.Line.5.X\_NetServices.</N>  
4718 <P>  
4719 <N>CallPark</N>  
4720 <V X\_UD="Y" X\_DV="false"/>  
4721 </P>  
4722 <P>  
4723 <N>CallFowardAlways</N>  
4724 <V X\_UD="Y" X\_DV="false"/>  
4725 </P>  
4726 <P>  
4727 <N>CallFowardBusy</N>  
4728 <V X\_UD="Y" X\_DV="false"/>  
4729 </P>  
4730 <P>  
4731 <N>CallFowardNoAnswer</N>  
4732 <V X\_UD="Y" X\_DV="false"/>  
4733 </P>  
4734 <P>  
4735 <N>Directory</N>  
4736 <V X\_UD="Y" X\_DV="false"/>  
4737 </P>  
4738 <P>  
4739 <N>DoNotDisturb</N>  
4740 <V X\_UD="Y" X\_DV="false"/>  
4741 </P>  
4742 </O>  
4743 <O>  
4744 <N>VoiceService.1.VoiceProfile.1.Line.6.</N>  
4745 <P>  
4746 <N>Enable</N>  
4747 <V X\_UD="Y" X\_DV="true"/>  
4748 </P>  
4749 <P>  
4750 <N>X\_DisplayNumber</N>  
4751 <V X\_UD="Y" X\_DV=""/>  
4752 </P>  
4753 <P>  
4754 <N>X\_ServProvProfile</N>  
4755 <V X\_UD="Y" X\_DV="A"/>  
4756 </P>

```
4757 <P>
4758 <N>X_RingProfile</N>
4759 <V X_UD="Y" X_DV="A"/>
4760 </P>
4761 <P>
4762 <N>X_CodecProfile</N>
4763 <V X_UD="Y" X_DV="A"/>
4764 </P>
4765 <P>
4766 <N>X_InboundCallRoute</N>
4767 <V X_UD="Y" X_DV="dt1">{$poly_sp_6_inbound_call_route}</V>
4768 </P>
4769 <P>
4770 <N>X_RegisterEnable</N>
4771 <V X_UD="Y" X_DV="true"/>
4772 </P>
4773 <P>
4774 <N>X_AcceptSipFromRegistrarOnly</N>
4775 <V X_UD="Y" X_DV="false"/>
4776 </P>
4777 <P>
4778 <N>X_NoRegNoCall</N>
4779 <V X_UD="Y" X_DV="false"/>
4780 </P>
4781 <P>
4782 <N>X_KeepAliveEnable</N>
4783 <V X_UD="Y" X_DV="false"/>
4784 </P>
4785 <P>
4786 <N>X_KeepAliveExpires</N>
4787 <V X_UD="Y" X_DV="15"/>
4788 </P>
4789 <P>
4790 <N>X_KeepAliveMsgType</N>
4791 <V X_UD="Y" X_DV="keep-alive"/>
4792 </P>
4793 <P>
4794 <N>X_CustomKeepAliveMsg</N>
4795 <V X_UD="Y" X_DV=""/>
4796 </P>
4797 <P>
4798 <N>X_UserAgentPort</N>
4799 <V X_UD="Y" X_DV="5065"/>
4800 </P>
4801 <P>
4802 <N>X_UserAgentPorts</N>
4803 <V X_UD="Y" X_DV=""/>
4804 </P>
4805 <P>
4806 <N>DirectoryNumber</N>
4807 <V X_UD="Y" X_DV=""/>
4808 </P>
4809 <P>
4810 <N>X_DefaultRing</N>
4811 <V X_UD="Y" X_DV="1"/>
4812 </P>
4813 <P>
4814 <N>X_AcceptResync</N>
4815 <V X_UD="Y" X_DV="yes without authentication"/>
4816 </P>
4817 </O>
4818 <O>
4819 <N>VoiceService.1.VoiceProfile.1.Line.6.Debug.</N>
4820 <P>
4821 <N>X_SipDebugOption</N>
4822 <V X_UD="Y" X_DV="Disable"/>
4823 </P>
```



```
4824     <P>
4825         <N>X_SipDebugExclusion</N>
4826         <V X_UD="Y" X_DV=""/>
4827     </P>
4828 </O>
4829 <O>
4830     <N>VoiceService.1.VoiceProfile.1.Line.6.SIP.</N>
4831     <P>
4832         <N>AuthUserName</N>
4833         <V X_UD="Y" X_DV=""/>
4834     </P>
4835     <P>
4836         <N>URI</N>
4837         <V X_UD="Y" X_DV=""/>
4838     </P>
4839     <P>
4840         <N>X_XsiUserName</N>
4841         <V X_UD="Y" X_DV=""/>
4842     </P>
4843     <P>
4844         <N>X_ContactUserID</N>
4845         <V X_UD="Y" X_DV=""/>
4846     </P>
4847     <P>
4848         <N>X_EnforceRequestUserID</N>
4849         <V X_UD="Y" X_DV="false"/>
4850     </P>
4851 </O>
4852 <O>
4853     <N>VoiceService.1.VoiceProfile.1.Line.6.SIP.</N>
4854     <P>
4855         <N>X_ShareLine</N>
4856         <V X_UD="Y" X_DV="false"/>
4857     </P>
4858     <P>
4859         <N>X_ShareLineUserID</N>
4860         <V X_UD="Y" X_DV=""/>
4861     </P>
4862     <P>
4863         <N>X_ShareLineBargeIn</N>
4864         <V X_UD="Y" X_DV="false"/>
4865     </P>
4866 </O>
4867 <O>
4868     <N>VoiceService.1.VoiceProfile.1.Line.6.CallingFeatures.</N>
4869     <P>
4870         <N>CallerIDName</N>
4871         <V X_UD="Y" X_DV=""/>
4872     </P>
4873     <P>
4874         <N>MaxSessions</N>
4875         <V X_UD="Y" X_DV="4"/>
4876     </P>
4877     <P>
4878         <N>CallForwardUnconditionalEnable</N>
4879         <V X_UD="Y" X_DV="false"/>
4880     </P>
4881     <P>
4882         <N>CallForwardUnconditionalNumber</N>
4883         <V X_UD="Y" X_DV=""/>
4884     </P>
4885     <P>
4886         <N>CallForwardOnBusyEnable</N>
4887         <V X_UD="Y" X_DV="false"/>
4888     </P>
4889     <P>
4890         <N>CallForwardOnBusyNumber</N>
```

4891 <V X\_UD="Y" X\_DV="" />  
4892 </P>  
4893 <P>  
4894 <N>CallForwardOnNoAnswerEnable</N>  
4895 <V X\_UD="Y" X\_DV="false" />  
4896 </P>  
4897 <P>  
4898 <N>CallForwardOnNoAnswerNumber</N>  
4899 <V X\_UD="Y" X\_DV="" />  
4900 </P>  
4901 <P>  
4902 <N>CallForwardOnNoAnswerRingCount</N>  
4903 <V X\_UD="Y" X\_DV="2" />  
4904 </P>  
4905 <P>  
4906 <N>X\_BlockedCallers</N>  
4907 <V X\_UD="Y" X\_DV="" />  
4908 </P>  
4909 <P>  
4910 <N>X\_MailboxID</N>  
4911 <V X\_UD="Y" X\_DV="" />  
4912 </P>  
4913 <P>  
4914 <N>X\_CheckVoiceMailNumber</N>  
4915 <V X\_UD="Y" X\_DV="" />  
4916 </P>  
4917 <P>  
4918 <N>MWIEnableMask</N>  
4919 <V X\_UD="Y" X\_DV="1023" />  
4920 </P>  
4921 <P>  
4922 <N>X\_VMWIEnableMask</N>  
4923 <V X\_UD="Y" X\_DV="1023" />  
4924 </P>  
4925 <P>  
4926 <N>X\_MWIRoute</N>  
4927 <V X\_UD="Y" X\_DV="" />  
4928 </P>  
4929 <P>  
4930 <N>X\_VMWIRoute</N>  
4931 <V X\_UD="Y" X\_DV="" />  
4932 </P>  
4933 <P>  
4934 <N>MessageWaiting</N>  
4935 <V X\_UD="Y" X\_DV="false" />  
4936 </P>  
4937 <P>  
4938 <N>MessageCount</N>  
4939 <V X\_UD="Y" X\_DV="" />  
4940 </P>  
4941 <P>  
4942 <N>AnonymousCallBlockEnable</N>  
4943 <V X\_UD="Y" X\_DV="false" />  
4944 </P>  
4945 <P>  
4946 <N>AnonymousCallEnable</N>  
4947 <V X\_UD="Y" X\_DV="false" />  
4948 </P>  
4949 <P>  
4950 <N>DoNotDisturbEnable</N>  
4951 <V X\_UD="Y" X\_DV="false" />  
4952 </P>  
4953 <P>  
4954 <N>X\_SRTP</N>  
4955 <V X\_UD="Y" X\_DV="Disable SRTP" />  
4956 </P>  
4957 <P>

```
4958     <N>X_ASFeatureEventSubscribe</N>
4959     <V X_UD="Y" X_DV="false"/>
4960 </P>
4961 <P>
4962     <N>X_ConferenceBridge</N>
4963     <V X_UD="Y" X_DV="cbridge"/>
4964 </P>
4965 </O>
4966 <O>
4967     <N>VoiceService.1.VoiceProfile.1.Line.6.X_NetServices.</N>
4968     <P>
4969         <N>CallPark</N>
4970         <V X_UD="Y" X_DV="false"/>
4971     </P>
4972     <P>
4973         <N>CallFowardAlways</N>
4974         <V X_UD="Y" X_DV="false"/>
4975     </P>
4976     <P>
4977         <N>CallFowardBusy</N>
4978         <V X_UD="Y" X_DV="false"/>
4979     </P>
4980     <P>
4981         <N>CallFowardNoAnswer</N>
4982         <V X_UD="Y" X_DV="false"/>
4983     </P>
4984     <P>
4985         <N>Directory</N>
4986         <V X_UD="Y" X_DV="false"/>
4987     </P>
4988     <P>
4989         <N>DoNotDisturb</N>
4990         <V X_UD="Y" X_DV="false"/>
4991     </P>
4992 </O>
4993 <O>
4994     <N>VoiceService.1.VoiceProfile.1.Line.7.</N>
4995     <P>
4996         <N>Enable</N>
4997         <V X_UD="Y" X_DV="true"/>
4998     </P>
4999     <P>
5000         <N>X_DisplayNumber</N>
5001         <V X_UD="Y" X_DV=""/>
5002     </P>
5003     <P>
5004         <N>X_ServProvProfile</N>
5005         <V X_UD="Y" X_DV="A"/>
5006     </P>
5007     <P>
5008         <N>X_RingProfile</N>
5009         <V X_UD="Y" X_DV="A"/>
5010     </P>
5011     <P>
5012         <N>X_CodecProfile</N>
5013         <V X_UD="Y" X_DV="A"/>
5014     </P>
5015     <P>
5016         <N>X_InboundCallRoute</N>
5017         <V X_UD="Y" X_DV="dt1" >{$poly_sp_7_inbound_call_route}</V>
5018     </P>
5019     <P>
5020         <N>X_RegisterEnable</N>
5021         <V X_UD="Y" X_DV="true"/>
5022     </P>
5023     <P>
5024         <N>X_AcceptSipFromRegistrarOnly</N>
```

```
5025     <V X_UD="Y" X_DV="false"/>
5026 </P>
5027 <P>
5028     <N>X_NoRegNoCall</N>
5029     <V X_UD="Y" X_DV="false"/>
5030 </P>
5031 <P>
5032     <N>X_KeepAliveEnable</N>
5033     <V X_UD="Y" X_DV="false"/>
5034 </P>
5035 <P>
5036     <N>X_KeepAliveExpires</N>
5037     <V X_UD="Y" X_DV="15"/>
5038 </P>
5039 <P>
5040     <N>X_KeepAliveMsgType</N>
5041     <V X_UD="Y" X_DV="keep-alive"/>
5042 </P>
5043 <P>
5044     <N>X_CustomKeepAliveMsg</N>
5045     <V X_UD="Y" X_DV=""/>
5046 </P>
5047 <P>
5048     <N>X_UserAgentPort</N>
5049     <V X_UD="Y" X_DV="5066"/>
5050 </P>
5051 <P>
5052     <N>X_UserAgentPorts</N>
5053     <V X_UD="Y" X_DV=""/>
5054 </P>
5055 <P>
5056     <N>DirectoryNumber</N>
5057     <V X_UD="Y" X_DV=""/>
5058 </P>
5059 <P>
5060     <N>X_DefaultRing</N>
5061     <V X_UD="Y" X_DV="1"/>
5062 </P>
5063 <P>
5064     <N>X_AcceptResync</N>
5065     <V X_UD="Y" X_DV="yes without authentication"/>
5066 </P>
5067 </O>
5068 <O>
5069     <N>VoiceService.1.VoiceProfile.1.Line.7.Debug.</N>
5070 <P>
5071     <N>X_SipDebugOption</N>
5072     <V X_UD="Y" X_DV="Disable"/>
5073 </P>
5074 <P>
5075     <N>X_SipDebugExclusion</N>
5076     <V X_UD="Y" X_DV=""/>
5077 </P>
5078 </O>
5079 <O>
5080     <N>VoiceService.1.VoiceProfile.1.Line.7.SIP.</N>
5081 <P>
5082     <N>AuthUserName</N>
5083     <V X_UD="Y" X_DV=""/>
5084 </P>
5085 <P>
5086     <N>URI</N>
5087     <V X_UD="Y" X_DV=""/>
5088 </P>
5089 <P>
5090     <N>X_XsiUserName</N>
5091     <V X_UD="Y" X_DV=""/>
```

5092 </P>  
5093 <P>  
5094 <N>X\_ContactUserID</N>  
5095 <V X\_UD="Y" X\_DV=""/>  
5096 </P>  
5097 <P>  
5098 <N>X\_EnforceRequestUserID</N>  
5099 <V X\_UD="Y" X\_DV="false"/>  
5100 </P>  
5101 </O>  
5102 <O>  
5103 <N>VoiceService.1.VoiceProfile.1.Line.7.SIP.</N>  
5104 <P>  
5105 <N>X\_ShareLine</N>  
5106 <V X\_UD="Y" X\_DV="false"/>  
5107 </P>  
5108 <P>  
5109 <N>X\_ShareLineUserID</N>  
5110 <V X\_UD="Y" X\_DV=""/>  
5111 </P>  
5112 <P>  
5113 <N>X\_ShareLineBargeIn</N>  
5114 <V X\_UD="Y" X\_DV="false"/>  
5115 </P>  
5116 </O>  
5117 <O>  
5118 <N>VoiceService.1.VoiceProfile.1.Line.7.CallingFeatures.</N>  
5119 <P>  
5120 <N>CallerIDName</N>  
5121 <V X\_UD="Y" X\_DV=""/>  
5122 </P>  
5123 <P>  
5124 <N>MaxSessions</N>  
5125 <V X\_UD="Y" X\_DV="4"/>  
5126 </P>  
5127 <P>  
5128 <N>CallForwardUnconditionalEnable</N>  
5129 <V X\_UD="Y" X\_DV="false"/>  
5130 </P>  
5131 <P>  
5132 <N>CallForwardUnconditionalNumber</N>  
5133 <V X\_UD="Y" X\_DV=""/>  
5134 </P>  
5135 <P>  
5136 <N>CallForwardOnBusyEnable</N>  
5137 <V X\_UD="Y" X\_DV="false"/>  
5138 </P>  
5139 <P>  
5140 <N>CallForwardOnBusyNumber</N>  
5141 <V X\_UD="Y" X\_DV=""/>  
5142 </P>  
5143 <P>  
5144 <N>CallForwardOnNoAnswerEnable</N>  
5145 <V X\_UD="Y" X\_DV="false"/>  
5146 </P>  
5147 <P>  
5148 <N>CallForwardOnNoAnswerNumber</N>  
5149 <V X\_UD="Y" X\_DV=""/>  
5150 </P>  
5151 <P>  
5152 <N>CallForwardOnNoAnswerRingCount</N>  
5153 <V X\_UD="Y" X\_DV="2"/>  
5154 </P>  
5155 <P>  
5156 <N>X\_BlockedCallers</N>  
5157 <V X\_UD="Y" X\_DV=""/>  
5158 </P>

5159 <P>  
5160 <N>X\_MailboxID</N>  
5161 <V X\_UD="Y" X\_DV=""/>  
5162 </P>  
5163 <P>  
5164 <N>X\_CheckVoiceMailNumber</N>  
5165 <V X\_UD="Y" X\_DV=""/>  
5166 </P>  
5167 <P>  
5168 <N>MWIEnableMask</N>  
5169 <V X\_UD="Y" X\_DV="1023"/>  
5170 </P>  
5171 <P>  
5172 <N>X\_VMWIEnableMask</N>  
5173 <V X\_UD="Y" X\_DV="1023"/>  
5174 </P>  
5175 <P>  
5176 <N>X\_MWIRoute</N>  
5177 <V X\_UD="Y" X\_DV=""/>  
5178 </P>  
5179 <P>  
5180 <N>X\_VMWIRoute</N>  
5181 <V X\_UD="Y" X\_DV=""/>  
5182 </P>  
5183 <P>  
5184 <N>MessageWaiting</N>  
5185 <V X\_UD="Y" X\_DV="false"/>  
5186 </P>  
5187 <P>  
5188 <N>MessageCount</N>  
5189 <V X\_UD="Y" X\_DV=""/>  
5190 </P>  
5191 <P>  
5192 <N>AnonymousCallBlockEnable</N>  
5193 <V X\_UD="Y" X\_DV="false"/>  
5194 </P>  
5195 <P>  
5196 <N>AnonymousCallEnable</N>  
5197 <V X\_UD="Y" X\_DV="false"/>  
5198 </P>  
5199 <P>  
5200 <N>DoNotDisturbEnable</N>  
5201 <V X\_UD="Y" X\_DV="false"/>  
5202 </P>  
5203 <P>  
5204 <N>X\_SRTP</N>  
5205 <V X\_UD="Y" X\_DV="Disable SRTP"/>  
5206 </P>  
5207 <P>  
5208 <N>X\_ASFeatureEventSubscribe</N>  
5209 <V X\_UD="Y" X\_DV="false"/>  
5210 </P>  
5211 <P>  
5212 <N>X\_ConferenceBridge</N>  
5213 <V X\_UD="Y" X\_DV="cbridge"/>  
5214 </P>  
5215 </O>  
5216 <O>  
5217 <N>VoiceService.1.VoiceProfile.1.Line.7.X\_NetServices.</N>  
5218 <P>  
5219 <N>CallPark</N>  
5220 <V X\_UD="Y" X\_DV="false"/>  
5221 </P>  
5222 <P>  
5223 <N>CallFowardAlways</N>  
5224 <V X\_UD="Y" X\_DV="false"/>  
5225 </P>

```
5226 <P>
5227 <N>CallFowardBusy</N>
5228 <V X_UD="Y" X_DV="false"/>
5229 </P>
5230 <P>
5231 <N>CallFowardNoAnswer</N>
5232 <V X_UD="Y" X_DV="false"/>
5233 </P>
5234 <P>
5235 <N>Directory</N>
5236 <V X_UD="Y" X_DV="false"/>
5237 </P>
5238 <P>
5239 <N>DoNotDisturb</N>
5240 <V X_UD="Y" X_DV="false"/>
5241 </P>
5242 </O>
5243 <O>
5244 <N>VoiceService.1.VoiceProfile.1.Line.8.</N>
5245 <P>
5246 <N>Enable</N>
5247 <V X_UD="Y" X_DV="true"/>
5248 </P>
5249 <P>
5250 <N>X_DisplayNumber</N>
5251 <V X_UD="Y" X_DV=""/>
5252 </P>
5253 <P>
5254 <N>X_ServProvProfile</N>
5255 <V X_UD="Y" X_DV="A"/>
5256 </P>
5257 <P>
5258 <N>X_RingProfile</N>
5259 <V X_UD="Y" X_DV="A"/>
5260 </P>
5261 <P>
5262 <N>X_CodecProfile</N>
5263 <V X_UD="Y" X_DV="A"/>
5264 </P>
5265 <P>
5266 <N>X_InboundCallRoute</N>
5267 <V X_UD="Y" X_DV="dt1"{$poly_sp_8_inbound_call_route}</V>
5268 </P>
5269 <P>
5270 <N>X_RegisterEnable</N>
5271 <V X_UD="Y" X_DV="true"/>
5272 </P>
5273 <P>
5274 <N>X_AcceptSipFromRegistrarOnly</N>
5275 <V X_UD="Y" X_DV="false"/>
5276 </P>
5277 <P>
5278 <N>X_NoRegNoCall</N>
5279 <V X_UD="Y" X_DV="false"/>
5280 </P>
5281 <P>
5282 <N>X_KeepAliveEnable</N>
5283 <V X_UD="Y" X_DV="false"/>
5284 </P>
5285 <P>
5286 <N>X_KeepAliveExpires</N>
5287 <V X_UD="Y" X_DV="15"/>
5288 </P>
5289 <P>
5290 <N>X_KeepAliveMsgType</N>
5291 <V X_UD="Y" X_DV="keep-alive"/>
5292 </P>
```

5293 <P>  
5294 <N>X\_CustomKeepAliveMsg</N>  
5295 <V X\_UD="Y" X\_DV=""/>  
5296 </P>  
5297 <P>  
5298 <N>X\_UserAgentPort</N>  
5299 <V X\_UD="Y" X\_DV="5067"/>  
5300 </P>  
5301 <P>  
5302 <N>X\_UserAgentPorts</N>  
5303 <V X\_UD="Y" X\_DV=""/>  
5304 </P>  
5305 <P>  
5306 <N>DirectoryNumber</N>  
5307 <V X\_UD="Y" X\_DV=""/>  
5308 </P>  
5309 <P>  
5310 <N>X\_DefaultRing</N>  
5311 <V X\_UD="Y" X\_DV="1"/>  
5312 </P>  
5313 <P>  
5314 <N>X\_AcceptResync</N>  
5315 <V X\_UD="Y" X\_DV="yes without authentication"/>  
5316 </P>  
5317 </O>  
5318 <O>  
5319 <N>VoiceService.1.VoiceProfile.1.Line.8.Debug.</N>  
5320 <P>  
5321 <N>X\_SipDebugOption</N>  
5322 <V X\_UD="Y" X\_DV="Disable"/>  
5323 </P>  
5324 <P>  
5325 <N>X\_SipDebugExclusion</N>  
5326 <V X\_UD="Y" X\_DV=""/>  
5327 </P>  
5328 </O>  
5329 <O>  
5330 <N>VoiceService.1.VoiceProfile.1.Line.8.SIP.</N>  
5331 <P>  
5332 <N>AuthUserName</N>  
5333 <V X\_UD="Y" X\_DV=""/>  
5334 </P>  
5335 <P>  
5336 <N>URI</N>  
5337 <V X\_UD="Y" X\_DV=""/>  
5338 </P>  
5339 <P>  
5340 <N>X\_XsiUserName</N>  
5341 <V X\_UD="Y" X\_DV=""/>  
5342 </P>  
5343 <P>  
5344 <N>X\_ContactUserID</N>  
5345 <V X\_UD="Y" X\_DV=""/>  
5346 </P>  
5347 <P>  
5348 <N>X\_EnforceRequestUserID</N>  
5349 <V X\_UD="Y" X\_DV="false"/>  
5350 </P>  
5351 </O>  
5352 <O>  
5353 <N>VoiceService.1.VoiceProfile.1.Line.8.SIP.</N>  
5354 <P>  
5355 <N>X\_ShareLine</N>  
5356 <V X\_UD="Y" X\_DV="false"/>  
5357 </P>  
5358 <P>  
5359 <N>X\_ShareLineUserID</N>



5360 <V X\_UD="Y" X\_DV=""/>  
5361 </P>  
5362 <P>  
5363 <N>X\_ShareLineBargeIn</N>  
5364 <V X\_UD="Y" X\_DV="false"/>  
5365 </P>  
5366 </O>  
5367 <O>  
5368 <N>VoiceService.1.VoiceProfile.1.Line.8.CallingFeatures.</N>  
5369 <P>  
5370 <N>CallerIDName</N>  
5371 <V X\_UD="Y" X\_DV=""/>  
5372 </P>  
5373 <P>  
5374 <N>MaxSessions</N>  
5375 <V X\_UD="Y" X\_DV="4"/>  
5376 </P>  
5377 <P>  
5378 <N>CallForwardUnconditionalEnable</N>  
5379 <V X\_UD="Y" X\_DV="false"/>  
5380 </P>  
5381 <P>  
5382 <N>CallForwardUnconditionalNumber</N>  
5383 <V X\_UD="Y" X\_DV=""/>  
5384 </P>  
5385 <P>  
5386 <N>CallForwardOnBusyEnable</N>  
5387 <V X\_UD="Y" X\_DV="false"/>  
5388 </P>  
5389 <P>  
5390 <N>CallForwardOnBusyNumber</N>  
5391 <V X\_UD="Y" X\_DV=""/>  
5392 </P>  
5393 <P>  
5394 <N>CallForwardOnNoAnswerEnable</N>  
5395 <V X\_UD="Y" X\_DV="false"/>  
5396 </P>  
5397 <P>  
5398 <N>CallForwardOnNoAnswerNumber</N>  
5399 <V X\_UD="Y" X\_DV=""/>  
5400 </P>  
5401 <P>  
5402 <N>CallForwardOnNoAnswerRingCount</N>  
5403 <V X\_UD="Y" X\_DV="2"/>  
5404 </P>  
5405 <P>  
5406 <N>X\_BlockedCallers</N>  
5407 <V X\_UD="Y" X\_DV=""/>  
5408 </P>  
5409 <P>  
5410 <N>X\_MailboxID</N>  
5411 <V X\_UD="Y" X\_DV=""/>  
5412 </P>  
5413 <P>  
5414 <N>X\_CheckVoiceMailNumber</N>  
5415 <V X\_UD="Y" X\_DV=""/>  
5416 </P>  
5417 <P>  
5418 <N>MWIEnableMask</N>  
5419 <V X\_UD="Y" X\_DV="1023"/>  
5420 </P>  
5421 <P>  
5422 <N>X\_VMWIEnableMask</N>  
5423 <V X\_UD="Y" X\_DV="1023"/>  
5424 </P>  
5425 <P>  
5426 <N>X\_MWIRoute</N>

```
5427     <V X_UD="Y" X_DV=""/>
5428 </P>
5429 <P>
5430     <N>X_VMWIRoute</N>
5431     <V X_UD="Y" X_DV=""/>
5432 </P>
5433 <P>
5434     <N>MessageWaiting</N>
5435     <V X_UD="Y" X_DV="false"/>
5436 </P>
5437 <P>
5438     <N>MessageCount</N>
5439     <V X_UD="Y" X_DV=""/>
5440 </P>
5441 <P>
5442     <N>AnonymousCallBlockEnable</N>
5443     <V X_UD="Y" X_DV="false"/>
5444 </P>
5445 <P>
5446     <N>AnonymousCallEnable</N>
5447     <V X_UD="Y" X_DV="false"/>
5448 </P>
5449 <P>
5450     <N>DoNotDisturbEnable</N>
5451     <V X_UD="Y" X_DV="false"/>
5452 </P>
5453 <P>
5454     <N>X_S RTP</N>
5455     <V X_UD="Y" X_DV="Disable SRTP"/>
5456 </P>
5457 <P>
5458     <N>X_ASFeatureEventSubscribe</N>
5459     <V X_UD="Y" X_DV="false"/>
5460 </P>
5461 <P>
5462     <N>X_ConferenceBridge</N>
5463     <V X_UD="Y" X_DV="cbridge"/>
5464 </P>
5465 </O>
5466 <O>
5467     <N>VoiceService.1.VoiceProfile.1.Line.8.X_NetServices.</N>
5468     <P>
5469         <N>CallPark</N>
5470         <V X_UD="Y" X_DV="false"/>
5471     </P>
5472     <P>
5473         <N>CallFowardAlways</N>
5474         <V X_UD="Y" X_DV="false"/>
5475     </P>
5476     <P>
5477         <N>CallFowardBusy</N>
5478         <V X_UD="Y" X_DV="false"/>
5479     </P>
5480     <P>
5481         <N>CallFowardNoAnswer</N>
5482         <V X_UD="Y" X_DV="false"/>
5483     </P>
5484     <P>
5485         <N>Directory</N>
5486         <V X_UD="Y" X_DV="false"/>
5487     </P>
5488     <P>
5489         <N>DoNotDisturb</N>
5490         <V X_UD="Y" X_DV="false"/>
5491     </P>
5492 </O>
5493 <O>
```

5494 <N>VoiceService.1.VoiceProfile.1.Line.1.Stats.</N>  
5495 </O>  
5496 <O>  
5497 <N>VoiceService.1.VoiceProfile.1.Line.1.</N>  
5498 </O>  
5499 <O>  
5500 <N>VoiceService.1.VoiceProfile.1.Line.1.Stats.</N>  
5501 </O>  
5502 <O>  
5503 <N>VoiceService.1.VoiceProfile.1.Line.2.Stats.</N>  
5504 </O>  
5505 <O>  
5506 <N>VoiceService.1.VoiceProfile.1.Line.2.</N>  
5507 </O>  
5508 <O>  
5509 <N>VoiceService.1.VoiceProfile.1.Line.2.Stats.</N>  
5510 </O>  
5511 <O>  
5512 <N>VoiceService.1.VoiceProfile.1.Line.3.Stats.</N>  
5513 </O>  
5514 <O>  
5515 <N>VoiceService.1.VoiceProfile.1.Line.3.Stats.</N>  
5516 </O>  
5517 <O>  
5518 <N>VoiceService.1.VoiceProfile.1.Line.4.Stats.</N>  
5519 </O>  
5520 <O>  
5521 <N>VoiceService.1.VoiceProfile.1.Line.4.Stats.</N>  
5522 </O>  
5523 <O>  
5524 <N>VoiceService.1.VoiceProfile.1.Line.5.Stats.</N>  
5525 </O>  
5526 <O>  
5527 <N>VoiceService.1.VoiceProfile.1.Line.5.Stats.</N>  
5528 </O>  
5529 <O>  
5530 <N>VoiceService.1.VoiceProfile.1.Line.6.Stats.</N>  
5531 </O>  
5532 <O>  
5533 <N>VoiceService.1.VoiceProfile.1.Line.6.Stats.</N>  
5534 </O>  
5535 <O>  
5536 <N>VoiceService.1.VoiceProfile.1.Line.7.Stats.</N>  
5537 </O>  
5538 <O>  
5539 <N>VoiceService.1.VoiceProfile.1.Line.7.Stats.</N>  
5540 </O>  
5541 <O>  
5542 <N>VoiceService.1.VoiceProfile.1.Line.8.Stats.</N>  
5543 </O>  
5544 <O>  
5545 <N>VoiceService.1.VoiceProfile.1.Line.8.Stats.</N>  
5546 </O>  
5547 <O>  
5548 <N>VoiceService.1.VoiceProfile.1.Line.3.</N>  
5549 </O>  
5550 <O>  
5551 <N>VoiceService.1.VoiceProfile.1.Line.4.</N>  
5552 </O>  
5553 <O>  
5554 <N>VoiceService.1.VoiceProfile.1.Line.5.</N>  
5555 </O>  
5556 <O>  
5557 <N>VoiceService.1.VoiceProfile.1.Line.6.</N>  
5558 </O>  
5559 <O>  
5560 <N>VoiceService.1.VoiceProfile.1.Line.7.</N>

```
5561 </O>
5562 <O>
5563 <N>VoiceService.1.VoiceProfile.1.Line.8.</N>
5564 </O>
5565 <O>
5566 <N>VoiceService.1.X_P2P.1.</N>
5567 <P>
5568 <N>Enable</N>
5569 <V X_UD="Y" X_DV="true"/>
5570 </P>
5571 <P>
5572 <N>DisplayNumber</N>
5573 <V X_UD="Y" X_DV=""/>
5574 </P>
5575 <P>
5576 <N>LocalPort</N>
5577 <V X_UD="Y" X_DV="10000"/>
5578 </P>
5579 <P>
5580 <N>TryMultiplePorts</N>
5581 <V X_UD="Y" X_DV="true"/>
5582 </P>
5583 <P>
5584 <N>DisplayName</N>
5585 <V X_UD="Y" X_DV=""/>
5586 </P>
5587 <P>
5588 <N>DigitMap</N>
5589 <V X_UD="Y" X_DV="( &lt;ob&gt;xxxxxxxx | obxxxxxxxx )"/>
5590 </P>
5591 <P>
5592 <N>InboundCallRoute</N>
5593 <V X_UD="Y" X_DV="dt1"/>
5594 </P>
5595 <P>
5596 <N>RingProfile</N>
5597 <V X_UD="Y" X_DV="A"/>
5598 </P>
5599 <P>
5600 <N>CodecProfile</N>
5601 <V X_UD="Y" X_DV="A"/>
5602 </P>
5603 <P>
5604 <N>DefaultRing</N>
5605 <V X_UD="Y" X_DV="2"/>
5606 </P>
5607 <P>
5608 <N>CallOnHoldRing</N>
5609 <V X_UD="Y" X_DV="8"/>
5610 </P>
5611 <P>
5612 <N>RepeatDialRing</N>
5613 <V X_UD="Y" X_DV="4"/>
5614 </P>
5615 <P>
5616 <N>DTMFMethod</N>
5617 <V X_UD="Y" X_DV="Auto"/>
5618 </P>
5619 <P>
5620 <N>FixedDurationRFC2833DTMF</N>
5621 <V X_UD="Y" X_DV="16"/>
5622 </P>
5623 <P>
5624 <N>SymmetricMedia</N>
5625 <V X_UD="Y" X_DV="true"/>
5626 </P>
5627 </O>
```

```
5628 <O>
5629 <N>VoiceService.1.X_P2P.1.CallingFeatures.</N>
5630 <P>
5631 <N>CallForwardUnconditionalEnable</N>
5632 <V X_UD="Y" X_DV="false"/>
5633 </P>
5634 <P>
5635 <N>CallForwardUnconditionalNumber</N>
5636 <V X_UD="Y" X_DV=""/>
5637 </P>
5638 <P>
5639 <N>CallForwardOnBusyEnable</N>
5640 <V X_UD="Y" X_DV="false"/>
5641 </P>
5642 <P>
5643 <N>CallForwardOnBusyNumber</N>
5644 <V X_UD="Y" X_DV=""/>
5645 </P>
5646 <P>
5647 <N>CallForwardOnNoAnswerEnable</N>
5648 <V X_UD="Y" X_DV="false"/>
5649 </P>
5650 <P>
5651 <N>CallForwardOnNoAnswerNumber</N>
5652 <V X_UD="Y" X_DV=""/>
5653 </P>
5654 <P>
5655 <N>CallForwardOnNoAnswerRingCount</N>
5656 <V X_UD="Y" X_DV="2"/>
5657 </P>
5658 <P>
5659 <N>BlockedCallers</N>
5660 <V X_UD="Y" X_DV=""/>
5661 </P>
5662 <P>
5663 <N>MaxSessions</N>
5664 <V X_UD="Y" X_DV="2"/>
5665 </P>
5666 <P>
5667 <N>AnonymousCallBlockEnable</N>
5668 <V X_UD="Y" X_DV="false"/>
5669 </P>
5670 <P>
5671 <N>AnonymousCallEnable</N>
5672 <V X_UD="Y" X_DV="false"/>
5673 </P>
5674 <P>
5675 <N>DoNotDisturbEnable</N>
5676 <V X_UD="Y" X_DV="false"/>
5677 </P>
5678 </O>
5679 <O>
5680 <N>VoiceService.1.X_P2P.1.RTP.JIB.</N>
5681 <P>
5682 <N>Adaptive</N>
5683 <V X_UD="Y" X_DV="true"/>
5684 </P>
5685 <P>
5686 <N>MaximumSize</N>
5687 <V X_UD="Y" X_DV="250"/>
5688 </P>
5689 <P>
5690 <N>SetPoint</N>
5691 <V X_UD="Y" X_DV="60"/>
5692 </P>
5693 <P>
5694 <N>Target</N>
```

5695 <V X\_UD="Y" X\_DV="20"/>  
5696 </P>  
5697 <P>  
5698 <N>AdaptationSlope</N>  
5699 <V X\_UD="Y" X\_DV="16"/>  
5700 </P>  
5701 </O>  
5702 <O>  
5703 <N>VoiceService.1.X\_P2P.1.SIP.</N>  
5704 <P>  
5705 <N>TimerT1</N>  
5706 <V X\_UD="Y" X\_DV="500"/>  
5707 </P>  
5708 <P>  
5709 <N>TimerT2</N>  
5710 <V X\_UD="Y" X\_DV="4000"/>  
5711 </P>  
5712 <P>  
5713 <N>TimerT4</N>  
5714 <V X\_UD="Y" X\_DV="5000"/>  
5715 </P>  
5716 <P>  
5717 <N>TimerA</N>  
5718 <V X\_UD="Y" X\_DV="500"/>  
5719 </P>  
5720 <P>  
5721 <N>TimerB</N>  
5722 <V X\_UD="Y" X\_DV="32000"/>  
5723 </P>  
5724 <P>  
5725 <N>TimerC</N>  
5726 <V X\_UD="Y" X\_DV="32000"/>  
5727 </P>  
5728 <P>  
5729 <N>TimerD</N>  
5730 <V X\_UD="Y" X\_DV="32000"/>  
5731 </P>  
5732 <P>  
5733 <N>TimerE</N>  
5734 <V X\_UD="Y" X\_DV="500"/>  
5735 </P>  
5736 <P>  
5737 <N>TimerF</N>  
5738 <V X\_UD="Y" X\_DV="32000"/>  
5739 </P>  
5740 <P>  
5741 <N>TimerG</N>  
5742 <V X\_UD="Y" X\_DV="500"/>  
5743 </P>  
5744 <P>  
5745 <N>TimerH</N>  
5746 <V X\_UD="Y" X\_DV="32000"/>  
5747 </P>  
5748 <P>  
5749 <N>TimerI</N>  
5750 <V X\_UD="Y" X\_DV="5000"/>  
5751 </P>  
5752 <P>  
5753 <N>TimerJ</N>  
5754 <V X\_UD="Y" X\_DV="32000"/>  
5755 </P>  
5756 <P>  
5757 <N>TimerK</N>  
5758 <V X\_UD="Y" X\_DV="5000"/>  
5759 </P>  
5760 <P>  
5761 <N>InviteExpires</N>

```
5762     <V X_UD="Y" X_DV="60"/>
5763 </P>
5764 <P>
5765     <N>ReInviteExpires</N>
5766     <V X_UD="Y" X_DV="30"/>
5767 </P>
5768 </O>
5769 <O>
5770     <N>VoiceService.1.X_P2P.1.Stats.</N>
5771 </O>
5772 <O>
5773     <N>VoiceService.1.X_UserPrompt.</N>
5774 <P>
5775     <N>User1Length</N>
5776     <V>0 (ms)</V>
5777 </P>
5778 <P>
5779     <N>User2Length</N>
5780     <V>0 (ms)</V>
5781 </P>
5782 <P>
5783     <N>User3Length</N>
5784     <V>0 (ms)</V>
5785 </P>
5786 <P>
5787     <N>User4Length</N>
5788     <V>0 (ms)</V>
5789 </P>
5790 <P>
5791     <N>User5Length</N>
5792     <V>0 (ms)</V>
5793 </P>
5794 <P>
5795     <N>User6Length</N>
5796     <V>0 (ms)</V>
5797 </P>
5798 <P>
5799     <N>User7Length</N>
5800     <V>0 (ms)</V>
5801 </P>
5802 <P>
5803     <N>User8Length</N>
5804     <V>0 (ms)</V>
5805 </P>
5806 <P>
5807     <N>User9Length</N>
5808     <V>0 (ms)</V>
5809 </P>
5810 <P>
5811     <N>User10Length</N>
5812     <V>0 (ms)</V>
5813 </P>
5814 <P>
5815     <N>EnableDownloadURL</N>
5816     <V X_UD="Y" X_DV="false"/>
5817 </P>
5818 <P>
5819     <N>DownloadURL</N>
5820     <V X_UD="Y" X_DV=""/>
5821 </P>
5822 </O>
5823 <O>
5824     <N>VoiceService.1.X_AA.1.</N>
5825 <P>
5826     <N>Enable</N>
5827     <V X_UD="Y" X_DV="true"/>
5828 </P>
```

5829 <P>  
5830 <N>DigitMap</N>  
5831 <V X\_UD="Y" X\_DV=""/>  
5832 </P>  
5833 <P>  
5834 <N>OutboundCallRoute</N>  
5835 <V X\_UD="Y" X\_DV=""/>  
5836 </P>  
5837 <P>  
5838 <N>PrimaryLine</N>  
5839 <V X\_UD="Y" X\_DV="SP1 Service"/>  
5840 </P>  
5841 <P>  
5842 <N>AnswerDelay</N>  
5843 <V X\_UD="Y" X\_DV="4000"/>  
5844 </P>  
5845 <P>  
5846 <N>CallbackAnswerDelay</N>  
5847 <V X\_UD="Y" X\_DV="10000"/>  
5848 </P>  
5849 <P>  
5850 <N>NumberOnNoInput</N>  
5851 <V X\_UD="Y" X\_DV="0"/>  
5852 </P>  
5853 <P>  
5854 <N>UsePIN</N>  
5855 <V X\_UD="Y" X\_DV="false"/>  
5856 </P>  
5857 </O>  
5858 <O>  
5859 <N>VoiceService.1.X\_AA.1.Prompt.</N>  
5860 <P>  
5861 <N>Welcome</N>  
5862 <V X\_UD="Y" X\_DV="&#32;"/>  
5863 </P>  
5864 <P>  
5865 <N>InvalidPin</N>  
5866 <V X\_UD="Y" X\_DV="&#32;"/>  
5867 </P>  
5868 <P>  
5869 <N>EnterPin</N>  
5870 <V X\_UD="Y" X\_DV="&#32;"/>  
5871 </P>  
5872 <P>  
5873 <N>MenuTitle</N>  
5874 <V X\_UD="Y" X\_DV="&#32;"/>  
5875 </P>  
5876 <P>  
5877 <N>Menu</N>  
5878 <V X\_UD="Y" X\_DV="&#32;"/>  
5879 </P>  
5880 <P>  
5881 <N>PleaseWait</N>  
5882 <V X\_UD="Y" X\_DV="&#32;"/>  
5883 </P>  
5884 <P>  
5885 <N>EnterNumber</N>  
5886 <V X\_UD="Y" X\_DV="&#32;"/>  
5887 </P>  
5888 <P>  
5889 <N>Bye</N>  
5890 <V X\_UD="Y" X\_DV="&#32;"/>  
5891 </P>  
5892 </O>  
5893 <O>  
5894 <N>Device.MiscFeature.Nest.</N>  
5895 <P>



```
5896     <N>NotifyNumber</N>
5897     <V X_UD="Y" X_DV=""/>
5898 </P>
5899 <P>
5900     <N>NotifyPeriodic</N>
5901     <V X_UD="Y" X_DV="3600"/>
5902 </P>
5903 <P>
5904     <N>NotifyEmail</N>
5905     <V X_UD="Y" X_DV=""/>
5906 </P>
5907 <P>
5908     <N>SmsServiceProvider</N>
5909     <V X_UD="Y" X_DV=""/>
5910 </P>
5911 <P>
5912     <N>SMSNotify</N>
5913     <V X_UD="Y" X_DV="false"/>
5914 </P>
5915 <P>
5916     <N>EmailNotify</N>
5917     <V X_UD="Y" X_DV="false"/>
5918 </P>
5919 <P>
5920     <N>CallNotify</N>
5921     <V X_UD="Y" X_DV="false"/>
5922 </P>
5923 </O>
5924 <O>
5925 <N>VoiceService.1.VoiceProfile.1.Tone.Description.1.</N>
5926 <P>
5927     <N>ToneName</N>
5928     <V X_UD="Y" X_DV="Dial Tone"/>
5929 </P>
5930 <P>
5931     <N>TonePattern</N>
5932     <V X_UD="Y" X_DV="350-18,440-18;20"/>
5933 </P>
5934 </O>
5935 <O>
5936 <N>VoiceService.1.VoiceProfile.1.Tone.Description.2.</N>
5937 <P>
5938     <N>ToneName</N>
5939     <V X_UD="Y" X_DV="Ringback Tone"/>
5940 </P>
5941 <P>
5942     <N>TonePattern</N>
5943     <V X_UD="Y" X_DV="440-18,480-18;-1;(2+4)"/>
5944 </P>
5945 </O>
5946 <O>
5947 <N>VoiceService.1.VoiceProfile.1.Tone.Description.3.</N>
5948 <P>
5949     <N>ToneName</N>
5950     <V X_UD="Y" X_DV="Busy Tone"/>
5951 </P>
5952 <P>
5953     <N>TonePattern</N>
5954     <V X_UD="Y" X_DV="480-18,620-18;10;( .5+.5)"/>
5955 </P>
5956 </O>
5957 <O>
5958 <N>VoiceService.1.VoiceProfile.1.Tone.Description.4.</N>
5959 <P>
5960     <N>ToneName</N>
5961     <V X_UD="Y" X_DV="Reorder or Fastbusy Tone"/>
5962 </P>
```

```
5963     <P>
5964         <N>TonePattern</N>
5965         <V X_UD="Y" X_DV="480-18,620-18;10; (.25+.25) "/>
5966     </P>
5967 </O>
5968 <O>
5969     <N>VoiceService.1.VoiceProfile.1.Tone.Description.5.</N>
5970     <P>
5971         <N>ToneName</N>
5972         <V X_UD="Y" X_DV="Confirmation tone"/>
5973     </P>
5974     <P>
5975         <N>TonePattern</N>
5976         <V X_UD="Y" X_DV="600-18;1; (.2+.2) "/>
5977     </P>
5978 </O>
5979 <O>
5980     <N>VoiceService.1.VoiceProfile.1.Tone.Description.6.</N>
5981     <P>
5982         <N>ToneName</N>
5983         <V X_UD="Y" X_DV="Holding Tone"/>
5984     </P>
5985     <P>
5986         <N>TonePattern</N>
5987         <V X_UD="Y" X_DV="800-18;30; (.1+10) "/>
5988     </P>
5989 </O>
5990 <O>
5991     <N>VoiceService.1.VoiceProfile.1.Tone.Description.7.</N>
5992     <P>
5993         <N>ToneName</N>
5994         <V X_UD="Y" X_DV="Second Dial Tone"/>
5995     </P>
5996     <P>
5997         <N>TonePattern</N>
5998         <V X_UD="Y" X_DV="385-18,484-18;20"/>
5999     </P>
6000 </O>
6001 <O>
6002     <N>VoiceService.1.VoiceProfile.1.Tone.Description.8.</N>
6003     <P>
6004         <N>ToneName</N>
6005         <V X_UD="Y" X_DV="Stutter Tone"/>
6006     </P>
6007     <P>
6008         <N>TonePattern</N>
6009         <V X_UD="Y" X_DV="350-18,440-18;20;2(.1+.1); () "/>
6010     </P>
6011 </O>
6012 <O>
6013     <N>VoiceService.1.VoiceProfile.1.Tone.Description.9.</N>
6014     <P>
6015         <N>ToneName</N>
6016         <V X_UD="Y" X_DV="Howling Tone"/>
6017     </P>
6018     <P>
6019         <N>TonePattern</N>
6020         <V X_UD="Y" X_DV="480+3,620+3;10; (.125+.125) "/>
6021     </P>
6022 </O>
6023 <O>
6024     <N>VoiceService.1.VoiceProfile.1.Tone.Description.10.</N>
6025     <P>
6026         <N>ToneName</N>
6027         <V X_UD="Y" X_DV="Prompt Tone"/>
6028     </P>
6029     <P>
```

```
6030     <N>TonePattern</N>
6031     <V X_UD="Y" X_DV="480-16;20"/>
6032 </P>
6033 </O>
6034 <O>
6035     <N>VoiceService.1.VoiceProfile.1.Tone.Description.11.</N>
6036     <P>
6037         <N>ToneName</N>
6038         <V X_UD="Y" X_DV="Call Forwarded Dial Tone"/>
6039     </P>
6040     <P>
6041         <N>TonePattern</N>
6042         <V X_UD="Y" X_DV="350-18,440-18;20; (.2+.2)"/>
6043     </P>
6044 </O>
6045 <O>
6046     <N>VoiceService.1.VoiceProfile.1.Tone.Description.20.</N>
6047     <P>
6048         <N>ToneName</N>
6049         <V X_UD="Y" X_DV="DND Dial Tone"/>
6050     </P>
6051     <P>
6052         <N>TonePattern</N>
6053         <V X_UD="Y" X_DV="350-18,440-18;20; (.2+.2)"/>
6054     </P>
6055 </O>
6056 <O>
6057     <N>VoiceService.1.VoiceProfile.1.Tone.Description.12.</N>
6058     <P>
6059         <N>ToneName</N>
6060         <V X_UD="Y" X_DV="Conference Tone"/>
6061     </P>
6062     <P>
6063         <N>TonePattern</N>
6064         <V X_UD="Y" X_DV="350-16;10; (.1+.1, .1+9.7)"/>
6065     </P>
6066 </O>
6067 <O>
6068     <N>VoiceService.1.VoiceProfile.1.Tone.Description.13.</N>
6069     <P>
6070         <N>ToneName</N>
6071         <V X_UD="Y" X_DV="SIT Tone 1"/>
6072     </P>
6073     <P>
6074         <N>TonePattern</N>
6075         <V X_UD="Y" X_DV="985-16,1428-16,1777-16;20; (1/.380+0,2/.380+0,4/.380+0,0/0+4)"/>
6076     </P>
6077 </O>
6078 <O>
6079     <N>VoiceService.1.VoiceProfile.1.Tone.Description.14.</N>
6080     <P>
6081         <N>ToneName</N>
6082         <V X_UD="Y" X_DV="SIT tone 2"/>
6083     </P>
6084     <P>
6085         <N>TonePattern</N>
6086         <V X_UD="Y" X_DV="914-16,1371-16,1777-16;20; (1/.274+0,2/.274+0,4/.380+0,0/0+4)"/>
6087     </P>
6088 </O>
6089 <O>
6090     <N>VoiceService.1.VoiceProfile.1.Tone.Description.15.</N>
6091     <P>
6092         <N>ToneName</N>
6093         <V X_UD="Y" X_DV="SIT tone 3"/>
6094     </P>
6095     <P>
6096         <N>TonePattern</N>
```

```
6097     <V X_UD="Y" X_DV="914-16,1428-16,1777-16;20; (1/.380+0,2/.380+0,4/.380+0,0/0+4)"/>
6098 </P>
6099 </O>
6100 <O>
6101 <N>VoiceService.1.VoiceProfile.1.Tone.Description.16.</N>
6102 <P>
6103 <N>ToneName</N>
6104 <V X_UD="Y" X_DV="SIT tone 4"/>
6105 </P>
6106 <P>
6107 <N>TonePattern</N>
6108 <V X_UD="Y" X_DV="985-16,1371-16,1777-16;20; (1/.380+0,2/.380+0,4/.380+0,0/0+4)"/>
6109 </P>
6110 </O>
6111 <O>
6112 <N>VoiceService.1.VoiceProfile.1.Tone.Description.17.</N>
6113 <P>
6114 <N>ToneName</N>
6115 <V X_UD="Y" X_DV="Outside Dial Tone"/>
6116 </P>
6117 <P>
6118 <N>TonePattern</N>
6119 <V X_UD="Y" X_DV="385-16;10"/>
6120 </P>
6121 </O>
6122 <O>
6123 <N>VoiceService.1.VoiceProfile.1.Tone.Description.18.</N>
6124 <P>
6125 <N>ToneName</N>
6126 <V X_UD="Y" X_DV="R-Command Tone"/>
6127 </P>
6128 <P>
6129 <N>TonePattern</N>
6130 <V X_UD="Y" X_DV="400-16;5"/>
6131 </P>
6132 </O>
6133 <O>
6134 <N>VoiceService.1.VoiceProfile.1.Tone.Description.19.</N>
6135 <P>
6136 <N>ToneName</N>
6137 <V X_UD="Y" X_DV="Paging Tone"/>
6138 </P>
6139 <P>
6140 <N>TonePattern</N>
6141 <V X_UD="Y" X_DV="480-16;1; (.2+.2)"/>
6142 </P>
6143 </O>
6144 <O>
6145 <N>VoiceService.1.VoiceProfile.1.Tone.Description.21.</N>
6146 <P>
6147 <N>ToneName</N>
6148 <V X_UD="Y" X_DV="Bellcore-dr1"/>
6149 </P>
6150 <P>
6151 <N>TonePattern</N>
6152 <V X_UD="Y" X_DV="440-18;30; (.25+10)"/>
6153 </P>
6154 </O>
6155 <O>
6156 <N>VoiceService.1.VoiceProfile.1.Tone.Description.22.</N>
6157 <P>
6158 <N>ToneName</N>
6159 <V X_UD="Y" X_DV="Bellcore-dr2"/>
6160 </P>
6161 <P>
6162 <N>TonePattern</N>
6163 <V X_UD="Y" X_DV="440-18;30; (.1+.1, .3+.1, .1+10)"/>
```

```
6164     </P>
6165 </O>
6166 <O>
6167     <N>VoiceService.1.VoiceProfile.1.Tone.Description.23.</N>
6168     <P>
6169         <N>ToneName</N>
6170         <V X_UD="Y" X_DV="Bellcore-dr3"/>
6171     </P>
6172     <P>
6173         <N>TonePattern</N>
6174         <V X_UD="Y" X_DV="440-18;30; (.1+.1, .1+10)"/>
6175     </P>
6176 </O>
6177 <O>
6178     <N>VoiceService.1.VoiceProfile.1.Tone.Description.24.</N>
6179     <P>
6180         <N>ToneName</N>
6181         <V X_UD="Y" X_DV="Bellcore-dr4"/>
6182     </P>
6183     <P>
6184         <N>TonePattern</N>
6185         <V X_UD="Y" X_DV="440-18;30; (.1+.1, .1+.1, .1+10)"/>
6186     </P>
6187 </O>
6188 <O>
6189     <N>VoiceService.1.VoiceProfile.1.Tone.Description.25.</N>
6190     <P>
6191         <N>ToneName</N>
6192         <V X_UD="Y" X_DV="Bellcore-dr5"/>
6193     </P>
6194     <P>
6195         <N>TonePattern</N>
6196         <V X_UD="Y" X_DV="440-18;30; (.3+.1, .1+.1, .3+10)"/>
6197     </P>
6198 </O>
6199 <O>
6200     <N>VoiceService.1.VoiceProfile.1.Tone.Description.26.</N>
6201     <P>
6202         <N>ToneName</N>
6203         <V X_UD="Y" X_DV="User-dr1"/>
6204     </P>
6205     <P>
6206         <N>TonePattern</N>
6207         <V X_UD="Y" X_DV="440-18;30; (.1+.1, .3+.2, .3+10)"/>
6208     </P>
6209 </O>
6210 <O>
6211     <N>VoiceService.1.VoiceProfile.1.Tone.Description.27.</N>
6212     <P>
6213         <N>ToneName</N>
6214         <V X_UD="Y" X_DV="User-dr2"/>
6215     </P>
6216     <P>
6217         <N>TonePattern</N>
6218         <V X_UD="Y" X_DV="440-18;30; (.3+.1, .3+.1, .1+10)"/>
6219     </P>
6220 </O>
6221 <O>
6222     <N>VoiceService.1.VoiceProfile.1.Tone.Description.28.</N>
6223     <P>
6224         <N>ToneName</N>
6225         <V X_UD="Y" X_DV="User-dr3"/>
6226     </P>
6227     <P>
6228         <N>TonePattern</N>
6229         <V X_UD="Y" X_DV="440-18;30; (.3+2)"/>
6230     </P>
```

```
6231 </O>
6232 <O>
6233 <N>VoiceService.1.VoiceProfile.1.Tone.Description.29.</N>
6234 <P>
6235 <N>ToneName</N>
6236 <V X_UD="Y" X_DV="User-dr4"/>
6237 </P>
6238 <P>
6239 <N>TonePattern</N>
6240 <V X_UD="Y" X_DV="440-18;30;(.3+2)"/>
6241 </P>
6242 </O>
6243 <O>
6244 <N>VoiceService.1.VoiceProfile.1.Tone.Description.30.</N>
6245 <P>
6246 <N>ToneName</N>
6247 <V X_UD="Y" X_DV="User-dr5"/>
6248 </P>
6249 <P>
6250 <N>TonePattern</N>
6251 <V X_UD="Y" X_DV="440-24;-1;(.1+10)"/>
6252 </P>
6253 </O>
6254 <O>
6255 <N>VoiceService.1.VoiceProfile.2.Tone.Description.1.</N>
6256 <P>
6257 <N>ToneName</N>
6258 <V X_UD="Y" X_DV="Dial Tone"/>
6259 </P>
6260 <P>
6261 <N>TonePattern</N>
6262 <V X_UD="Y" X_DV="400-18,425-18,450-18;20"/>
6263 </P>
6264 </O>
6265 <O>
6266 <N>VoiceService.1.VoiceProfile.2.Tone.Description.2.</N>
6267 <P>
6268 <N>ToneName</N>
6269 <V X_UD="Y" X_DV="Ringback Tone"/>
6270 </P>
6271 <P>
6272 <N>TonePattern</N>
6273 <V X_UD="Y" X_DV="400-18,425-18,450-18;-1;(.4+.2,.4+2)"/>
6274 </P>
6275 </O>
6276 <O>
6277 <N>VoiceService.1.VoiceProfile.2.Tone.Description.3.</N>
6278 <P>
6279 <N>ToneName</N>
6280 <V X_UD="Y" X_DV="Busy Tone"/>
6281 </P>
6282 <P>
6283 <N>TonePattern</N>
6284 <V X_UD="Y" X_DV="425-18;10;(.4+.4)"/>
6285 </P>
6286 </O>
6287 <O>
6288 <N>VoiceService.1.VoiceProfile.2.Tone.Description.4.</N>
6289 <P>
6290 <N>ToneName</N>
6291 <V X_UD="Y" X_DV="Reorder or Fastbusy Tone"/>
6292 </P>
6293 <P>
6294 <N>TonePattern</N>
6295 <V X_UD="Y" X_DV="425-18;10;(.2+.2)"/>
6296 </P>
6297 </O>
```

```
6298 <O>
6299 <N>VoiceService.1.VoiceProfile.2.Tone.Description.5.</N>
6300 <P>
6301 <N>ToneName</N>
6302 <V X_UD="Y" X_DV="Confirmation tone"/>
6303 </P>
6304 <P>
6305 <N>TonePattern</N>
6306 <V X_UD="Y" X_DV="600-18;1;(.2+.2)"/>
6307 </P>
6308 </O>
6309 <O>
6310 <N>VoiceService.1.VoiceProfile.2.Tone.Description.6.</N>
6311 <P>
6312 <N>ToneName</N>
6313 <V X_UD="Y" X_DV="Holding Tone"/>
6314 </P>
6315 <P>
6316 <N>TonePattern</N>
6317 <V X_UD="Y" X_DV="800-18;30;(.1+10)"/>
6318 </P>
6319 </O>
6320 <O>
6321 <N>VoiceService.1.VoiceProfile.2.Tone.Description.7.</N>
6322 <P>
6323 <N>ToneName</N>
6324 <V X_UD="Y" X_DV="Second Dial Tone"/>
6325 </P>
6326 <P>
6327 <N>TonePattern</N>
6328 <V X_UD="Y" X_DV="400-18,425-18;20"/>
6329 </P>
6330 </O>
6331 <O>
6332 <N>VoiceService.1.VoiceProfile.2.Tone.Description.8.</N>
6333 <P>
6334 <N>ToneName</N>
6335 <V X_UD="Y" X_DV="Stutter Tone"/>
6336 </P>
6337 <P>
6338 <N>TonePattern</N>
6339 <V X_UD="Y" X_DV="400-18,425-18,450-18;20;2(.1+.04);()"/>
6340 </P>
6341 </O>
6342 <O>
6343 <N>VoiceService.1.VoiceProfile.2.Tone.Description.9.</N>
6344 <P>
6345 <N>ToneName</N>
6346 <V X_UD="Y" X_DV="Howling Tone"/>
6347 </P>
6348 <P>
6349 <N>TonePattern</N>
6350 <V X_UD="Y" X_DV="480+3,620+3;10;(.125+.125)"/>
6351 </P>
6352 </O>
6353 <O>
6354 <N>VoiceService.1.VoiceProfile.2.Tone.Description.10.</N>
6355 <P>
6356 <N>ToneName</N>
6357 <V X_UD="Y" X_DV="Prompt Tone"/>
6358 </P>
6359 <P>
6360 <N>TonePattern</N>
6361 <V X_UD="Y" X_DV="480-16;20"/>
6362 </P>
6363 </O>
6364 <O>
```

6365 <N>VoiceService.1.VoiceProfile.2.Tone.Description.11.</N>  
6366 <P>  
6367 <N>ToneName</N>  
6368 <V X\_UD="Y" X\_DV="Call Forwarded Dial Tone"/>  
6369 </P>  
6370 <P>  
6371 <N>TonePattern</N>  
6372 <V X\_UD="Y" X\_DV="350-18,440-18;20;(.2+.2)"/>  
6373 </P>  
6374 </O>  
6375 <O>  
6376 <N>VoiceService.1.VoiceProfile.2.Tone.Description.20.</N>  
6377 <P>  
6378 <N>ToneName</N>  
6379 <V X\_UD="Y" X\_DV="DND Dial Tone"/>  
6380 </P>  
6381 <P>  
6382 <N>TonePattern</N>  
6383 <V X\_UD="Y" X\_DV="350-18,440-18;20;(.2+.2)"/>  
6384 </P>  
6385 </O>  
6386 <O>  
6387 <N>VoiceService.1.VoiceProfile.2.Tone.Description.12.</N>  
6388 <P>  
6389 <N>ToneName</N>  
6390 <V X\_UD="Y" X\_DV="Conference Tone"/>  
6391 </P>  
6392 <P>  
6393 <N>TonePattern</N>  
6394 <V X\_UD="Y" X\_DV="425-16;10;(1+15,.36+15)"/>  
6395 </P>  
6396 </O>  
6397 <O>  
6398 <N>VoiceService.1.VoiceProfile.2.Tone.Description.13.</N>  
6399 <P>  
6400 <N>ToneName</N>  
6401 <V X\_UD="Y" X\_DV="SIT Tone 1"/>  
6402 </P>  
6403 <P>  
6404 <N>TonePattern</N>  
6405 <V X\_UD="Y" X\_DV="425-16;20;(2.5+.5)"/>  
6406 </P>  
6407 </O>  
6408 <O>  
6409 <N>VoiceService.1.VoiceProfile.2.Tone.Description.14.</N>  
6410 <P>  
6411 <N>ToneName</N>  
6412 <V X\_UD="Y" X\_DV="SIT tone 2"/>  
6413 </P>  
6414 <P>  
6415 <N>TonePattern</N>  
6416 <V X\_UD="Y" X\_DV="914-16,1371-16,1777-16;20;(1/.274+0,2/.274+0,4/.380+0,0/0+4)"/>  
6417 </P>  
6418 </O>  
6419 <O>  
6420 <N>VoiceService.1.VoiceProfile.2.Tone.Description.15.</N>  
6421 <P>  
6422 <N>ToneName</N>  
6423 <V X\_UD="Y" X\_DV="SIT tone 3"/>  
6424 </P>  
6425 <P>  
6426 <N>TonePattern</N>  
6427 <V X\_UD="Y" X\_DV="914-16,1428-16,1777-16;20;(1/.380+0,2/.380+0,4/.380+0,0/0+4)"/>  
6428 </P>  
6429 </O>  
6430 <O>  
6431 <N>VoiceService.1.VoiceProfile.2.Tone.Description.16.</N>



```
6432     <P>
6433         <N>ToneName</N>
6434         <V X_UD="Y" X_DV="SIT tone 4"/>
6435     </P>
6436     <P>
6437         <N>TonePattern</N>
6438         <V X_UD="Y" X_DV="985-16,1371-16,1777-16;20;(1/.380+0,2/.380+0,4/.380+0,0/0+4)"/>
6439     </P>
6440 </O>
6441 <O>
6442     <N>VoiceService.1.VoiceProfile.2.Tone.Description.17.</N>
6443     <P>
6444         <N>ToneName</N>
6445         <V X_UD="Y" X_DV="Outside Dial Tone"/>
6446     </P>
6447     <P>
6448         <N>TonePattern</N>
6449         <V X_UD="Y" X_DV="385-16;10"/>
6450     </P>
6451 </O>
6452 <O>
6453     <N>VoiceService.1.VoiceProfile.2.Tone.Description.18.</N>
6454     <P>
6455         <N>ToneName</N>
6456         <V X_UD="Y" X_DV="R-Command Tone"/>
6457     </P>
6458     <P>
6459         <N>TonePattern</N>
6460         <V X_UD="Y" X_DV="400-16;5"/>
6461     </P>
6462 </O>
6463 <O>
6464     <N>VoiceService.1.VoiceProfile.2.Tone.Description.19.</N>
6465     <P>
6466         <N>ToneName</N>
6467         <V X_UD="Y" X_DV="Paging Tone"/>
6468     </P>
6469     <P>
6470         <N>TonePattern</N>
6471         <V X_UD="Y" X_DV="480-16;1;(.2+.2)"/>
6472     </P>
6473 </O>
6474 <O>
6475     <N>VoiceService.1.VoiceProfile.2.Tone.Description.21.</N>
6476     <P>
6477         <N>ToneName</N>
6478         <V X_UD="Y" X_DV="Bellcore-dr1"/>
6479     </P>
6480     <P>
6481         <N>TonePattern</N>
6482         <V X_UD="Y" X_DV="425-18;30;(.2+.2,.2+4.4)"/>
6483     </P>
6484 </O>
6485 <O>
6486     <N>VoiceService.1.VoiceProfile.2.Tone.Description.22.</N>
6487     <P>
6488         <N>ToneName</N>
6489         <V X_UD="Y" X_DV="Bellcore-dr2"/>
6490     </P>
6491     <P>
6492         <N>TonePattern</N>
6493         <V X_UD="Y" X_DV="440-18;30;(.1+.1,.3+.1,.1+10)"/>
6494     </P>
6495 </O>
6496 <O>
6497     <N>VoiceService.1.VoiceProfile.2.Tone.Description.23.</N>
6498     <P>
```

```
6499     <N>ToneName</N>
6500     <V X_UD="Y" X_DV="Bellcore-dr3"/>
6501 </P>
6502 <P>
6503     <N>TonePattern</N>
6504     <V X_UD="Y" X_DV="440-18;30; (.1+.1, .1+10)"/>
6505 </P>
6506 </O>
6507 <O>
6508     <N>VoiceService.1.VoiceProfile.2.Tone.Description.24.</N>
6509     <P>
6510         <N>ToneName</N>
6511         <V X_UD="Y" X_DV="Bellcore-dr4"/>
6512     </P>
6513     <P>
6514         <N>TonePattern</N>
6515         <V X_UD="Y" X_DV="440-18;30; (.1+.1, .1+.1, .1+10)"/>
6516     </P>
6517 </O>
6518 <O>
6519     <N>VoiceService.1.VoiceProfile.2.Tone.Description.25.</N>
6520     <P>
6521         <N>ToneName</N>
6522         <V X_UD="Y" X_DV="Bellcore-dr5"/>
6523     </P>
6524     <P>
6525         <N>TonePattern</N>
6526         <V X_UD="Y" X_DV="440-18;30; (.3+.1, .1+.1, .3+10)"/>
6527     </P>
6528 </O>
6529 <O>
6530     <N>VoiceService.1.VoiceProfile.2.Tone.Description.26.</N>
6531     <P>
6532         <N>ToneName</N>
6533         <V X_UD="Y" X_DV="User-dr1"/>
6534     </P>
6535     <P>
6536         <N>TonePattern</N>
6537         <V X_UD="Y" X_DV="440-18;30; (.1+.1, .3+.2, .3+10)"/>
6538     </P>
6539 </O>
6540 <O>
6541     <N>VoiceService.1.VoiceProfile.2.Tone.Description.27.</N>
6542     <P>
6543         <N>ToneName</N>
6544         <V X_UD="Y" X_DV="User-dr2"/>
6545     </P>
6546     <P>
6547         <N>TonePattern</N>
6548         <V X_UD="Y" X_DV="440-18;30; (.3+.1, .3+.1, .1+10)"/>
6549     </P>
6550 </O>
6551 <O>
6552     <N>VoiceService.1.VoiceProfile.2.Tone.Description.28.</N>
6553     <P>
6554         <N>ToneName</N>
6555         <V X_UD="Y" X_DV="User-dr3"/>
6556     </P>
6557     <P>
6558         <N>TonePattern</N>
6559         <V X_UD="Y" X_DV="440-18;30; (.3+2)"/>
6560     </P>
6561 </O>
6562 <O>
6563     <N>VoiceService.1.VoiceProfile.2.Tone.Description.29.</N>
6564     <P>
6565         <N>ToneName</N>
```

```
6566     <V X_UD="Y" X_DV="User-dr4"/>
6567 </P>
6568 <P>
6569     <N>TonePattern</N>
6570     <V X_UD="Y" X_DV="440-18;30; (.3+2)"/>
6571 </P>
6572 </O>
6573 <O>
6574     <N>VoiceService.1.VoiceProfile.2.Tone.Description.30.</N>
6575 <P>
6576     <N>ToneName</N>
6577     <V X_UD="Y" X_DV="User-dr5"/>
6578 </P>
6579 <P>
6580     <N>TonePattern</N>
6581     <V X_UD="Y" X_DV="440-24;-1; (.1+10)"/>
6582 </P>
6583 </O>
6584 <O>
6585     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.1.</N>
6586 <P>
6587     <N>RingName</N>
6588     <V X_UD="Y" X_DV="Bellcore-dr1"/>
6589 </P>
6590 <P>
6591     <N>RingPattern</N>
6592     <V X_UD="Y" X_DV="60; (2+4)"/>
6593 </P>
6594 </O>
6595 <O>
6596     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.2.</N>
6597 <P>
6598     <N>RingName</N>
6599     <V X_UD="Y" X_DV="Bellcore-dr2"/>
6600 </P>
6601 <P>
6602     <N>RingPattern</N>
6603     <V X_UD="Y" X_DV="60; (.3+.2,1+.2, .3+4)"/>
6604 </P>
6605 </O>
6606 <O>
6607     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.3.</N>
6608 <P>
6609     <N>RingName</N>
6610     <V X_UD="Y" X_DV="Bellcore-dr3"/>
6611 </P>
6612 <P>
6613     <N>RingPattern</N>
6614     <V X_UD="Y" X_DV="60; (.8+.4, .8+4)"/>
6615 </P>
6616 </O>
6617 <O>
6618     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.4.</N>
6619 <P>
6620     <N>RingName</N>
6621     <V X_UD="Y" X_DV="Bellcore-dr4"/>
6622 </P>
6623 <P>
6624     <N>RingPattern</N>
6625     <V X_UD="Y" X_DV="60; (.4+.2, .3+.2, .8+4)"/>
6626 </P>
6627 </O>
6628 <O>
6629     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.5.</N>
6630 <P>
6631     <N>RingName</N>
6632     <V X_UD="Y" X_DV="Bellcore-dr5"/>
```

```
6633     </P>
6634     <P>
6635         <N>RingPattern</N>
6636         <V X_UD="Y" X_DV="60; (.2+.2, .2+.2, .2+.2, 1+4)"/>
6637     </P>
6638 </O>
6639 <O>
6640     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.6.</N>
6641     <P>
6642         <N>RingName</N>
6643         <V X_UD="Y" X_DV="User-dr1"/>
6644     </P>
6645     <P>
6646         <N>RingPattern</N>
6647         <V X_UD="Y" X_DV="60; (.2+.4, .2+.4, .2+4)"/>
6648     </P>
6649 </O>
6650 <O>
6651     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.7.</N>
6652     <P>
6653         <N>RingName</N>
6654         <V X_UD="Y" X_DV="User-dr2"/>
6655     </P>
6656     <P>
6657         <N>RingPattern</N>
6658         <V X_UD="Y" X_DV="60; (.4+.2, .4+.2, .4+4)"/>
6659     </P>
6660 </O>
6661 <O>
6662     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.8.</N>
6663     <P>
6664         <N>RingName</N>
6665         <V X_UD="Y" X_DV="User-dr3"/>
6666     </P>
6667     <P>
6668         <N>RingPattern</N>
6669         <V X_UD="Y" X_DV="60; (.25+9.75)"/>
6670     </P>
6671 </O>
6672 <O>
6673     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.9.</N>
6674     <P>
6675         <N>RingName</N>
6676         <V X_UD="Y" X_DV="User-dr4"/>
6677     </P>
6678     <P>
6679         <N>RingPattern</N>
6680         <V X_UD="Y" X_DV="60; (.25+9.75)"/>
6681     </P>
6682 </O>
6683 <O>
6684     <N>VoiceService.1.VoiceProfile.1.Line.1.Ringer.Description.10.</N>
6685     <P>
6686         <N>RingName</N>
6687         <V X_UD="Y" X_DV="User-dr5"/>
6688     </P>
6689     <P>
6690         <N>RingPattern</N>
6691         <V X_UD="Y" X_DV="60; (.25+9.75)"/>
6692     </P>
6693 </O>
6694 <O>
6695     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.1.</N>
6696     <P>
6697         <N>RingName</N>
6698         <V X_UD="Y" X_DV="Bellcore-dr1"/>
6699     </P>
```

```
6700     <P>
6701         <N>RingPattern</N>
6702         <V X_UD="Y" X_DV="60; (.4+.2, .4+2)"/>
6703     </P>
6704 </O>
6705 <O>
6706     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.2.</N>
6707     <P>
6708         <N>RingName</N>
6709         <V X_UD="Y" X_DV="Bellcore-dr2"/>
6710     </P>
6711     <P>
6712         <N>RingPattern</N>
6713         <V X_UD="Y" X_DV="60; (.3+.2,1+.2, .3+4)"/>
6714     </P>
6715 </O>
6716 <O>
6717     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.3.</N>
6718     <P>
6719         <N>RingName</N>
6720         <V X_UD="Y" X_DV="Bellcore-dr3"/>
6721     </P>
6722     <P>
6723         <N>RingPattern</N>
6724         <V X_UD="Y" X_DV="60; (.8+.4, .8+4)"/>
6725     </P>
6726 </O>
6727 <O>
6728     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.4.</N>
6729     <P>
6730         <N>RingName</N>
6731         <V X_UD="Y" X_DV="Bellcore-dr4"/>
6732     </P>
6733     <P>
6734         <N>RingPattern</N>
6735         <V X_UD="Y" X_DV="60; (.4+.2, .3+.2, .8+4)"/>
6736     </P>
6737 </O>
6738 <O>
6739     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.5.</N>
6740     <P>
6741         <N>RingName</N>
6742         <V X_UD="Y" X_DV="Bellcore-dr5"/>
6743     </P>
6744     <P>
6745         <N>RingPattern</N>
6746         <V X_UD="Y" X_DV="60; (.2+.2, .2+.2, .2+.2,1+4)"/>
6747     </P>
6748 </O>
6749 <O>
6750     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.6.</N>
6751     <P>
6752         <N>RingName</N>
6753         <V X_UD="Y" X_DV="User-dr1"/>
6754     </P>
6755     <P>
6756         <N>RingPattern</N>
6757         <V X_UD="Y" X_DV="60; (.2+.4, .2+.4, .2+4)"/>
6758     </P>
6759 </O>
6760 <O>
6761     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.7.</N>
6762     <P>
6763         <N>RingName</N>
6764         <V X_UD="Y" X_DV="User-dr2"/>
6765     </P>
6766     <P>
```

```
6767     <N>RingPattern</N>
6768     <V X_UD="Y" X_DV="60; (.4+.2, .4+.2, .4+4)"/>
6769 </P>
6770 </O>
6771 <O>
6772     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.8.</N>
6773     <P>
6774         <N>RingName</N>
6775         <V X_UD="Y" X_DV="User-dr3"/>
6776     </P>
6777     <P>
6778         <N>RingPattern</N>
6779         <V X_UD="Y" X_DV="60; (.25+9.75)"/>
6780     </P>
6781 </O>
6782 <O>
6783     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.9.</N>
6784     <P>
6785         <N>RingName</N>
6786         <V X_UD="Y" X_DV="User-dr4"/>
6787     </P>
6788     <P>
6789         <N>RingPattern</N>
6790         <V X_UD="Y" X_DV="60; (.25+9.75)"/>
6791     </P>
6792 </O>
6793 <O>
6794     <N>VoiceService.1.VoiceProfile.1.Line.2.Ringer.Description.10.</N>
6795     <P>
6796         <N>RingName</N>
6797         <V X_UD="Y" X_DV="User-dr5"/>
6798     </P>
6799     <P>
6800         <N>RingPattern</N>
6801         <V X_UD="Y" X_DV="60; (.25+9.75)"/>
6802     </P>
6803 </O>
6804 <O>
6805     <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.1.</N>
6806     <P>
6807         <N>Codec</N>
6808         <V X_UD="Y" X_DV="PCMU"/>
6809     </P>
6810     <P>
6811         <N>BitRate</N>
6812         <V X_UD="Y" X_DV="64000"/>
6813     </P>
6814     <P>
6815         <N>Enable</N>
6816         <V X_UD="Y" X_DV="true"/>
6817     </P>
6818     <P>
6819         <N>SilenceSuppression</N>
6820         <V X_UD="Y" X_DV="false"/>
6821     </P>
6822     <P>
6823         <N>PacketizationPeriod</N>
6824         <V X_UD="Y" X_DV="20"/>
6825     </P>
6826     <P>
6827         <N>Priority</N>
6828         <V X_UD="Y" X_DV="3"/>
6829     </P>
6830     <P>
6831         <N>PayloadType</N>
6832         <V X_UD="Y" X_DV="0"/>
6833     </P>
```

```
6834 </O>
6835 <O>
6836 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.2.</N>
6837 <P>
6838 <N>Codec</N>
6839 <V X_UD="Y" X_DV="PCMA"/>
6840 </P>
6841 <P>
6842 <N>BitRate</N>
6843 <V X_UD="Y" X_DV="64000"/>
6844 </P>
6845 <P>
6846 <N>Enable</N>
6847 <V X_UD="Y" X_DV="true"/>
6848 </P>
6849 <P>
6850 <N>SilenceSuppression</N>
6851 <V X_UD="Y" X_DV="false"/>
6852 </P>
6853 <P>
6854 <N>PacketizationPeriod</N>
6855 <V X_UD="Y" X_DV="20"/>
6856 </P>
6857 <P>
6858 <N>Priority</N>
6859 <V X_UD="Y" X_DV="4"/>
6860 </P>
6861 <P>
6862 <N>PayloadType</N>
6863 <V X_UD="Y" X_DV="8"/>
6864 </P>
6865 </O>
6866 <O>
6867 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.3.</N>
6868 <P>
6869 <N>Codec</N>
6870 <V X_UD="Y" X_DV="G729"/>
6871 </P>
6872 <P>
6873 <N>BitRate</N>
6874 <V X_UD="Y" X_DV="8000"/>
6875 </P>
6876 <P>
6877 <N>Enable</N>
6878 <V X_UD="Y" X_DV="true"/>
6879 </P>
6880 <P>
6881 <N>SilenceSuppression</N>
6882 <V X_UD="Y" X_DV="false"/>
6883 </P>
6884 <P>
6885 <N>PacketizationPeriod</N>
6886 <V X_UD="Y" X_DV="20"/>
6887 </P>
6888 <P>
6889 <N>Priority</N>
6890 <V X_UD="Y" X_DV="5"/>
6891 </P>
6892 <P>
6893 <N>PayloadType</N>
6894 <V X_UD="Y" X_DV="18"/>
6895 </P>
6896 </O>
6897 <O>
6898 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.4.</N>
6899 <P>
6900 <N>Codec</N>
```

```
6901     <V X_UD="Y" X_DV="G726-32"/>
6902 </P>
6903 <P>
6904     <N>BitRate</N>
6905     <V X_UD="Y" X_DV="32000"/>
6906 </P>
6907 <P>
6908     <N>Enable</N>
6909     <V X_UD="Y" X_DV="true"/>
6910 </P>
6911 <P>
6912     <N>SilenceSuppression</N>
6913     <V X_UD="Y" X_DV="false"/>
6914 </P>
6915 <P>
6916     <N>PacketizationPeriod</N>
6917     <V X_UD="Y" X_DV="20"/>
6918 </P>
6919 <P>
6920     <N>Priority</N>
6921     <V X_UD="Y" X_DV="7"/>
6922 </P>
6923 <P>
6924     <N>PayloadType</N>
6925     <V X_UD="Y" X_DV="104"/>
6926 </P>
6927 </O>
6928 <O>
6929 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.5.</N>
6930 <P>
6931     <N>Codec</N>
6932     <V X_UD="Y" X_DV="G726-16"/>
6933 </P>
6934 <P>
6935     <N>BitRate</N>
6936     <V X_UD="Y" X_DV="16000"/>
6937 </P>
6938 <P>
6939     <N>Enable</N>
6940     <V X_UD="Y" X_DV="false"/>
6941 </P>
6942 <P>
6943     <N>SilenceSuppression</N>
6944     <V X_UD="Y" X_DV="false"/>
6945 </P>
6946 <P>
6947     <N>PacketizationPeriod</N>
6948     <V X_UD="Y" X_DV="20"/>
6949 </P>
6950 <P>
6951     <N>Priority</N>
6952     <V X_UD="Y" X_DV="5"/>
6953 </P>
6954 <P>
6955     <N>PayloadType</N>
6956     <V X_UD="Y" X_DV="102"/>
6957 </P>
6958 </O>
6959 <O>
6960 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.6.</N>
6961 <P>
6962     <N>Codec</N>
6963     <V X_UD="Y" X_DV="G726-24"/>
6964 </P>
6965 <P>
6966     <N>BitRate</N>
6967     <V X_UD="Y" X_DV="24000"/>
```



```
6968 </P>
6969 <P>
6970 <N>Enable</N>
6971 <V X_UD="Y" X_DV="false"/>
6972 </P>
6973 <P>
6974 <N>SilenceSuppression</N>
6975 <V X_UD="Y" X_DV="false"/>
6976 </P>
6977 <P>
6978 <N>PacketizationPeriod</N>
6979 <V X_UD="Y" X_DV="20"/>
6980 </P>
6981 <P>
6982 <N>Priority</N>
6983 <V X_UD="Y" X_DV="6"/>
6984 </P>
6985 <P>
6986 <N>PayloadType</N>
6987 <V X_UD="Y" X_DV="103"/>
6988 </P>
6989 </O>
6990 <O>
6991 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.7.</N>
6992 <P>
6993 <N>Codec</N>
6994 <V X_UD="Y" X_DV="G726-40"/>
6995 </P>
6996 <P>
6997 <N>BitRate</N>
6998 <V X_UD="Y" X_DV="40000"/>
6999 </P>
7000 <P>
7001 <N>Enable</N>
7002 <V X_UD="Y" X_DV="false"/>
7003 </P>
7004 <P>
7005 <N>SilenceSuppression</N>
7006 <V X_UD="Y" X_DV="false"/>
7007 </P>
7008 <P>
7009 <N>PacketizationPeriod</N>
7010 <V X_UD="Y" X_DV="20"/>
7011 </P>
7012 <P>
7013 <N>Priority</N>
7014 <V X_UD="Y" X_DV="7"/>
7015 </P>
7016 <P>
7017 <N>PayloadType</N>
7018 <V X_UD="Y" X_DV="105"/>
7019 </P>
7020 </O>
7021 <O>
7022 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.8.</N>
7023 <P>
7024 <N>Codec</N>
7025 <V X_UD="Y" X_DV="iLBC"/>
7026 </P>
7027 <P>
7028 <N>BitRate</N>
7029 <V X_UD="Y" X_DV="13333"/>
7030 </P>
7031 <P>
7032 <N>Enable</N>
7033 <V X_UD="Y" X_DV="false"/>
7034 </P>
```

```
7035 <P>
7036 <N>SilenceSuppression</N>
7037 <V X_UD="Y" X_DV="false"/>
7038 </P>
7039 <P>
7040 <N>PacketizationPeriod</N>
7041 <V X_UD="Y" X_DV="30"/>
7042 </P>
7043 <P>
7044 <N>Priority</N>
7045 <V X_UD="Y" X_DV="6"/>
7046 </P>
7047 <P>
7048 <N>PayloadType</N>
7049 <V X_UD="Y" X_DV="98"/>
7050 </P>
7051 </O>
7052 <O>
7053 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.9.</N>
7054 <P>
7055 <N>Codec</N>
7056 <V X_UD="Y" X_DV="G722"/>
7057 </P>
7058 <P>
7059 <N>BitRate</N>
7060 <V X_UD="Y" X_DV="64000"/>
7061 </P>
7062 <P>
7063 <N>Enable</N>
7064 <V X_UD="Y" X_DV="true"/>
7065 </P>
7066 <P>
7067 <N>SilenceSuppression</N>
7068 <V X_UD="Y" X_DV="false"/>
7069 </P>
7070 <P>
7071 <N>PacketizationPeriod</N>
7072 <V X_UD="Y" X_DV="20"/>
7073 </P>
7074 <P>
7075 <N>Priority</N>
7076 <V X_UD="Y" X_DV="1"/>
7077 </P>
7078 <P>
7079 <N>PayloadType</N>
7080 <V X_UD="Y" X_DV="9"/>
7081 </P>
7082 </O>
7083 <O>
7084 <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.List.10.</N>
7085 <P>
7086 <N>Codec</N>
7087 <V X_UD="Y" X_DV="OPUS"/>
7088 </P>
7089 <P>
7090 <N>BitRate</N>
7091 <V X_UD="Y" X_DV="20000"/>
7092 </P>
7093 <P>
7094 <N>Enable</N>
7095 <V X_UD="Y" X_DV="true"/>
7096 </P>
7097 <P>
7098 <N>SilenceSuppression</N>
7099 <V X_UD="Y" X_DV="false"/>
7100 </P>
7101 <P>
```

```
7102     <N>PacketizationPeriod</N>
7103     <V X_UD="Y" X_DV="20"/>
7104 </P>
7105 <P>
7106     <N>Priority</N>
7107     <V X_UD="Y" X_DV="2"/>
7108 </P>
7109 <P>
7110     <N>PayloadType</N>
7111     <V X_UD="Y" X_DV="109"/>
7112 </P>
7113 <P>
7114     <N>UseInbandFEC</N>
7115     <V X_UD="Y" X_DV="false"/>
7116 </P>
7117 </O>
7118 <O>
7119     <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.X_FAX.</N>
7120     <P>
7121         <N>Codec</N>
7122         <V X_UD="Y" X_DV="fax-event"/>
7123     </P>
7124     <P>
7125         <N>Enable</N>
7126         <V X_UD="Y" X_DV="false"/>
7127     </P>
7128     <P>
7129         <N>PayloadType</N>
7130         <V X_UD="Y" X_DV="100"/>
7131     </P>
7132     <P>
7133         <N>FaxEvents</N>
7134         <V X_UD="Y" X_DV="32"/>
7135     </P>
7136 </O>
7137 <O>
7138     <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.X_TelephoneEvent.</N>
7139     <P>
7140         <N>Codec</N>
7141         <V X_UD="Y" X_DV="telephone-event"/>
7142     </P>
7143     <P>
7144         <N>Enable</N>
7145         <V X_UD="Y" X_DV="true"/>
7146     </P>
7147     <P>
7148         <N>PayloadType</N>
7149         <V X_UD="Y" X_DV="101"/>
7150     </P>
7151 </O>
7152 <O>
7153     <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.X_EncapRTP.</N>
7154     <P>
7155         <N>Codec</N>
7156         <V X_UD="Y" X_DV="encaprtп"/>
7157     </P>
7158     <P>
7159         <N>PayloadType</N>
7160         <V X_UD="Y" X_DV="107"/>
7161     </P>
7162 </O>
7163 <O>
7164     <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.X_LoopbackPrimer.</N>
7165     <P>
7166         <N>Codec</N>
7167         <V X_UD="Y" X_DV="loopbkprimer"/>
7168     </P>
```

```
7169     <P>
7170         <N>PayloadType</N>
7171         <V X_UD="Y" X_DV="108"/>
7172     </P>
7173 </O>
7174 <O>
7175     <N>VoiceService.1.VoiceProfile.1.Line.1.Codec.X_Settings.</N>
7176     <P>
7177         <N>G726BitPacking</N>
7178         <V X_UD="Y" X_DV="big-endian"/>
7179     </P>
7180 </O>
7181 <O>
7182     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.1.</N>
7183     <P>
7184         <N>Codec</N>
7185         <V X_UD="Y" X_DV="PCMU"/>
7186     </P>
7187     <P>
7188         <N>BitRate</N>
7189         <V X_UD="Y" X_DV="64000"/>
7190     </P>
7191     <P>
7192         <N>Enable</N>
7193         <V X_UD="Y" X_DV="true"/>
7194     </P>
7195     <P>
7196         <N>SilenceSuppression</N>
7197         <V X_UD="Y" X_DV="false"/>
7198     </P>
7199     <P>
7200         <N>PacketizationPeriod</N>
7201         <V X_UD="Y" X_DV="20"/>
7202     </P>
7203     <P>
7204         <N>Priority</N>
7205         <V X_UD="Y" X_DV="3"/>
7206     </P>
7207     <P>
7208         <N>PayloadType</N>
7209         <V X_UD="Y" X_DV="0"/>
7210     </P>
7211 </O>
7212 <O>
7213     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.2.</N>
7214     <P>
7215         <N>Codec</N>
7216         <V X_UD="Y" X_DV="PCMA"/>
7217     </P>
7218     <P>
7219         <N>BitRate</N>
7220         <V X_UD="Y" X_DV="64000"/>
7221     </P>
7222     <P>
7223         <N>Enable</N>
7224         <V X_UD="Y" X_DV="true"/>
7225     </P>
7226     <P>
7227         <N>SilenceSuppression</N>
7228         <V X_UD="Y" X_DV="false"/>
7229     </P>
7230     <P>
7231         <N>PacketizationPeriod</N>
7232         <V X_UD="Y" X_DV="20"/>
7233     </P>
7234     <P>
7235         <N>Priority</N>
```

```
7236     <V X_UD="Y" X_DV="4"/>
7237 </P>
7238 <P>
7239     <N>PayloadType</N>
7240     <V X_UD="Y" X_DV="8"/>
7241 </P>
7242 </O>
7243 <O>
7244     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.3.</N>
7245     <P>
7246         <N>Codec</N>
7247         <V X_UD="Y" X_DV="G729"/>
7248     </P>
7249     <P>
7250         <N>BitRate</N>
7251         <V X_UD="Y" X_DV="8000"/>
7252     </P>
7253     <P>
7254         <N>Enable</N>
7255         <V X_UD="Y" X_DV="true"/>
7256     </P>
7257     <P>
7258         <N>SilenceSuppression</N>
7259         <V X_UD="Y" X_DV="false"/>
7260     </P>
7261     <P>
7262         <N>PacketizationPeriod</N>
7263         <V X_UD="Y" X_DV="20"/>
7264     </P>
7265     <P>
7266         <N>Priority</N>
7267         <V X_UD="Y" X_DV="5"/>
7268     </P>
7269     <P>
7270         <N>PayloadType</N>
7271         <V X_UD="Y" X_DV="18"/>
7272     </P>
7273 </O>
7274 <O>
7275     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.4.</N>
7276     <P>
7277         <N>Codec</N>
7278         <V X_UD="Y" X_DV="G726-32"/>
7279     </P>
7280     <P>
7281         <N>BitRate</N>
7282         <V X_UD="Y" X_DV="32000"/>
7283     </P>
7284     <P>
7285         <N>Enable</N>
7286         <V X_UD="Y" X_DV="true"/>
7287     </P>
7288     <P>
7289         <N>SilenceSuppression</N>
7290         <V X_UD="Y" X_DV="false"/>
7291     </P>
7292     <P>
7293         <N>PacketizationPeriod</N>
7294         <V X_UD="Y" X_DV="20"/>
7295     </P>
7296     <P>
7297         <N>Priority</N>
7298         <V X_UD="Y" X_DV="7"/>
7299     </P>
7300     <P>
7301         <N>PayloadType</N>
7302         <V X_UD="Y" X_DV="104"/>
```

```
7303     </P>
7304 </O>
7305 <O>
7306     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.5.</N>
7307     <P>
7308         <N>Codec</N>
7309         <V X_UD="Y" X_DV="G726-16"/>
7310     </P>
7311     <P>
7312         <N>BitRate</N>
7313         <V X_UD="Y" X_DV="16000"/>
7314     </P>
7315     <P>
7316         <N>Enable</N>
7317         <V X_UD="Y" X_DV="false"/>
7318     </P>
7319     <P>
7320         <N>SilenceSuppression</N>
7321         <V X_UD="Y" X_DV="false"/>
7322     </P>
7323     <P>
7324         <N>PacketizationPeriod</N>
7325         <V X_UD="Y" X_DV="20"/>
7326     </P>
7327     <P>
7328         <N>Priority</N>
7329         <V X_UD="Y" X_DV="5"/>
7330     </P>
7331     <P>
7332         <N>PayloadType</N>
7333         <V X_UD="Y" X_DV="102"/>
7334     </P>
7335 </O>
7336 <O>
7337     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.6.</N>
7338     <P>
7339         <N>Codec</N>
7340         <V X_UD="Y" X_DV="G726-24"/>
7341     </P>
7342     <P>
7343         <N>BitRate</N>
7344         <V X_UD="Y" X_DV="24000"/>
7345     </P>
7346     <P>
7347         <N>Enable</N>
7348         <V X_UD="Y" X_DV="false"/>
7349     </P>
7350     <P>
7351         <N>SilenceSuppression</N>
7352         <V X_UD="Y" X_DV="false"/>
7353     </P>
7354     <P>
7355         <N>PacketizationPeriod</N>
7356         <V X_UD="Y" X_DV="20"/>
7357     </P>
7358     <P>
7359         <N>Priority</N>
7360         <V X_UD="Y" X_DV="6"/>
7361     </P>
7362     <P>
7363         <N>PayloadType</N>
7364         <V X_UD="Y" X_DV="103"/>
7365     </P>
7366 </O>
7367 <O>
7368     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.7.</N>
7369     <P>
```

```
7370     <N>Codec</N>
7371     <V X_UD="Y" X_DV="G726-40"/>
7372 </P>
7373 <P>
7374     <N>BitRate</N>
7375     <V X_UD="Y" X_DV="40000"/>
7376 </P>
7377 <P>
7378     <N>Enable</N>
7379     <V X_UD="Y" X_DV="false"/>
7380 </P>
7381 <P>
7382     <N>SilenceSuppression</N>
7383     <V X_UD="Y" X_DV="false"/>
7384 </P>
7385 <P>
7386     <N>PacketizationPeriod</N>
7387     <V X_UD="Y" X_DV="20"/>
7388 </P>
7389 <P>
7390     <N>Priority</N>
7391     <V X_UD="Y" X_DV="7"/>
7392 </P>
7393 <P>
7394     <N>PayloadType</N>
7395     <V X_UD="Y" X_DV="105"/>
7396 </P>
7397 </O>
7398 <O>
7399 <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.8.</N>
7400 <P>
7401     <N>Codec</N>
7402     <V X_UD="Y" X_DV="iLBC"/>
7403 </P>
7404 <P>
7405     <N>BitRate</N>
7406     <V X_UD="Y" X_DV="13333"/>
7407 </P>
7408 <P>
7409     <N>Enable</N>
7410     <V X_UD="Y" X_DV="false"/>
7411 </P>
7412 <P>
7413     <N>SilenceSuppression</N>
7414     <V X_UD="Y" X_DV="false"/>
7415 </P>
7416 <P>
7417     <N>PacketizationPeriod</N>
7418     <V X_UD="Y" X_DV="30"/>
7419 </P>
7420 <P>
7421     <N>Priority</N>
7422     <V X_UD="Y" X_DV="6"/>
7423 </P>
7424 <P>
7425     <N>PayloadType</N>
7426     <V X_UD="Y" X_DV="98"/>
7427 </P>
7428 </O>
7429 <O>
7430 <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.9.</N>
7431 <P>
7432     <N>Codec</N>
7433     <V X_UD="Y" X_DV="G722"/>
7434 </P>
7435 <P>
7436     <N>BitRate</N>
```

```
7437     <V X_UD="Y" X_DV="64000"/>
7438 </P>
7439 <P>
7440     <N>Enable</N>
7441     <V X_UD="Y" X_DV="true"/>
7442 </P>
7443 <P>
7444     <N>SilenceSuppression</N>
7445     <V X_UD="Y" X_DV="false"/>
7446 </P>
7447 <P>
7448     <N>PacketizationPeriod</N>
7449     <V X_UD="Y" X_DV="20"/>
7450 </P>
7451 <P>
7452     <N>Priority</N>
7453     <V X_UD="Y" X_DV="1"/>
7454 </P>
7455 <P>
7456     <N>PayloadType</N>
7457     <V X_UD="Y" X_DV="9"/>
7458 </P>
7459 </O>
7460 <O>
7461     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.List.10.</N>
7462     <P>
7463         <N>Codec</N>
7464         <V X_UD="Y" X_DV="OPUS"/>
7465     </P>
7466     <P>
7467         <N>BitRate</N>
7468         <V X_UD="Y" X_DV="20000"/>
7469     </P>
7470     <P>
7471         <N>Enable</N>
7472         <V X_UD="Y" X_DV="true"/>
7473     </P>
7474     <P>
7475         <N>SilenceSuppression</N>
7476         <V X_UD="Y" X_DV="false"/>
7477     </P>
7478     <P>
7479         <N>PacketizationPeriod</N>
7480         <V X_UD="Y" X_DV="20"/>
7481     </P>
7482     <P>
7483         <N>Priority</N>
7484         <V X_UD="Y" X_DV="2"/>
7485     </P>
7486     <P>
7487         <N>PayloadType</N>
7488         <V X_UD="Y" X_DV="109"/>
7489     </P>
7490     <P>
7491         <N>UseInbandFEC</N>
7492         <V X_UD="Y" X_DV="false"/>
7493     </P>
7494 </O>
7495 <O>
7496     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.X_FAX.</N>
7497     <P>
7498         <N>Codec</N>
7499         <V X_UD="Y" X_DV="fax-event"/>
7500     </P>
7501     <P>
7502         <N>Enable</N>
7503         <V X_UD="Y" X_DV="false"/>
```



```
7504     </P>
7505     <P>
7506         <N>PayloadType</N>
7507         <V X_UD="Y" X_DV="100"/>
7508     </P>
7509     <P>
7510         <N>FaxEvents</N>
7511         <V X_UD="Y" X_DV="32"/>
7512     </P>
7513 </O>
7514 <O>
7515     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.X_TelephoneEvent.</N>
7516     <P>
7517         <N>Codec</N>
7518         <V X_UD="Y" X_DV="telephone-event"/>
7519     </P>
7520     <P>
7521         <N>Enable</N>
7522         <V X_UD="Y" X_DV="true"/>
7523     </P>
7524     <P>
7525         <N>PayloadType</N>
7526         <V X_UD="Y" X_DV="101"/>
7527     </P>
7528 </O>
7529 <O>
7530     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.X_EncapRTP.</N>
7531     <P>
7532         <N>Codec</N>
7533         <V X_UD="Y" X_DV="encaprtmp"/>
7534     </P>
7535     <P>
7536         <N>PayloadType</N>
7537         <V X_UD="Y" X_DV="107"/>
7538     </P>
7539 </O>
7540 <O>
7541     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.X_LoopbackPrimer.</N>
7542     <P>
7543         <N>Codec</N>
7544         <V X_UD="Y" X_DV="loopbkprimer"/>
7545     </P>
7546     <P>
7547         <N>PayloadType</N>
7548         <V X_UD="Y" X_DV="108"/>
7549     </P>
7550 </O>
7551 <O>
7552     <N>VoiceService.1.VoiceProfile.1.Line.2.Codec.X_Settings.</N>
7553     <P>
7554         <N>G726BitPacking</N>
7555         <V X_UD="Y" X_DV="big-endian"/>
7556     </P>
7557 </O>
7558 <O>
7559     <N>VoiceService.1.X_StarCode.1.</N>
7560     <P>
7561         <N>Code1</N>
7562         <V X_UD="Y" X_DV="*07, Redial, call($Ldn)"/>
7563     </P>
7564     <P>
7565         <N>Code2</N>
7566         <V X_UD="Y" X_DV="*69, Call Return, call($Lcn)"/>
7567     </P>
7568     <P>
7569         <N>Code3</N>
7570         <V X_UD="Y" X_DV="*81, Block Caller ID, set($Bci,1)"/>
```

7571 </P>  
7572 <P>  
7573 <N>Code4</N>  
7574 <V X\_UD="Y" X\_DV="\*82, Unblock Caller ID, set(\$Bci,0)"/>  
7575 </P>  
7576 <P>  
7577 <N>Code5</N>  
7578 <V X\_UD="Y" X\_DV="\*67, Block Caller ID Once, set(\$Bci1,1)"/>  
7579 </P>  
7580 <P>  
7581 <N>Code6</N>  
7582 <V X\_UD="Y" X\_DV="\*68, Unblock Caller ID Once, set(\$Ubcil,1)"/>  
7583 </P>  
7584 <P>  
7585 <N>Code7</N>  
7586 <V X\_UD="Y" X\_DV="\*72, Cfwd All, coll(\$Cfan), set(\$Cfa,1)"/>  
7587 </P>  
7588 <P>  
7589 <N>Code8</N>  
7590 <V X\_UD="Y" X\_DV="\*73, Disable Cfwd All, set(\$Cfa, 0)"/>  
7591 </P>  
7592 <P>  
7593 <N>Code9</N>  
7594 <V X\_UD="Y" X\_DV="\*60, Cfwd Busy, coll(\$Cfbn), set(\$Cfb,1)"/>  
7595 </P>  
7596 <P>  
7597 <N>Code10</N>  
7598 <V X\_UD="Y" X\_DV="\*61, Disable Cfwd Busy, set(\$Cfb, 0)"/>  
7599 </P>  
7600 <P>  
7601 <N>Code11</N>  
7602 <V X\_UD="Y" X\_DV="\*62, Cfwd No Ans, coll(\$Cfnn), set(\$Cfn,1)"/>  
7603 </P>  
7604 <P>  
7605 <N>Code12</N>  
7606 <V X\_UD="Y" X\_DV="\*63, Disable Cfwd No Ans, set(\$Cfn,0)"/>  
7607 </P>  
7608 <P>  
7609 <N>Code13</N>  
7610 <V X\_UD="Y" X\_DV="\*77, Block Anonymous Call, set(\$Bac,1)"/>  
7611 </P>  
7612 <P>  
7613 <N>Code14</N>  
7614 <V X\_UD="Y" X\_DV="\*87, Unblock Anonymous Call, set(\$Bac,0)"/>  
7615 </P>  
7616 <P>  
7617 <N>Code15</N>  
7618 <V X\_UD="Y" X\_DV="\*56, Enable Call Waiting, set(\$Cwa,1)"/>  
7619 </P>  
7620 <P>  
7621 <N>Code16</N>  
7622 <V X\_UD="Y" X\_DV="\*57, Disable Call Waiting, set(\$Cwa,0)"/>  
7623 </P>  
7624 <P>  
7625 <N>Code17</N>  
7626 <V X\_UD="Y" X\_DV="\*78, Do Not Disturb, set(\$Dnd,1)"/>  
7627 </P>  
7628 <P>  
7629 <N>Code18</N>  
7630 <V X\_UD="Y" X\_DV="\*79, Disable DND, set(\$Dnd,0)"/>  
7631 </P>  
7632 <P>  
7633 <N>Code19</N>  
7634 <V X\_UD="Y" X\_DV="\*05, Repeat Dial, rpdi(\$Ldn)"/>  
7635 </P>  
7636 <P>  
7637 <N>Code20</N>

```
7638     <V X_UD="Y" X_DV="*06, Cancel Repeat Dial, rpdi()"/>
7639 </P>
7640 <P>
7641     <N>Code21</N>
7642     <V X_UD="Y" X_DV="*74([1-9]||[1-9]x), Set Speed Dial, coll($Spd[$Code])"/>
7643 </P>
7644 <P>
7645     <N>Code22</N>
7646     <V X_UD="Y" X_DV="*75([1-9]||[1-9]x), Check Speed Dial, say($Spd[$Code])"/>
7647 </P>
7648 <P>
7649     <N>Code23</N>
7650     <V X_UD="Y" X_DV="*03, Loopback Media, set($Lbm1,1)"/>
7651 </P>
7652 <P>
7653     <N>Code24</N>
7654     <V X_UD="Y" X_DV="*04, Loopback RTP Packet, set($Lbp1,1)"/>
7655 </P>
7656 <P>
7657     <N>Code25</N>
7658     <V X_UD="Y" X_DV="*4711, Use G711 Only, set($Cdm1,3)"/>
7659 </P>
7660 <P>
7661     <N>Code26</N>
7662     <V X_UD="Y" X_DV="*4729, Use G729 Only, set($Cdm1,4)"/>
7663 </P>
7664 <P>
7665     <N>Code27</N>
7666     <V X_UD="Y" X_DV="*76([1-9]||[1-9]x), Clear Speed Dial, set($Spd[$Code],)"/>
7667 </P>
7668 <P>
7669     <N>Code28</N>
7670     <V X_UD="Y" X_DV="*98, Blind Transfer, coll($Bxrn)"/>
7671 </P>
7672 <P>
7673     <N>Code29</N>
7674     <V X_UD="Y" X_DV="*96, Barge In, set($Bar1,1)"/>
7675 </P>
7676 <P>
7677     <N>Code30</N>
7678     <V X_UD="Y" X_DV=""/>
7679 </P>
7680 <P>
7681     <N>Code31</N>
7682     <V X_UD="Y" X_DV=""/>
7683 </P>
7684 <P>
7685     <N>Code32</N>
7686     <V X_UD="Y" X_DV="*4722, Use G722 Only, set($Cdm1,512)"/>
7687 </P>
7688 <P>
7689     <N>Code33</N>
7690     <V X_UD="Y" X_DV="*4678, Use OPUS Only, set($Cdm1,1024)"/>
7691 </P>
7692 </O>
7693 <O>
7694     <N>VoiceService.1.X_StarCode.2.</N>
7695 <P>
7696     <N>Code1</N>
7697     <V X_UD="Y" X_DV="*07, Redial, call($Ldn)"/>
7698 </P>
7699 <P>
7700     <N>Code2</N>
7701     <V X_UD="Y" X_DV="*69, Call Return, call($Lcn)"/>
7702 </P>
7703 <P>
7704     <N>Code3</N>
```

7705 <V X\_UD="Y" X\_DV="\*81, Block Caller ID, set(\$Bci,1)"/>  
7706 </P>  
7707 <P>  
7708 <N>Code4</N>  
7709 <V X\_UD="Y" X\_DV="\*82, Unblock Caller ID, set(\$Bci,0)"/>  
7710 </P>  
7711 <P>  
7712 <N>Code5</N>  
7713 <V X\_UD="Y" X\_DV="\*67, Block Caller ID Once, set(\$Bci1,1)"/>  
7714 </P>  
7715 <P>  
7716 <N>Code6</N>  
7717 <V X\_UD="Y" X\_DV="\*68, Unblock Caller ID Once, set(\$Ubcil,1)"/>  
7718 </P>  
7719 <P>  
7720 <N>Code7</N>  
7721 <V X\_UD="Y" X\_DV="\*72, C fwd All, coll(\$Cfan), set(\$Cfa,1)"/>  
7722 </P>  
7723 <P>  
7724 <N>Code8</N>  
7725 <V X\_UD="Y" X\_DV="\*73, Disable C fwd All, set(\$Cfa, 0)"/>  
7726 </P>  
7727 <P>  
7728 <N>Code9</N>  
7729 <V X\_UD="Y" X\_DV="\*60, C fwd Busy, coll(\$Cfbn), set(\$Cfb,1)"/>  
7730 </P>  
7731 <P>  
7732 <N>Code10</N>  
7733 <V X\_UD="Y" X\_DV="\*61, Disable C fwd Busy, set(\$Cfb, 0)"/>  
7734 </P>  
7735 <P>  
7736 <N>Code11</N>  
7737 <V X\_UD="Y" X\_DV="\*62, C fwd No Ans, coll(\$Cfnn), set(\$Cfn,1)"/>  
7738 </P>  
7739 <P>  
7740 <N>Code12</N>  
7741 <V X\_UD="Y" X\_DV="\*63, Disable C fwd No Ans, set(\$Cfn,0)"/>  
7742 </P>  
7743 <P>  
7744 <N>Code13</N>  
7745 <V X\_UD="Y" X\_DV="\*77, Block Anonymous Call, set(\$Bac,1)"/>  
7746 </P>  
7747 <P>  
7748 <N>Code14</N>  
7749 <V X\_UD="Y" X\_DV="\*87, Unblock Anonymous Call, set(\$Bac,0)"/>  
7750 </P>  
7751 <P>  
7752 <N>Code15</N>  
7753 <V X\_UD="Y" X\_DV="\*56, Enable Call Waiting, set(\$Cwa,1)"/>  
7754 </P>  
7755 <P>  
7756 <N>Code16</N>  
7757 <V X\_UD="Y" X\_DV="\*57, Disable Call Waiting, set(\$Cwa,0)"/>  
7758 </P>  
7759 <P>  
7760 <N>Code17</N>  
7761 <V X\_UD="Y" X\_DV="\*78, Do Not Disturb, set(\$Dnd,1)"/>  
7762 </P>  
7763 <P>  
7764 <N>Code18</N>  
7765 <V X\_UD="Y" X\_DV="\*79, Disable DND, set(\$Dnd,0)"/>  
7766 </P>  
7767 <P>  
7768 <N>Code19</N>  
7769 <V X\_UD="Y" X\_DV="\*05, Repeat Dial, rpdi(\$Ldn)"/>  
7770 </P>  
7771 <P>

```
7772     <N>Code20</N>
7773     <V X_UD="Y" X_DV="*06, Cancel Repeat Dial, rpdi()"/>
7774 </P>
7775 <P>
7776     <N>Code21</N>
7777     <V X_UD="Y" X_DV="*74([1-9]|[1-9]x), Set Speed Dial, coll($Spd[$Code])"/>
7778 </P>
7779 <P>
7780     <N>Code22</N>
7781     <V X_UD="Y" X_DV="*75([1-9]|[1-9]x), Check Speed Dial, say($Spd[$Code])"/>
7782 </P>
7783 <P>
7784     <N>Code23</N>
7785     <V X_UD="Y" X_DV="*03, Loopback Media, set($Lbm1,1)"/>
7786 </P>
7787 <P>
7788     <N>Code24</N>
7789     <V X_UD="Y" X_DV="*04, Loopback RTP Packet, set($Lbp1,1)"/>
7790 </P>
7791 <P>
7792     <N>Code25</N>
7793     <V X_UD="Y" X_DV="*4711, Use G711 Only, set($Cdm1,3)"/>
7794 </P>
7795 <P>
7796     <N>Code26</N>
7797     <V X_UD="Y" X_DV="*4729, Use G729 Only, set($Cdm1,4)"/>
7798 </P>
7799 <P>
7800     <N>Code27</N>
7801     <V X_UD="Y" X_DV="*76([1-9]|[1-9]x), Clear Speed Dial, set($Spd[$Code],)"/>
7802 </P>
7803 <P>
7804     <N>Code28</N>
7805     <V X_UD="Y" X_DV="*98, Blind Transfer, coll($Bxrn)"/>
7806 </P>
7807 <P>
7808     <N>Code29</N>
7809     <V X_UD="Y" X_DV="*96, Barge In, set($Bar1,1)"/>
7810 </P>
7811 <P>
7812     <N>Code30</N>
7813     <V X_UD="Y" X_DV=""/>
7814 </P>
7815 <P>
7816     <N>Code31</N>
7817     <V X_UD="Y" X_DV=""/>
7818 </P>
7819 <P>
7820     <N>Code32</N>
7821     <V X_UD="Y" X_DV="*4722, Use G722 Only, set($Cdm1,512)"/>
7822 </P>
7823 <P>
7824     <N>Code33</N>
7825     <V X_UD="Y" X_DV="*4678, Use OPUS Only, set($Cdm1,1024)"/>
7826 </P>
7827 </O>
7828 <O>
7829     <N>VoiceService.1.VoiceProfile.1.</N>
7830 <P>
7831     <N>Name</N>
7832     <V X_UD="Y" X_DV=""/>
7833 </P>
7834 <P>
7835     <N>SignalingProtocol</N>
7836     <V X_UD="Y" X_DV="SIP"/>
7837 </P>
7838 <P>
```

```
7839     <N>DTMFMethod</N>
7840     <V X_UD="Y" X_DV="Auto"/>
7841 </P>
7842 <P>
7843     <N>InbandDTMFVolume</N>
7844     <V X_UD="Y" X_DV="-15dB"/>
7845 </P>
7846 <P>
7847     <N>X FixedDurationRFC2833DTMF</N>
7848     <V X_UD="Y" X_DV="16"/>
7849 </P>
7850 <P>
7851     <N>DigitMap</N>
7852     <V X_UD="Y"
7853       X_DV="(1xxxxxxxxxxx|&lt;1&gt;[2-9]xxxxxxxxxx|011xx.|xx.|(Mipd)|[^*#]@.)/>
7854 </P>
7855 <P>
7856     <N>STUNEnable</N>
7857     <V X_UD="Y" X_DV="false"/>
7858 </P>
7859 <P>
7860     <N>STUNServer</N>
7861     <V X_UD="Y" X_DV=""/>
7862 </P>
7863 <P>
7864     <N>X STUNServerPort</N>
7865     <V X_UD="Y" X_DV="3478"/>
7866 </P>
7867 <P>
7868     <N>X ICEEnable</N>
7869     <V X_UD="Y" X_DV="false"/>
7870 </P>
7871 <P>
7872     <N>X SymmetricRTPEnable</N>
7873     <V X_UD="Y" X_DV="false"/>
7874 </P>
7875 </O>
7876 <O>
7877     <N>VoiceService.1.VoiceProfile.1.ServiceProviderInfo.</N>
7878     <P>
7879         <N>Name</N>
7880         <V X_UD="Y" X_DV=""/>
7881     </P>
7882     <P>
7883         <N>URL</N>
7884         <V X_UD="Y" X_DV=""/>
7885     </P>
7886     <P>
7887         <N>ContactPhoneNumber</N>
7888         <V X_UD="Y" X_DV=""/>
7889     </P>
7890     <P>
7891         <N>EmailAddress</N>
7892         <V X_UD="Y" X_DV=""/>
7893     </P>
7894 </O>
7895 <O>
7896     <N>VoiceService.1.VoiceProfile.1.RTP.</N>
7897     <P>
7898         <N>LocalPortMin</N>
7899         <V X_UD="Y" X_DV="16600"/>
7900     </P>
7901     <P>
7902         <N>LocalPortMax</N>
7903         <V X_UD="Y" X_DV="16798"/>
7904     </P>
```

```
7905     <N>KeepAliveInterval</N>
7906     <V X_UD="Y" X_DV="0"/>
7907 </P>
7908 <P>
7909     <N>DSCPMark</N>
7910     <V X_UD="Y" X_DV="46"/>
7911 </P>
7912 <P>
7913     <N>X_RefreshSession</N>
7914     <V X_UD="Y" X_DV="true"/>
7915 </P>
7916 <P>
7917     <N>X_SymmetricMedia</N>
7918     <V X_UD="Y" X_DV="true"/>
7919 </P>
7920 </O>
7921 <O>
7922     <N>VoiceService.1.VoiceProfile.1.RTP.RTCP.</N>
7923     <P>
7924         <N>Enable</N>
7925         <V X_UD="Y" X_DV="false"/>
7926     </P>
7927     <P>
7928         <N>TxRepeatInterval</N>
7929         <V X_UD="Y" X_DV="10000"/>
7930     </P>
7931     <P>
7932         <N>LocalCName</N>
7933         <V X_UD="Y" X_DV=""/>
7934     </P>
7935     <P>
7936         <N>X_RTCPMux</N>
7937         <V X_UD="Y" X_DV="false"/>
7938     </P>
7939     <P>
7940         <N>X_VqPublishEnable</N>
7941         <V X_UD="Y" X_DV="false"/>
7942     </P>
7943     <P>
7944         <N>X_VqPublishUrl</N>
7945         <V X_UD="Y" X_DV=""/>
7946     </P>
7947     <P>
7948         <N>X_VqPublishInterval</N>
7949         <V X_UD="Y" X_DV="0"/>
7950     </P>
7951     <P>
7952         <N>X_VqPublishOnSSRCChange</N>
7953         <V X_UD="Y" X_DV="true"/>
7954     </P>
7955 </O>
7956 <O>
7957     <N>VoiceService.1.VoiceProfile.1.RTP.JIB.</N>
7958     <P>
7959         <N>Adaptive</N>
7960         <V X_UD="Y" X_DV="true"/>
7961     </P>
7962     <P>
7963         <N>MaximumSize</N>
7964         <V X_UD="Y" X_DV="250"/>
7965     </P>
7966     <P>
7967         <N>SetPoint</N>
7968         <V X_UD="Y" X_DV="60"/>
7969     </P>
7970     <P>
7971         <N>Target</N>
```

```
7972     <V X_UD="Y" X_DV="20"/>
7973 </P>
7974 <P>
7975     <N>AdaptationSlope</N>
7976     <V X_UD="Y" X_DV="16"/>
7977 </P>
7978 </O>
7979 <O>
7980     <N>VoiceService.1.VoiceProfile.1.SIP.</N>
7981     <P>
7982         <N>ProxyServer</N>
7983         <V X_UD="N" X_DV="">{$account.1.server_address}</V>
7984     </P>
7985     <P>
7986         <N>ProxyServerPort</N>
7987         {if isset($row.sip_port)}<V X_UD="N" X_DV="5060">{$row.sip_port}</V>{else}<V
7988         X_UD="Y" X_DV="5060"/>{/if}
7989     </P>
7990     <P>
7991         <N>ProxyServerTransport</N>
7992         {if $row.sip_transport == ''}<V X_UD="N" X_DV="UDP">TCP</V>{/if}
7993         {if $row.sip_transport == 'tcp'}<V X_UD="N" X_DV="UDP">TCP</V>{/if}
7994         {if $row.sip_transport == 'udp'}<V X_UD="N" X_DV="UDP">UDP</V>{/if}
7995         {if $row.sip_transport == 'tls'}<V X_UD="N" X_DV="UDP">TLS</V>{/if}
7996         {if $row.sip_transport == 'dns srv'}<V X_UD="N" X_DV="UDP">SRV</V>{/if}
7997     </P>
7998     <P>
7999         <N>RegistrarServer</N>
8000         <V X_UD="Y" X_DV="">{$server_address}</V>
8001     </P>
8002     <P>
8003         <N>RegistrarServerPort</N>
8004         <V X_UD="Y" X_DV="5060"/>
8005     </P>
8006     <P>
8007         <N>X_XsiServer</N>
8008         <V X_UD="Y" X_DV="">
8009     </P>
8010     <P>
8011         <N>X_XsiServerPort</N>
8012         <V X_UD="Y" X_DV="0"/>
8013     </P>
8014     <P>
8015         <N>X_XsiServerScheme</N>
8016         <V X_UD="Y" X_DV="HTTP"/>
8017     </P>
8018     <P>
8019         <N>UserAgentDomain</N>
8020         <V X_UD="Y" X_DV="">
8021     </P>
8022     <P>
8023         <N>OutboundProxy</N>
8024         <V X_UD="Y" X_DV="">
8025     </P>
8026     <P>
8027         <N>OutboundProxyPort</N>
8028         <V X_UD="Y" X_DV="5060"/>
8029     </P>
8030     <P>
8031         <N>X_OutboundProxyTransport</N>
8032         <V X_UD="Y" X_DV="Follow ProxyServerTransport"/>
8033     </P>
8034     <P>
8035         <N>X_TLSecurityProfile</N>
8036         <V X_UD="Y" X_DV="1"/>
8037     </P>
8038 </O>
```



8038 <N>X\_UserAgentContactFollowProxyServerTransport</N>  
8039 <V X\_UD="Y" X\_DV="false"/>  
8040 </P>  
8041 <P>  
8042 <N>X\_BypassOutboundProxyInCall</N>  
8043 <V X\_UD="Y" X\_DV="false"/>  
8044 </P>  
8045 <P>  
8046 <N>RegistrationPeriod</N>  
8047 <V X\_UD="Y" X\_DV="3600"/>  
8048 </P>  
8049 <P>  
8050 <N>X\_RegistrationMargin</N>  
8051 <V X\_UD="Y" X\_DV=""/>  
8052 </P>  
8053 <P>  
8054 <N>TimerT1</N>  
8055 <V X\_UD="Y" X\_DV="500"/>  
8056 </P>  
8057 <P>  
8058 <N>TimerT2</N>  
8059 <V X\_UD="Y" X\_DV="4000"/>  
8060 </P>  
8061 <P>  
8062 <N>TimerT4</N>  
8063 <V X\_UD="Y" X\_DV="5000"/>  
8064 </P>  
8065 <P>  
8066 <N>TimerA</N>  
8067 <V X\_UD="Y" X\_DV="500"/>  
8068 </P>  
8069 <P>  
8070 <N>TimerB</N>  
8071 <V X\_UD="Y" X\_DV="32000"/>  
8072 </P>  
8073 <P>  
8074 <N>TimerD</N>  
8075 <V X\_UD="Y" X\_DV="32000"/>  
8076 </P>  
8077 <P>  
8078 <N>TimerE</N>  
8079 <V X\_UD="Y" X\_DV="500"/>  
8080 </P>  
8081 <P>  
8082 <N>TimerF</N>  
8083 <V X\_UD="Y" X\_DV="32000"/>  
8084 </P>  
8085 <P>  
8086 <N>TimerG</N>  
8087 <V X\_UD="Y" X\_DV="500"/>  
8088 </P>  
8089 <P>  
8090 <N>TimerH</N>  
8091 <V X\_UD="Y" X\_DV="32000"/>  
8092 </P>  
8093 <P>  
8094 <N>TimerI</N>  
8095 <V X\_UD="Y" X\_DV="5000"/>  
8096 </P>  
8097 <P>  
8098 <N>TimerJ</N>  
8099 <V X\_UD="Y" X\_DV="32000"/>  
8100 </P>  
8101 <P>  
8102 <N>TimerK</N>  
8103 <V X\_UD="Y" X\_DV="5000"/>  
8104 </P>

8105 <P>  
8106 <N>InviteExpires</N>  
8107 <V X\_UD="Y" X\_DV="60"/>  
8108 </P>  
8109 <P>  
8110 <N>ReInviteExpires</N>  
8111 <V X\_UD="Y" X\_DV="10"/>  
8112 </P>  
8113 <P>  
8114 <N>RegisterMinExpires</N>  
8115 <V X\_UD="Y" X\_DV="15"/>  
8116 </P>  
8117 <P>  
8118 <N>RegisterRetryInterval</N>  
8119 <V X\_UD="Y" X\_DV="30"/>  
8120 </P>  
8121 <P>  
8122 <N>X\_RegisterRetryResponseCodes</N>  
8123 <V X\_UD="Y"  
X\_DV="( &lt;40[17]:w120&gt;|&lt;40[34]:w120&gt;|&lt;99[01]:w120-200&gt;|[4-9]xx)"/>  
8124 </P>  
8125 <P>  
8126 <N>X\_RegisterIncludeInstance</N>  
8127 <V X\_UD="Y" X\_DV="true"/>  
8128 </P>  
8129 <P>  
8130 <N>DSCPMark</N>  
8131 <V X\_UD="Y" X\_DV="26"/>  
8132 </P>  
8133 <P>  
8134 <N>X\_SpoofCallerID</N>  
8135 <V X\_UD="Y" X\_DV="false"/>  
8136 </P>  
8137 <P>  
8138 <N>X\_UseRefer</N>  
8139 <V X\_UD="Y" X\_DV="true"/>  
8140 </P>  
8141 <P>  
8142 <N>X\_ReferAOR</N>  
8143 <V X\_UD="Y" X\_DV="true"/>  
8144 </P>  
8145 <P>  
8146 <N>X\_HoldReferee</N>  
8147 <V X\_UD="Y" X\_DV="false"/>  
8148 </P>  
8149 <P>  
8150 <N>X\_Use302ToCallForward</N>  
8151 <V X\_UD="Y" X\_DV="true"/>  
8152 </P>  
8153 <P>  
8154 <N>X\_UserAgentName</N>  
8155 <V X\_UD="Y" X\_DV="{literal}OBIHAI/ \${DM} - \${FWV} {/literal}"/>  
8156 </P>  
8157 <P>  
8158 <N>X\_ProcessDateHeader</N>  
8159 <V X\_UD="Y" X\_DV="true"/>  
8160 </P>  
8161 <P>  
8162 <N>X\_InsertRemotePartyID</N>  
8163 <V X\_UD="Y" X\_DV="false"/>  
8164 </P>  
8165 <P>  
8166 <N>X\_EnforcePAssertedIdentity</N>  
8167 <V X\_UD="Y" X\_DV="false"/>  
8168 </P>  
8169 <P>  
8170 <N>X\_InsertPPreferredIdentity</N>

8171 <V X\_UD="Y" X\_DV="false"/>  
8172 </P>  
8173 <P>  
8174 <N>X\_InsertPrivacyHdr</N>  
8175 <V X\_UD="Y" X\_DV="false"/>  
8176 </P>  
8177 <P>  
8178 <N>X\_UseAnonymousFROM</N>  
8179 <V X\_UD="Y" X\_DV="false"/>  
8180 </P>  
8181 <P>  
8182 <N>X\_SessionRefresh</N>  
8183 <V X\_UD="Y" X\_DV="false"/>  
8184 </P>  
8185 <P>  
8186 <N>X\_SessionTimer</N>  
8187 <V X\_UD="Y" X\_DV="false"/>  
8188 </P>  
8189 <P>  
8190 <N>X\_SessionExpires</N>  
8191 <V X\_UD="Y" X\_DV="20"/>  
8192 </P>  
8193 <P>  
8194 <N>X\_AccessList</N>  
8195 <V X\_UD="Y" X\_DV=""/>  
8196 </P>  
8197 <P>  
8198 <N>X\_InsertRTPStats</N>  
8199 <V X\_UD="Y" X\_DV="true"/>  
8200 </P>  
8201 <P>  
8202 <N>X\_MWISubscribe</N>  
8203 <V X\_UD="Y" X\_DV="false"/>  
8204 </P>  
8205 <P>  
8206 <N>X\_MWISubscribeURI</N>  
8207 <V X\_UD="Y" X\_DV=""/>  
8208 </P>  
8209 <P>  
8210 <N>X\_MWISubscribeExpires</N>  
8211 <V X\_UD="Y" X\_DV="3600"/>  
8212 </P>  
8213 <P>  
8214 <N>X\_ProxyServerRedundancy</N>  
8215 <V X\_UD="Y" X\_DV="false"/>  
8216 </P>  
8217 <P>  
8218 <N>X\_SecondaryRegistration</N>  
8219 <V X\_UD="Y" X\_DV="false"/>  
8220 </P>  
8221 <P>  
8222 <N>X\_CheckPrimaryFallbackInterval</N>  
8223 <V X\_UD="Y" X\_DV="60"/>  
8224 </P>  
8225 <P>  
8226 <N>X\_CheckSecondaryFallbackInterval</N>  
8227 <V X\_UD="Y" X\_DV="60"/>  
8228 </P>  
8229 <P>  
8230 <N>X\_ProxyFailoverResponseCodes</N>  
8231 <V X\_UD="Y" X\_DV="([5-9]xx)"/>  
8232 </P>  
8233 <P>  
8234 <N>X\_InviteFailoverWaitRegTimer</N>  
8235 <V X\_UD="Y" X\_DV="32000"/>  
8236 </P>  
8237 <P>

```
8238     <N>X_ProxyRequire</N>
8239     <V X_UD="Y" X_DV=""/>
8240 </P>
8241 <P>
8242     <N>X_MaxForward</N>
8243     <V X_UD="Y" X_DV="70"/>
8244 </P>
8245 <P>
8246     <N>X_AcceptLanguage</N>
8247     <V X_UD="Y" X_DV=""/>
8248 </P>
8249 <P>
8250     <N>X_DnsSrv</N>
8251     <V X_UD="Y" X_DV="true"/>
8252 </P>
8253 <P>
8254     <N>X_DnsSrvAutoPrefix</N>
8255     <V X_UD="Y" X_DV="false"/>
8256 </P>
8257 <P>
8258     <N>X_Support100rel</N>
8259     <V X_UD="Y" X_DV="false"/>
8260 </P>
8261 <P>
8262     <N>X_UserEqPhone</N>
8263     <V X_UD="Y" X_DV="false"/>
8264 </P>
8265 <P>
8266     <N>X_UseTelURI</N>
8267     <V X_UD="Y" X_DV="false"/>
8268 </P>
8269 <P>
8270     <N>X_CallWaitingIndication</N>
8271     <V X_UD="Y" X_DV="No"/>
8272 </P>
8273 <P>
8274     <N>X_DiscoverPublicAddress</N>
8275     <V X_UD="Y" X_DV="false"/>
8276 </P>
8277 <P>
8278     <N>X_UsePublicAddressInVia</N>
8279     <V X_UD="Y" X_DV="false"/>
8280 </P>
8281 <P>
8282     <N>X_PublicIPAddress</N>
8283     <V X_UD="Y" X_DV=""/>
8284 </P>
8285 <P>
8286     <N>X_UseRport</N>
8287     <V X_UD="Y" X_DV="true"/>
8288 </P>
8289 <P>
8290     <N>X_DetectALG</N>
8291     <V X_UD="Y" X_DV="false"/>
8292 </P>
8293 <P>
8294     <N>X_UseCompactHeader</N>
8295     <V X_UD="Y" X_DV="false"/>
8296 </P>
8297 <P>
8298     <N>X_OmitContentLength</N>
8299     <V X_UD="Y" X_DV="false"/>
8300 </P>
8301 <P>
8302     <N>X_IncludeMessageHash</N>
8303     <V X_UD="Y" X_DV="false"/>
8304 </P>
```

```
8305 <P>
8306 <N>X_EchoServer</N>
8307 <V X_UD="Y" X_DV=""/>
8308 </P>
8309 <P>
8310 <N>X_EchoServerPort</N>
8311 <V X_UD="Y" X_DV="5060"/>
8312 </P>
8313 <P>
8314 <N>X_EnableRFC2543CallHold</N>
8315 <V X_UD="Y" X_DV="false"/>
8316 </P>
8317 <P>
8318 <N>X_VerifyServerDomain</N>
8319 <V X_UD="Y" X_DV="false"/>
8320 </P>
8321 <P>
8322 <N>X_RejectKeyResponseCode</N>
8323 <V X_UD="Y" X_DV=""/>
8324 </P>
8325 <P>
8326 <N>X_Sticky18x</N>
8327 <V X_UD="Y" X_DV="true"/>
8328 </P>
8329 </O>
8330 <O>
8331 <N>VoiceService.1.VoiceProfile.1.SIP.</N>
8332 <P>
8333 <N>X_CallParkMethod</N>
8334 <V X_UD="Y" X_DV="Feature Code"/>
8335 </P>
8336 <P>
8337 <N>X_DirectedCallPickupMethod</N>
8338 <V X_UD="Y" X_DV="Feature Code"/>
8339 </P>
8340 <P>
8341 <N>X_ShareLineMethod</N>
8342 <V X_UD="Y" X_DV="call-info"/>
8343 </P>
8344 <P>
8345 <N>X_ASFeatureEventSubscribeExpires</N>
8346 <V X_UD="Y" X_DV="3600"/>
8347 </P>
8348 <P>
8349 <N>X_CallInfoSubscribeExpires</N>
8350 <V X_UD="Y" X_DV="3600"/>
8351 </P>
8352 <P>
8353 <N>X_LineSeizeSubscribeExpires</N>
8354 <V X_UD="Y" X_DV="15"/>
8355 </P>
8356 </O>
8357 <O>
8358 <N>VoiceService.1.VoiceProfile.1.X_FeatureCode.</N>
8359 <P>
8360 <N>DirectedCallPickup</N>
8361 <V X_UD="Y" X_DV="*97"/>
8362 </P>
8363 <P>
8364 <N>CallPickup</N>
8365 <V X_UD="Y" X_DV="*88"/>
8366 </P>
8367 <P>
8368 <N>Park</N>
8369 <V X_UD="Y" X_DV="*68"/>
8370 </P>
8371 </O>
```

```
8372 <O>
8373 <N>VoiceService.1.VoiceProfile.2.</N>
8374 <P>
8375 <N>Name</N>
8376 <V X_UD="Y" X_DV=""/>
8377 </P>
8378 <P>
8379 <N>SignalingProtocol</N>
8380 <V X_UD="Y" X_DV="SIP"/>
8381 </P>
8382 <P>
8383 <N>DTMFMethod</N>
8384 <V X_UD="Y" X_DV="Auto"/>
8385 </P>
8386 <P>
8387 <N>InbandDTMFVolume</N>
8388 <V X_UD="Y" X_DV="-15dB"/>
8389 </P>
8390 <P>
8391 <N>X_FixedDurationRFC2833DTMF</N>
8392 <V X_UD="Y" X_DV="16"/>
8393 </P>
8394 <P>
8395 <N>DigitMap</N>
8396 <V X_UD="Y"
X_DV="(1xxxxxxxxxxxxx|&lt;1&gt;[2-9]xxxxxxxxxxxx|011xx.|xx.|(Mipd)|[^\*#]@@.)"/>
8397 </P>
8398 <P>
8399 <N>STUNEnable</N>
8400 <V X_UD="Y" X_DV="false"/>
8401 </P>
8402 <P>
8403 <N>STUNServer</N>
8404 <V X_UD="Y" X_DV=""/>
8405 </P>
8406 <P>
8407 <N>X_STUNServerPort</N>
8408 <V X_UD="Y" X_DV="3478"/>
8409 </P>
8410 <P>
8411 <N>X_ICEEEnable</N>
8412 <V X_UD="Y" X_DV="false"/>
8413 </P>
8414 <P>
8415 <N>X_SymmetricRTPEnable</N>
8416 <V X_UD="Y" X_DV="false"/>
8417 </P>
8418 </O>
8419 <O>
8420 <N>VoiceService.1.VoiceProfile.2.ServiceProviderInfo.</N>
8421 <P>
8422 <N>Name</N>
8423 <V X_UD="Y" X_DV=""/>
8424 </P>
8425 <P>
8426 <N>URL</N>
8427 <V X_UD="Y" X_DV=""/>
8428 </P>
8429 <P>
8430 <N>ContactPhoneNumber</N>
8431 <V X_UD="Y" X_DV=""/>
8432 </P>
8433 <P>
8434 <N>EmailAddress</N>
8435 <V X_UD="Y" X_DV=""/>
8436 </P>
8437 </O>
```

```
8438 <O>
8439 <N>VoiceService.1.VoiceProfile.2.RTP.</N>
8440 <P>
8441 <N>LocalPortMin</N>
8442 <V X_UD="Y" X_DV="16800"/>
8443 </P>
8444 <P>
8445 <N>LocalPortMax</N>
8446 <V X_UD="Y" X_DV="16998"/>
8447 </P>
8448 <P>
8449 <N>KeepAliveInterval</N>
8450 <V X_UD="Y" X_DV="0"/>
8451 </P>
8452 <P>
8453 <N>DSCPMark</N>
8454 <V X_UD="Y" X_DV="46"/>
8455 </P>
8456 <P>
8457 <N>X_RefreshSession</N>
8458 <V X_UD="Y" X_DV="true"/>
8459 </P>
8460 <P>
8461 <N>X_SymmetricMedia</N>
8462 <V X_UD="Y" X_DV="true"/>
8463 </P>
8464 </O>
8465 <O>
8466 <N>VoiceService.1.VoiceProfile.2.RTP.RTCP.</N>
8467 <P>
8468 <N>Enable</N>
8469 <V X_UD="Y" X_DV="false"/>
8470 </P>
8471 <P>
8472 <N>TxRepeatInterval</N>
8473 <V X_UD="Y" X_DV="10000"/>
8474 </P>
8475 <P>
8476 <N>LocalCName</N>
8477 <V X_UD="Y" X_DV=""/>
8478 </P>
8479 <P>
8480 <N>X_RTCPmux</N>
8481 <V X_UD="Y" X_DV="false"/>
8482 </P>
8483 <P>
8484 <N>X_VqPublishEnable</N>
8485 <V X_UD="Y" X_DV="false"/>
8486 </P>
8487 <P>
8488 <N>X_VqPublishUrl</N>
8489 <V X_UD="Y" X_DV=""/>
8490 </P>
8491 <P>
8492 <N>X_VqPublishInterval</N>
8493 <V X_UD="Y" X_DV="0"/>
8494 </P>
8495 <P>
8496 <N>X_VqPublishOnSSRCChange</N>
8497 <V X_UD="Y" X_DV="true"/>
8498 </P>
8499 </O>
8500 <O>
8501 <N>VoiceService.1.VoiceProfile.2.RTP.JIB.</N>
8502 <P>
8503 <N>Adaptive</N>
8504 <V X_UD="Y" X_DV="true"/>
```

```
8505 </P>
8506 <P>
8507 <N>MaximumSize</N>
8508 <V X_UD="Y" X_DV="250"/>
8509 </P>
8510 <P>
8511 <N>SetPoint</N>
8512 <V X_UD="Y" X_DV="60"/>
8513 </P>
8514 <P>
8515 <N>Target</N>
8516 <V X_UD="Y" X_DV="20"/>
8517 </P>
8518 <P>
8519 <N>AdaptationSlope</N>
8520 <V X_UD="Y" X_DV="16"/>
8521 </P>
8522 </O>
8523 <O>
8524 <N>VoiceService.1.VoiceProfile.2.SIP.</N>
8525 <P>
8526 <N>ProxyServer</N>
8527 <V X_UD="Y" X_DV=""/>
8528 </P>
8529 <P>
8530 <N>ProxyServerPort</N>
8531 <V X_UD="Y" X_DV="5060"/>
8532 </P>
8533 <P>
8534 <N>ProxyServerTransport</N>
8535 <V X_UD="Y" X_DV="UDP"/>
8536 </P>
8537 <P>
8538 <N>RegistrarServer</N>
8539 <V X_UD="Y" X_DV=""/>
8540 </P>
8541 <P>
8542 <N>RegistrarServerPort</N>
8543 <V X_UD="Y" X_DV="5060"/>
8544 </P>
8545 <P>
8546 <N>X_XsiServer</N>
8547 <V X_UD="Y" X_DV=""/>
8548 </P>
8549 <P>
8550 <N>X_XsiServerPort</N>
8551 <V X_UD="Y" X_DV="0"/>
8552 </P>
8553 <P>
8554 <N>X_XsiServerScheme</N>
8555 <V X_UD="Y" X_DV="HTTP"/>
8556 </P>
8557 <P>
8558 <N>UserAgentDomain</N>
8559 <V X_UD="Y" X_DV=""/>
8560 </P>
8561 <P>
8562 <N>OutboundProxy</N>
8563 <V X_UD="Y" X_DV=""/>
8564 </P>
8565 <P>
8566 <N>OutboundProxyPort</N>
8567 <V X_UD="Y" X_DV="5060"/>
8568 </P>
8569 <P>
8570 <N>X_OutboundProxyTransport</N>
8571 <V X_UD="Y" X_DV="Follow ProxyServerTransport"/>
```



8572 </P>  
8573 <P>  
8574 <N>X\_TLSSecurityProfile</N>  
8575 <V X\_UD="Y" X\_DV="1"/>  
8576 </P>  
8577 <P>  
8578 <N>X\_UserAgentContactFollowProxyServerTransport</N>  
8579 <V X\_UD="Y" X\_DV="false"/>  
8580 </P>  
8581 <P>  
8582 <N>X\_BypassOutboundProxyInCall</N>  
8583 <V X\_UD="Y" X\_DV="false"/>  
8584 </P>  
8585 <P>  
8586 <N>RegistrationPeriod</N>  
8587 <V X\_UD="Y" X\_DV="3600"/>  
8588 </P>  
8589 <P>  
8590 <N>X\_RegistrationMargin</N>  
8591 <V X\_UD="Y" X\_DV=""/>  
8592 </P>  
8593 <P>  
8594 <N>TimerT1</N>  
8595 <V X\_UD="Y" X\_DV="500"/>  
8596 </P>  
8597 <P>  
8598 <N>TimerT2</N>  
8599 <V X\_UD="Y" X\_DV="4000"/>  
8600 </P>  
8601 <P>  
8602 <N>TimerT4</N>  
8603 <V X\_UD="Y" X\_DV="5000"/>  
8604 </P>  
8605 <P>  
8606 <N>TimerA</N>  
8607 <V X\_UD="Y" X\_DV="500"/>  
8608 </P>  
8609 <P>  
8610 <N>TimerB</N>  
8611 <V X\_UD="Y" X\_DV="32000"/>  
8612 </P>  
8613 <P>  
8614 <N>TimerD</N>  
8615 <V X\_UD="Y" X\_DV="32000"/>  
8616 </P>  
8617 <P>  
8618 <N>TimerE</N>  
8619 <V X\_UD="Y" X\_DV="500"/>  
8620 </P>  
8621 <P>  
8622 <N>TimerF</N>  
8623 <V X\_UD="Y" X\_DV="32000"/>  
8624 </P>  
8625 <P>  
8626 <N>TimerG</N>  
8627 <V X\_UD="Y" X\_DV="500"/>  
8628 </P>  
8629 <P>  
8630 <N>TimerH</N>  
8631 <V X\_UD="Y" X\_DV="32000"/>  
8632 </P>  
8633 <P>  
8634 <N>TimerI</N>  
8635 <V X\_UD="Y" X\_DV="5000"/>  
8636 </P>  
8637 <P>  
8638 <N>TimerJ</N>

```
8639     <V X_UD="Y" X_DV="32000"/>
8640 </P>
8641 <P>
8642     <N>TimerK</N>
8643     <V X_UD="Y" X_DV="5000"/>
8644 </P>
8645 <P>
8646     <N>InviteExpires</N>
8647     <V X_UD="Y" X_DV="60"/>
8648 </P>
8649 <P>
8650     <N>ReInviteExpires</N>
8651     <V X_UD="Y" X_DV="10"/>
8652 </P>
8653 <P>
8654     <N>RegisterMinExpires</N>
8655     <V X_UD="Y" X_DV="15"/>
8656 </P>
8657 <P>
8658     <N>RegisterRetryInterval</N>
8659     <V X_UD="Y" X_DV="30"/>
8660 </P>
8661 <P>
8662     <N>X_RegisterRetryResponseCodes</N>
8663     <V X_UD="Y"
8664       X_DV="( &lt;40 [17] :w120&gt; | &lt;40 [34] :w120&gt; | &lt;99 [01] :w120-200&gt; | [4-9]xx)"/>
8665 </P>
8666 <P>
8667     <N>X_RegisterIncludeInstance</N>
8668     <V X_UD="Y" X_DV="true"/>
8669 </P>
8670 <P>
8671     <N>DSCPMark</N>
8672     <V X_UD="Y" X_DV="26"/>
8673 </P>
8674 <P>
8675     <N>X_SpoofCallerID</N>
8676     <V X_UD="Y" X_DV="false"/>
8677 </P>
8678 <P>
8679     <N>X_UseRefer</N>
8680     <V X_UD="Y" X_DV="true"/>
8681 </P>
8682 <P>
8683     <N>X_ReferAOR</N>
8684     <V X_UD="Y" X_DV="true"/>
8685 </P>
8686 <P>
8687     <N>X_HoldReferee</N>
8688     <V X_UD="Y" X_DV="false"/>
8689 </P>
8690 <P>
8691     <N>X_Use302ToCallForward</N>
8692     <V X_UD="Y" X_DV="true"/>
8693 </P>
8694 <P>
8695     <N>X_UserAgentName</N>
8696     <V X_UD="Y" X_DV="{literal}OBIHAI/ ${DM} - ${FWV} {/literal}"/>
8697 </P>
8698 <P>
8699     <N>X_ProcessDateHeader</N>
8700     <V X_UD="Y" X_DV="true"/>
8701 </P>
8702 <P>
8703     <N>X_InsertRemotePartyID</N>
8704     <V X_UD="Y" X_DV="false"/>
8705 </P>
```

8705 <P>  
8706 <N>X\_EnforcePAssertedIdentity</N>  
8707 <V X\_UD="Y" X\_DV="false"/>  
8708 </P>  
8709 <P>  
8710 <N>X\_InsertPPreferredIdentity</N>  
8711 <V X\_UD="Y" X\_DV="false"/>  
8712 </P>  
8713 <P>  
8714 <N>X\_InsertPrivacyHdr</N>  
8715 <V X\_UD="Y" X\_DV="false"/>  
8716 </P>  
8717 <P>  
8718 <N>X\_UseAnonymousFROM</N>  
8719 <V X\_UD="Y" X\_DV="false"/>  
8720 </P>  
8721 <P>  
8722 <N>X\_SessionRefresh</N>  
8723 <V X\_UD="Y" X\_DV="false"/>  
8724 </P>  
8725 <P>  
8726 <N>X\_SessionTimer</N>  
8727 <V X\_UD="Y" X\_DV="false"/>  
8728 </P>  
8729 <P>  
8730 <N>X\_SessionExpires</N>  
8731 <V X\_UD="Y" X\_DV="20"/>  
8732 </P>  
8733 <P>  
8734 <N>X\_AccessList</N>  
8735 <V X\_UD="Y" X\_DV=""/>  
8736 </P>  
8737 <P>  
8738 <N>X\_InsertRTPStats</N>  
8739 <V X\_UD="Y" X\_DV="true"/>  
8740 </P>  
8741 <P>  
8742 <N>X\_MWISubscribe</N>  
8743 <V X\_UD="Y" X\_DV="false"/>  
8744 </P>  
8745 <P>  
8746 <N>X\_MWISubscribeURI</N>  
8747 <V X\_UD="Y" X\_DV=""/>  
8748 </P>  
8749 <P>  
8750 <N>X\_MWISubscribeExpires</N>  
8751 <V X\_UD="Y" X\_DV="3600"/>  
8752 </P>  
8753 <P>  
8754 <N>X\_ProxyServerRedundancy</N>  
8755 <V X\_UD="Y" X\_DV="false"/>  
8756 </P>  
8757 <P>  
8758 <N>X\_SecondaryRegistration</N>  
8759 <V X\_UD="Y" X\_DV="false"/>  
8760 </P>  
8761 <P>  
8762 <N>X\_CheckPrimaryFallbackInterval</N>  
8763 <V X\_UD="Y" X\_DV="60"/>  
8764 </P>  
8765 <P>  
8766 <N>X\_CheckSecondaryFallbackInterval</N>  
8767 <V X\_UD="Y" X\_DV="60"/>  
8768 </P>  
8769 <P>  
8770 <N>X\_ProxyFailoverResponseCodes</N>  
8771 <V X\_UD="Y" X\_DV="([5-9]xx)"/>

8772 </P>  
8773 <P>  
8774 <N>X\_InviteFailoverWaitRegTimer</N>  
8775 <V X\_UD="Y" X\_DV="32000"/>  
8776 </P>  
8777 <P>  
8778 <N>X\_ProxyRequire</N>  
8779 <V X\_UD="Y" X\_DV=""/>  
8780 </P>  
8781 <P>  
8782 <N>X\_MaxForward</N>  
8783 <V X\_UD="Y" X\_DV="70"/>  
8784 </P>  
8785 <P>  
8786 <N>X\_AcceptLanguage</N>  
8787 <V X\_UD="Y" X\_DV=""/>  
8788 </P>  
8789 <P>  
8790 <N>X\_DnsSrv</N>  
8791 <V X\_UD="Y" X\_DV="true"/>  
8792 </P>  
8793 <P>  
8794 <N>X\_DnsSrvAutoPrefix</N>  
8795 <V X\_UD="Y" X\_DV="false"/>  
8796 </P>  
8797 <P>  
8798 <N>X\_Support100rel</N>  
8799 <V X\_UD="Y" X\_DV="false"/>  
8800 </P>  
8801 <P>  
8802 <N>X\_UserEqPhone</N>  
8803 <V X\_UD="Y" X\_DV="false"/>  
8804 </P>  
8805 <P>  
8806 <N>X\_UseTelURI</N>  
8807 <V X\_UD="Y" X\_DV="false"/>  
8808 </P>  
8809 <P>  
8810 <N>X\_CallWaitingIndication</N>  
8811 <V X\_UD="Y" X\_DV="No"/>  
8812 </P>  
8813 <P>  
8814 <N>X\_DiscoverPublicAddress</N>  
8815 <V X\_UD="Y" X\_DV="false"/>  
8816 </P>  
8817 <P>  
8818 <N>X\_UsePublicAddressInVia</N>  
8819 <V X\_UD="Y" X\_DV="false"/>  
8820 </P>  
8821 <P>  
8822 <N>X\_PublicIPAddress</N>  
8823 <V X\_UD="Y" X\_DV=""/>  
8824 </P>  
8825 <P>  
8826 <N>X\_UseRport</N>  
8827 <V X\_UD="Y" X\_DV="true"/>  
8828 </P>  
8829 <P>  
8830 <N>X\_DetectALG</N>  
8831 <V X\_UD="Y" X\_DV="false"/>  
8832 </P>  
8833 <P>  
8834 <N>X\_UseCompactHeader</N>  
8835 <V X\_UD="Y" X\_DV="false"/>  
8836 </P>  
8837 <P>  
8838 <N>X\_OmitContentLength</N>

```
8839     <V X_UD="Y" X_DV="false"/>
8840 </P>
8841 <P>
8842     <N>X_IncludeMessageHash</N>
8843     <V X_UD="Y" X_DV="false"/>
8844 </P>
8845 <P>
8846     <N>X_EchoServer</N>
8847     <V X_UD="Y" X_DV=""/>
8848 </P>
8849 <P>
8850     <N>X_EchoServerPort</N>
8851     <V X_UD="Y" X_DV="5060"/>
8852 </P>
8853 <P>
8854     <N>X_EnableRFC2543CallHold</N>
8855     <V X_UD="Y" X_DV="false"/>
8856 </P>
8857 <P>
8858     <N>X_VerifyServerDomain</N>
8859     <V X_UD="Y" X_DV="false"/>
8860 </P>
8861 <P>
8862     <N>X_RejectKeyResponseCode</N>
8863     <V X_UD="Y" X_DV=""/>
8864 </P>
8865 <P>
8866     <N>X_Sticky18x</N>
8867     <V X_UD="Y" X_DV="true"/>
8868 </P>
8869 </O>
8870 <O>
8871     <N>VoiceService.1.VoiceProfile.2.SIP.</N>
8872     <P>
8873         <N>X_CallParkMethod</N>
8874         <V X_UD="Y" X_DV="Feature Code"/>
8875     </P>
8876     <P>
8877         <N>X_DirectedCallPickupMethod</N>
8878         <V X_UD="Y" X_DV="Feature Code"/>
8879     </P>
8880     <P>
8881         <N>X_ShareLineMethod</N>
8882         <V X_UD="Y" X_DV="call-info"/>
8883     </P>
8884     <P>
8885         <N>X_ASFeatureEventSubscribeExpires</N>
8886         <V X_UD="Y" X_DV="3600"/>
8887     </P>
8888     <P>
8889         <N>X_CallInfoSubscribeExpires</N>
8890         <V X_UD="Y" X_DV="3600"/>
8891     </P>
8892     <P>
8893         <N>X_LineSeizeSubscribeExpires</N>
8894         <V X_UD="Y" X_DV="15"/>
8895     </P>
8896 </O>
8897 <O>
8898     <N>VoiceService.1.VoiceProfile.2.X_FeatureCode.</N>
8899     <P>
8900         <N>DirectedCallPickup</N>
8901         <V X_UD="Y" X_DV="*97"/>
8902     </P>
8903     <P>
8904         <N>CallPickup</N>
8905         <V X_UD="Y" X_DV="*88"/>
```

```
8906     </P>
8907     <P>
8908         <N>Park</N>
8909         <V X_UD="Y" X_DV="*68"/>
8910     </P>
8911 </O>
8912 <O>
8913     <N>VoiceService.1.VoiceProfile.3.</N>
8914     <P>
8915         <N>Name</N>
8916         <V X_UD="Y" X_DV=""/>
8917     </P>
8918     <P>
8919         <N>SignalingProtocol</N>
8920         <V X_UD="Y" X_DV="SIP"/>
8921     </P>
8922     <P>
8923         <N>DTMFMethod</N>
8924         <V X_UD="Y" X_DV="Auto"/>
8925     </P>
8926     <P>
8927         <N>InbandDTMFVolume</N>
8928         <V X_UD="Y" X_DV="-15dB"/>
8929     </P>
8930     <P>
8931         <N>X_FixedDurationRFC2833DTMF</N>
8932         <V X_UD="Y" X_DV="16"/>
8933     </P>
8934     <P>
8935         <N>DigitMap</N>
8936         <V X_UD="Y"
8937           X_DV="(1xxxxxxxxxxx|&lt;1&gt;[2-9]xxxxxxxxxx|011xx.|xx.|(Mipd)|[^*#]@@.)"/>
8938     </P>
8939     <P>
8940         <N>STUNEnable</N>
8941         <V X_UD="Y" X_DV="false"/>
8942     </P>
8943     <P>
8944         <N>STUNServer</N>
8945         <V X_UD="Y" X_DV=""/>
8946     </P>
8947     <P>
8948         <N>X_STUNServerPort</N>
8949         <V X_UD="Y" X_DV="3478"/>
8950     </P>
8951     <P>
8952         <N>X_ICEEnable</N>
8953         <V X_UD="Y" X_DV="false"/>
8954     </P>
8955     <P>
8956         <N>X_SymmetricRTPEnable</N>
8957         <V X_UD="Y" X_DV="false"/>
8958     </P>
8959 </O>
8960 <O>
8961     <N>VoiceService.1.VoiceProfile.3.ServiceProviderInfo.</N>
8962     <P>
8963         <N>Name</N>
8964         <V X_UD="Y" X_DV=""/>
8965     </P>
8966     <P>
8967         <N>URL</N>
8968         <V X_UD="Y" X_DV=""/>
8969     </P>
8970     <P>
8971         <N>ContactPhoneNumber</N>
8972         <V X_UD="Y" X_DV=""/>
```

```
8972     </P>
8973     <P>
8974         <N>EmailAddress</N>
8975         <V X_UD="Y" X_DV="" />
8976     </P>
8977 </O>
8978 <O>
8979     <N>VoiceService.1.VoiceProfile.3.RTP.</N>
8980     <P>
8981         <N>LocalPortMin</N>
8982         <V X_UD="Y" X_DV="17000" />
8983     </P>
8984     <P>
8985         <N>LocalPortMax</N>
8986         <V X_UD="Y" X_DV="17098" />
8987     </P>
8988     <P>
8989         <N>KeepAliveInterval</N>
8990         <V X_UD="Y" X_DV="0" />
8991     </P>
8992     <P>
8993         <N>DSCPMark</N>
8994         <V X_UD="Y" X_DV="46" />
8995     </P>
8996     <P>
8997         <N>X_RefreshSession</N>
8998         <V X_UD="Y" X_DV="true" />
8999     </P>
9000     <P>
9001         <N>X_SymmetricMedia</N>
9002         <V X_UD="Y" X_DV="true" />
9003     </P>
9004 </O>
9005 <O>
9006     <N>VoiceService.1.VoiceProfile.3.RTP.RTCP.</N>
9007     <P>
9008         <N>Enable</N>
9009         <V X_UD="Y" X_DV="false" />
9010     </P>
9011     <P>
9012         <N>TxRepeatInterval</N>
9013         <V X_UD="Y" X_DV="10000" />
9014     </P>
9015     <P>
9016         <N>LocalCName</N>
9017         <V X_UD="Y" X_DV="" />
9018     </P>
9019     <P>
9020         <N>X_RTCPMux</N>
9021         <V X_UD="Y" X_DV="false" />
9022     </P>
9023     <P>
9024         <N>X_VqPublishEnable</N>
9025         <V X_UD="Y" X_DV="false" />
9026     </P>
9027     <P>
9028         <N>X_VqPublishUrl</N>
9029         <V X_UD="Y" X_DV="" />
9030     </P>
9031     <P>
9032         <N>X_VqPublishInterval</N>
9033         <V X_UD="Y" X_DV="0" />
9034     </P>
9035     <P>
9036         <N>X_VqPublishOnSSRCChange</N>
9037         <V X_UD="Y" X_DV="true" />
9038     </P>
```

```
9039 </O>
9040 <O>
9041 <N>VoiceService.1.VoiceProfile.3.RTP.JIB.</N>
9042 <P>
9043 <N>Adaptive</N>
9044 <V X_UD="Y" X_DV="true"/>
9045 </P>
9046 <P>
9047 <N>MaximumSize</N>
9048 <V X_UD="Y" X_DV="250"/>
9049 </P>
9050 <P>
9051 <N>SetPoint</N>
9052 <V X_UD="Y" X_DV="60"/>
9053 </P>
9054 <P>
9055 <N>Target</N>
9056 <V X_UD="Y" X_DV="20"/>
9057 </P>
9058 <P>
9059 <N>AdaptationSlope</N>
9060 <V X_UD="Y" X_DV="16"/>
9061 </P>
9062 </O>
9063 <O>
9064 <N>VoiceService.1.VoiceProfile.3.SIP.</N>
9065 <P>
9066 <N>ProxyServer</N>
9067 <V X_UD="Y" X_DV=""/>
9068 </P>
9069 <P>
9070 <N>ProxyServerPort</N>
9071 <V X_UD="Y" X_DV="5060"/>
9072 </P>
9073 <P>
9074 <N>ProxyServerTransport</N>
9075 <V X_UD="Y" X_DV="UDP"/>
9076 </P>
9077 <P>
9078 <N>RegistrarServer</N>
9079 <V X_UD="Y" X_DV=""/>
9080 </P>
9081 <P>
9082 <N>RegistrarServerPort</N>
9083 <V X_UD="Y" X_DV="5060"/>
9084 </P>
9085 <P>
9086 <N>X_XsiServer</N>
9087 <V X_UD="Y" X_DV=""/>
9088 </P>
9089 <P>
9090 <N>X_XsiServerPort</N>
9091 <V X_UD="Y" X_DV="0"/>
9092 </P>
9093 <P>
9094 <N>X_XsiServerScheme</N>
9095 <V X_UD="Y" X_DV="HTTP"/>
9096 </P>
9097 <P>
9098 <N>UserAgentDomain</N>
9099 <V X_UD="Y" X_DV=""/>
9100 </P>
9101 <P>
9102 <N>OutboundProxy</N>
9103 <V X_UD="Y" X_DV=""/>
9104 </P>
9105 <P>
```



```
9106     <N>OutboundProxyPort</N>
9107     <V X_UD="Y" X_DV="5060"/>
9108 </P>
9109 <P>
9110     <N>X_OutboundProxyTransport</N>
9111     <V X_UD="Y" X_DV="Follow ProxyServerTransport"/>
9112 </P>
9113 <P>
9114     <N>X_TLSecurityProfile</N>
9115     <V X_UD="Y" X_DV="1"/>
9116 </P>
9117 <P>
9118     <N>X_UserAgentContactFollowProxyServerTransport</N>
9119     <V X_UD="Y" X_DV="false"/>
9120 </P>
9121 <P>
9122     <N>X_BypassOutboundProxyInCall</N>
9123     <V X_UD="Y" X_DV="false"/>
9124 </P>
9125 <P>
9126     <N>RegistrationPeriod</N>
9127     <V X_UD="Y" X_DV="3600"/>
9128 </P>
9129 <P>
9130     <N>X_RegistrationMargin</N>
9131     <V X_UD="Y" X_DV=""/>
9132 </P>
9133 <P>
9134     <N>TimerT1</N>
9135     <V X_UD="Y" X_DV="500"/>
9136 </P>
9137 <P>
9138     <N>TimerT2</N>
9139     <V X_UD="Y" X_DV="4000"/>
9140 </P>
9141 <P>
9142     <N>TimerT4</N>
9143     <V X_UD="Y" X_DV="5000"/>
9144 </P>
9145 <P>
9146     <N>TimerA</N>
9147     <V X_UD="Y" X_DV="500"/>
9148 </P>
9149 <P>
9150     <N>TimerB</N>
9151     <V X_UD="Y" X_DV="32000"/>
9152 </P>
9153 <P>
9154     <N>TimerD</N>
9155     <V X_UD="Y" X_DV="32000"/>
9156 </P>
9157 <P>
9158     <N>TimerE</N>
9159     <V X_UD="Y" X_DV="500"/>
9160 </P>
9161 <P>
9162     <N>TimerF</N>
9163     <V X_UD="Y" X_DV="32000"/>
9164 </P>
9165 <P>
9166     <N>TimerG</N>
9167     <V X_UD="Y" X_DV="500"/>
9168 </P>
9169 <P>
9170     <N>TimerH</N>
9171     <V X_UD="Y" X_DV="32000"/>
9172 </P>
```

9173 <P>  
9174 <N>TimerI</N>  
9175 <V X\_UD="Y" X\_DV="5000"/>  
9176 </P>  
9177 <P>  
9178 <N>TimerJ</N>  
9179 <V X\_UD="Y" X\_DV="32000"/>  
9180 </P>  
9181 <P>  
9182 <N>TimerK</N>  
9183 <V X\_UD="Y" X\_DV="5000"/>  
9184 </P>  
9185 <P>  
9186 <N>InviteExpires</N>  
9187 <V X\_UD="Y" X\_DV="60"/>  
9188 </P>  
9189 <P>  
9190 <N>ReInviteExpires</N>  
9191 <V X\_UD="Y" X\_DV="10"/>  
9192 </P>  
9193 <P>  
9194 <N>RegisterMinExpires</N>  
9195 <V X\_UD="Y" X\_DV="15"/>  
9196 </P>  
9197 <P>  
9198 <N>RegisterRetryInterval</N>  
9199 <V X\_UD="Y" X\_DV="30"/>  
9200 </P>  
9201 <P>  
9202 <N>X\_RegisterRetryResponseCodes</N>  
9203 <V X\_UD="Y"  
X\_DV="( &lt;40 [17] :w120&gt; | &lt;40 [34] :w120&gt; | &lt;99 [01] :w120-200&gt; | [4-9]xx )"/>  
9204 </P>  
9205 <P>  
9206 <N>X\_RegisterIncludeInstance</N>  
9207 <V X\_UD="Y" X\_DV="true"/>  
9208 </P>  
9209 <P>  
9210 <N>DSCPMark</N>  
9211 <V X\_UD="Y" X\_DV="26"/>  
9212 </P>  
9213 <P>  
9214 <N>X\_SpoofCallerID</N>  
9215 <V X\_UD="Y" X\_DV="false"/>  
9216 </P>  
9217 <P>  
9218 <N>X\_UseRefer</N>  
9219 <V X\_UD="Y" X\_DV="true"/>  
9220 </P>  
9221 <P>  
9222 <N>X\_ReferAOR</N>  
9223 <V X\_UD="Y" X\_DV="true"/>  
9224 </P>  
9225 <P>  
9226 <N>X\_HoldReferee</N>  
9227 <V X\_UD="Y" X\_DV="false"/>  
9228 </P>  
9229 <P>  
9230 <N>X\_Use302ToCallForward</N>  
9231 <V X\_UD="Y" X\_DV="true"/>  
9232 </P>  
9233 <P>  
9234 <N>X\_UserAgentName</N>  
9235 <V X\_UD="Y" X\_DV="{literal}OBIHAI/{DM}-{FWV}/{literal}"/>  
9236 </P>  
9237 <P>  
9238 <N>X\_ProcessDateHeader</N>

9239 <V X\_UD="Y" X\_DV="true"/>  
9240 </P>  
9241 <P>  
9242 <N>X\_InsertRemotePartyID</N>  
9243 <V X\_UD="Y" X\_DV="false"/>  
9244 </P>  
9245 <P>  
9246 <N>X\_EnforcePAssertedIdentity</N>  
9247 <V X\_UD="Y" X\_DV="false"/>  
9248 </P>  
9249 <P>  
9250 <N>X\_InsertPPreferredIdentity</N>  
9251 <V X\_UD="Y" X\_DV="false"/>  
9252 </P>  
9253 <P>  
9254 <N>X\_InsertPrivacyHdr</N>  
9255 <V X\_UD="Y" X\_DV="false"/>  
9256 </P>  
9257 <P>  
9258 <N>X\_UseAnonymousFROM</N>  
9259 <V X\_UD="Y" X\_DV="false"/>  
9260 </P>  
9261 <P>  
9262 <N>X\_SessionRefresh</N>  
9263 <V X\_UD="Y" X\_DV="false"/>  
9264 </P>  
9265 <P>  
9266 <N>X\_SessionTimer</N>  
9267 <V X\_UD="Y" X\_DV="false"/>  
9268 </P>  
9269 <P>  
9270 <N>X\_SessionExpires</N>  
9271 <V X\_UD="Y" X\_DV="20"/>  
9272 </P>  
9273 <P>  
9274 <N>X\_AccessList</N>  
9275 <V X\_UD="Y" X\_DV=""/>  
9276 </P>  
9277 <P>  
9278 <N>X\_InsertRTPStats</N>  
9279 <V X\_UD="Y" X\_DV="true"/>  
9280 </P>  
9281 <P>  
9282 <N>X\_MWISubscribe</N>  
9283 <V X\_UD="Y" X\_DV="false"/>  
9284 </P>  
9285 <P>  
9286 <N>X\_MWISubscribeURI</N>  
9287 <V X\_UD="Y" X\_DV=""/>  
9288 </P>  
9289 <P>  
9290 <N>X\_MWISubscribeExpires</N>  
9291 <V X\_UD="Y" X\_DV="3600"/>  
9292 </P>  
9293 <P>  
9294 <N>X\_ProxyServerRedundancy</N>  
9295 <V X\_UD="Y" X\_DV="false"/>  
9296 </P>  
9297 <P>  
9298 <N>X\_SecondaryRegistration</N>  
9299 <V X\_UD="Y" X\_DV="false"/>  
9300 </P>  
9301 <P>  
9302 <N>X\_CheckPrimaryFallbackInterval</N>  
9303 <V X\_UD="Y" X\_DV="60"/>  
9304 </P>  
9305 <P>

9306 <N>X\_CheckSecondaryFallbackInterval</N>  
9307 <V X\_UD="Y" X\_DV="60"/>  
9308 </P>  
9309 <P>  
9310 <N>X\_ProxyFailoverResponseCodes</N>  
9311 <V X\_UD="Y" X\_DV="([5-9]xx)"/>  
9312 </P>  
9313 <P>  
9314 <N>X\_InviteFailoverWaitRegTimer</N>  
9315 <V X\_UD="Y" X\_DV="32000"/>  
9316 </P>  
9317 <P>  
9318 <N>X\_ProxyRequire</N>  
9319 <V X\_UD="Y" X\_DV=""/>  
9320 </P>  
9321 <P>  
9322 <N>X\_MaxForward</N>  
9323 <V X\_UD="Y" X\_DV="70"/>  
9324 </P>  
9325 <P>  
9326 <N>X\_AcceptLanguage</N>  
9327 <V X\_UD="Y" X\_DV=""/>  
9328 </P>  
9329 <P>  
9330 <N>X\_DnsSrv</N>  
9331 <V X\_UD="Y" X\_DV="true"/>  
9332 </P>  
9333 <P>  
9334 <N>X\_DnsSrvAutoPrefix</N>  
9335 <V X\_UD="Y" X\_DV="false"/>  
9336 </P>  
9337 <P>  
9338 <N>X\_Support100rel</N>  
9339 <V X\_UD="Y" X\_DV="false"/>  
9340 </P>  
9341 <P>  
9342 <N>X\_UserEqPhone</N>  
9343 <V X\_UD="Y" X\_DV="false"/>  
9344 </P>  
9345 <P>  
9346 <N>X\_UseTelURI</N>  
9347 <V X\_UD="Y" X\_DV="false"/>  
9348 </P>  
9349 <P>  
9350 <N>X\_CallWaitingIndication</N>  
9351 <V X\_UD="Y" X\_DV="No"/>  
9352 </P>  
9353 <P>  
9354 <N>X\_DiscoverPublicAddress</N>  
9355 <V X\_UD="Y" X\_DV="false"/>  
9356 </P>  
9357 <P>  
9358 <N>X\_UsePublicAddressInVia</N>  
9359 <V X\_UD="Y" X\_DV="false"/>  
9360 </P>  
9361 <P>  
9362 <N>X\_PublicIPAddress</N>  
9363 <V X\_UD="Y" X\_DV=""/>  
9364 </P>  
9365 <P>  
9366 <N>X\_UseRport</N>  
9367 <V X\_UD="Y" X\_DV="true"/>  
9368 </P>  
9369 <P>  
9370 <N>X\_DetectALG</N>  
9371 <V X\_UD="Y" X\_DV="false"/>  
9372 </P>

```
9373 <P>
9374 <N>X_UseCompactHeader</N>
9375 <V X_UD="Y" X_DV="false"/>
9376 </P>
9377 <P>
9378 <N>X_OmitContentLength</N>
9379 <V X_UD="Y" X_DV="false"/>
9380 </P>
9381 <P>
9382 <N>X_IncludeMessageHash</N>
9383 <V X_UD="Y" X_DV="false"/>
9384 </P>
9385 <P>
9386 <N>X_EchoServer</N>
9387 <V X_UD="Y" X_DV=""/>
9388 </P>
9389 <P>
9390 <N>X_EchoServerPort</N>
9391 <V X_UD="Y" X_DV="5060"/>
9392 </P>
9393 <P>
9394 <N>X_EnableRFC2543CallHold</N>
9395 <V X_UD="Y" X_DV="false"/>
9396 </P>
9397 <P>
9398 <N>X_VerifyServerDomain</N>
9399 <V X_UD="Y" X_DV="false"/>
9400 </P>
9401 <P>
9402 <N>X_RejectKeyResponseCode</N>
9403 <V X_UD="Y" X_DV=""/>
9404 </P>
9405 <P>
9406 <N>X_Sticky18x</N>
9407 <V X_UD="Y" X_DV="true"/>
9408 </P>
9409 </O>
9410 <O>
9411 <N>VoiceService.1.VoiceProfile.3.SIP.</N>
9412 <P>
9413 <N>X_CallParkMethod</N>
9414 <V X_UD="Y" X_DV="Feature Code"/>
9415 </P>
9416 <P>
9417 <N>X_DirectedCallPickupMethod</N>
9418 <V X_UD="Y" X_DV="Feature Code"/>
9419 </P>
9420 <P>
9421 <N>X_ShareLineMethod</N>
9422 <V X_UD="Y" X_DV="call-info"/>
9423 </P>
9424 <P>
9425 <N>X_ASFeatureEventSubscribeExpires</N>
9426 <V X_UD="Y" X_DV="3600"/>
9427 </P>
9428 <P>
9429 <N>X_CallInfoSubscribeExpires</N>
9430 <V X_UD="Y" X_DV="3600"/>
9431 </P>
9432 <P>
9433 <N>X_LineSeizeSubscribeExpires</N>
9434 <V X_UD="Y" X_DV="15"/>
9435 </P>
9436 </O>
9437 <O>
9438 <N>VoiceService.1.VoiceProfile.3.X_FeatureCode.</N>
9439 <P>
```

```
9440     <N>DirectedCallPickup</N>
9441     <V X_UD="Y" X_DV="*97"/>
9442 </P>
9443 <P>
9444     <N>CallPickup</N>
9445     <V X_UD="Y" X_DV="*88"/>
9446 </P>
9447 <P>
9448     <N>Park</N>
9449     <V X_UD="Y" X_DV="*68"/>
9450 </P>
9451 </O>
9452 <O>
9453 <N>VoiceService.1.VoiceProfile.4.</N>
9454 <P>
9455     <N>Name</N>
9456     <V X_UD="Y" X_DV=""/>
9457 </P>
9458 <P>
9459     <N>SignalingProtocol</N>
9460     <V X_UD="Y" X_DV="SIP"/>
9461 </P>
9462 <P>
9463     <N>DTMFMethod</N>
9464     <V X_UD="Y" X_DV="Auto"/>
9465 </P>
9466 <P>
9467     <N>InbandDTMFVolume</N>
9468     <V X_UD="Y" X_DV="-15dB"/>
9469 </P>
9470 <P>
9471     <N>X_FixedDurationRFC2833DTMF</N>
9472     <V X_UD="Y" X_DV="16"/>
9473 </P>
9474 <P>
9475     <N>DigitMap</N>
9476     <V X_UD="Y"
9477       X_DV="(1xxxxxxxxxxx|&lt;1&gt;[2-9]xxxxxxxxxx|011xx.|xx.|(Mipd)|[^*#]@.)"/>
9478 </P>
9479 <P>
9480     <N>STUNEnable</N>
9481     <V X_UD="Y" X_DV="false"/>
9482 </P>
9483 <P>
9484     <N>STUNServer</N>
9485     <V X_UD="Y" X_DV=""/>
9486 </P>
9487 <P>
9488     <N>X_STUNServerPort</N>
9489     <V X_UD="Y" X_DV="3478"/>
9490 </P>
9491 <P>
9492     <N>X_ICEEnable</N>
9493     <V X_UD="Y" X_DV="false"/>
9494 </P>
9495 <P>
9496     <N>X_SymmetricRTPEnable</N>
9497     <V X_UD="Y" X_DV="false"/>
9498 </P>
9499 </O>
9500 <O>
9501 <N>VoiceService.1.VoiceProfile.4.ServiceProviderInfo.</N>
9502 <P>
9503     <N>Name</N>
9504     <V X_UD="Y" X_DV=""/>
9505 </P>
9506 <P>
```

```
9506     <N>URL</N>
9507     <V X_UD="Y" X_DV=""/>
9508 </P>
9509 <P>
9510     <N>ContactPhoneNumber</N>
9511     <V X_UD="Y" X_DV=""/>
9512 </P>
9513 <P>
9514     <N>EmailAddress</N>
9515     <V X_UD="Y" X_DV=""/>
9516 </P>
9517 </O>
9518 <O>
9519 <N>VoiceService.1.VoiceProfile.4.RTP.</N>
9520 <P>
9521     <N>LocalPortMin</N>
9522     <V X_UD="Y" X_DV="17100"/>
9523 </P>
9524 <P>
9525     <N>LocalPortMax</N>
9526     <V X_UD="Y" X_DV="17198"/>
9527 </P>
9528 <P>
9529     <N>KeepAliveInterval</N>
9530     <V X_UD="Y" X_DV="0"/>
9531 </P>
9532 <P>
9533     <N>DSCPMark</N>
9534     <V X_UD="Y" X_DV="46"/>
9535 </P>
9536 <P>
9537     <N>X_RefreshSession</N>
9538     <V X_UD="Y" X_DV="true"/>
9539 </P>
9540 <P>
9541     <N>X_SymmetricMedia</N>
9542     <V X_UD="Y" X_DV="true"/>
9543 </P>
9544 </O>
9545 <O>
9546 <N>VoiceService.1.VoiceProfile.4.RTP.RTCP.</N>
9547 <P>
9548     <N>Enable</N>
9549     <V X_UD="Y" X_DV="false"/>
9550 </P>
9551 <P>
9552     <N>TxRepeatInterval</N>
9553     <V X_UD="Y" X_DV="10000"/>
9554 </P>
9555 <P>
9556     <N>LocalCName</N>
9557     <V X_UD="Y" X_DV=""/>
9558 </P>
9559 <P>
9560     <N>X_RTCPMux</N>
9561     <V X_UD="Y" X_DV="false"/>
9562 </P>
9563 <P>
9564     <N>X_VqPublishEnable</N>
9565     <V X_UD="Y" X_DV="false"/>
9566 </P>
9567 <P>
9568     <N>X_VqPublishUrl</N>
9569     <V X_UD="Y" X_DV=""/>
9570 </P>
9571 <P>
9572     <N>X_VqPublishInterval</N>
```

```
9573     <V X_UD="Y" X_DV="0"/>
9574 </P>
9575 <P>
9576     <N>X_VqPublishOnSSRCChange</N>
9577     <V X_UD="Y" X_DV="true"/>
9578 </P>
9579 </O>
9580 <O>
9581     <N>VoiceService.1.VoiceProfile.4.RTP.JIB.</N>
9582     <P>
9583         <N>Adaptive</N>
9584         <V X_UD="Y" X_DV="true"/>
9585     </P>
9586     <P>
9587         <N>MaximumSize</N>
9588         <V X_UD="Y" X_DV="250"/>
9589     </P>
9590     <P>
9591         <N>SetPoint</N>
9592         <V X_UD="Y" X_DV="60"/>
9593     </P>
9594     <P>
9595         <N>Target</N>
9596         <V X_UD="Y" X_DV="20"/>
9597     </P>
9598     <P>
9599         <N>AdaptationSlope</N>
9600         <V X_UD="Y" X_DV="16"/>
9601     </P>
9602 </O>
9603 <O>
9604     <N>VoiceService.1.VoiceProfile.4.SIP.</N>
9605     <P>
9606         <N>ProxyServer</N>
9607         <V X_UD="Y" X_DV=""/>
9608     </P>
9609     <P>
9610         <N>ProxyServerPort</N>
9611         <V X_UD="Y" X_DV="5060"/>
9612     </P>
9613     <P>
9614         <N>ProxyServerTransport</N>
9615         <V X_UD="Y" X_DV="UDP"/>
9616     </P>
9617     <P>
9618         <N>RegistrarServer</N>
9619         <V X_UD="Y" X_DV=""/>
9620     </P>
9621     <P>
9622         <N>RegistrarServerPort</N>
9623         <V X_UD="Y" X_DV="5060"/>
9624     </P>
9625     <P>
9626         <N>X_XsiServer</N>
9627         <V X_UD="Y" X_DV=""/>
9628     </P>
9629     <P>
9630         <N>X_XsiServerPort</N>
9631         <V X_UD="Y" X_DV="0"/>
9632     </P>
9633     <P>
9634         <N>X_XsiServerScheme</N>
9635         <V X_UD="Y" X_DV="HTTP"/>
9636     </P>
9637     <P>
9638         <N>UserAgentDomain</N>
9639         <V X_UD="Y" X_DV=""/>
```



9640 </P>  
9641 <P>  
9642 <N>OutboundProxy</N>  
9643 <V X\_UD="Y" X\_DV=""/>  
9644 </P>  
9645 <P>  
9646 <N>OutboundProxyPort</N>  
9647 <V X\_UD="Y" X\_DV="5060"/>  
9648 </P>  
9649 <P>  
9650 <N>X\_OutboundProxyTransport</N>  
9651 <V X\_UD="Y" X\_DV="Follow ProxyServerTransport"/>  
9652 </P>  
9653 <P>  
9654 <N>X\_TLSSecurityProfile</N>  
9655 <V X\_UD="Y" X\_DV="1"/>  
9656 </P>  
9657 <P>  
9658 <N>X\_UserAgentContactFollowProxyServerTransport</N>  
9659 <V X\_UD="Y" X\_DV="false"/>  
9660 </P>  
9661 <P>  
9662 <N>X\_BypassOutboundProxyInCall</N>  
9663 <V X\_UD="Y" X\_DV="false"/>  
9664 </P>  
9665 <P>  
9666 <N>RegistrationPeriod</N>  
9667 <V X\_UD="Y" X\_DV="3600"/>  
9668 </P>  
9669 <P>  
9670 <N>X\_RegistrationMargin</N>  
9671 <V X\_UD="Y" X\_DV=""/>  
9672 </P>  
9673 <P>  
9674 <N>TimerT1</N>  
9675 <V X\_UD="Y" X\_DV="500"/>  
9676 </P>  
9677 <P>  
9678 <N>TimerT2</N>  
9679 <V X\_UD="Y" X\_DV="4000"/>  
9680 </P>  
9681 <P>  
9682 <N>TimerT4</N>  
9683 <V X\_UD="Y" X\_DV="5000"/>  
9684 </P>  
9685 <P>  
9686 <N>TimerA</N>  
9687 <V X\_UD="Y" X\_DV="500"/>  
9688 </P>  
9689 <P>  
9690 <N>TimerB</N>  
9691 <V X\_UD="Y" X\_DV="32000"/>  
9692 </P>  
9693 <P>  
9694 <N>TimerD</N>  
9695 <V X\_UD="Y" X\_DV="32000"/>  
9696 </P>  
9697 <P>  
9698 <N>TimerE</N>  
9699 <V X\_UD="Y" X\_DV="500"/>  
9700 </P>  
9701 <P>  
9702 <N>TimerF</N>  
9703 <V X\_UD="Y" X\_DV="32000"/>  
9704 </P>  
9705 <P>  
9706 <N>TimerG</N>

9707 <V X\_UD="Y" X\_DV="500"/>  
9708 </P>  
9709 <P>  
9710 <N>TimerH</N>  
9711 <V X\_UD="Y" X\_DV="32000"/>  
9712 </P>  
9713 <P>  
9714 <N>TimerI</N>  
9715 <V X\_UD="Y" X\_DV="5000"/>  
9716 </P>  
9717 <P>  
9718 <N>TimerJ</N>  
9719 <V X\_UD="Y" X\_DV="32000"/>  
9720 </P>  
9721 <P>  
9722 <N>TimerK</N>  
9723 <V X\_UD="Y" X\_DV="5000"/>  
9724 </P>  
9725 <P>  
9726 <N>InviteExpires</N>  
9727 <V X\_UD="Y" X\_DV="60"/>  
9728 </P>  
9729 <P>  
9730 <N>ReInviteExpires</N>  
9731 <V X\_UD="Y" X\_DV="10"/>  
9732 </P>  
9733 <P>  
9734 <N>RegisterMinExpires</N>  
9735 <V X\_UD="Y" X\_DV="15"/>  
9736 </P>  
9737 <P>  
9738 <N>RegisterRetryInterval</N>  
9739 <V X\_UD="Y" X\_DV="30"/>  
9740 </P>  
9741 <P>  
9742 <N>X\_RegisterRetryResponseCodes</N>  
9743 <V X\_UD="Y"  
X\_DV="( &lt;40[17]:w120&gt;|&lt;40[34]:w120&gt;|&lt;99[01]:w120-200&gt;|[4-9]xx)"/>  
9744 </P>  
9745 <P>  
9746 <N>X\_RegisterIncludeInstance</N>  
9747 <V X\_UD="Y" X\_DV="true"/>  
9748 </P>  
9749 <P>  
9750 <N>DSCPMark</N>  
9751 <V X\_UD="Y" X\_DV="26"/>  
9752 </P>  
9753 <P>  
9754 <N>X\_SpoofCallerID</N>  
9755 <V X\_UD="Y" X\_DV="false"/>  
9756 </P>  
9757 <P>  
9758 <N>X\_UseRefer</N>  
9759 <V X\_UD="Y" X\_DV="true"/>  
9760 </P>  
9761 <P>  
9762 <N>X\_ReferAOR</N>  
9763 <V X\_UD="Y" X\_DV="true"/>  
9764 </P>  
9765 <P>  
9766 <N>X\_HoldReferee</N>  
9767 <V X\_UD="Y" X\_DV="false"/>  
9768 </P>  
9769 <P>  
9770 <N>X\_Use302ToCallForward</N>  
9771 <V X\_UD="Y" X\_DV="true"/>  
9772 </P>

9773 <P>  
9774 <N>X\_UserAgentName</N>  
9775 <V X\_UD="Y" X\_DV="{literal}OBIHAI/\$\_{DM}-\$\_{FWV}{/literal}"/>  
9776 </P>  
9777 <P>  
9778 <N>X\_ProcessDateHeader</N>  
9779 <V X\_UD="Y" X\_DV="true"/>  
9780 </P>  
9781 <P>  
9782 <N>X\_InsertRemotePartyID</N>  
9783 <V X\_UD="Y" X\_DV="false"/>  
9784 </P>  
9785 <P>  
9786 <N>X\_EnforcePAssertedIdentity</N>  
9787 <V X\_UD="Y" X\_DV="false"/>  
9788 </P>  
9789 <P>  
9790 <N>X\_InsertPPreferredIdentity</N>  
9791 <V X\_UD="Y" X\_DV="false"/>  
9792 </P>  
9793 <P>  
9794 <N>X\_InsertPrivacyHdr</N>  
9795 <V X\_UD="Y" X\_DV="false"/>  
9796 </P>  
9797 <P>  
9798 <N>X\_UseAnonymousFROM</N>  
9799 <V X\_UD="Y" X\_DV="false"/>  
9800 </P>  
9801 <P>  
9802 <N>X\_SessionRefresh</N>  
9803 <V X\_UD="Y" X\_DV="false"/>  
9804 </P>  
9805 <P>  
9806 <N>X\_SessionTimer</N>  
9807 <V X\_UD="Y" X\_DV="false"/>  
9808 </P>  
9809 <P>  
9810 <N>X\_SessionExpires</N>  
9811 <V X\_UD="Y" X\_DV="20"/>  
9812 </P>  
9813 <P>  
9814 <N>X\_AccessList</N>  
9815 <V X\_UD="Y" X\_DV=""/>  
9816 </P>  
9817 <P>  
9818 <N>X\_InsertRTPStats</N>  
9819 <V X\_UD="Y" X\_DV="true"/>  
9820 </P>  
9821 <P>  
9822 <N>X\_MWISubscribe</N>  
9823 <V X\_UD="Y" X\_DV="false"/>  
9824 </P>  
9825 <P>  
9826 <N>X\_MWISubscribeURI</N>  
9827 <V X\_UD="Y" X\_DV=""/>  
9828 </P>  
9829 <P>  
9830 <N>X\_MWISubscribeExpires</N>  
9831 <V X\_UD="Y" X\_DV="3600"/>  
9832 </P>  
9833 <P>  
9834 <N>X\_ProxyServerRedundancy</N>  
9835 <V X\_UD="Y" X\_DV="false"/>  
9836 </P>  
9837 <P>  
9838 <N>X\_SecondaryRegistration</N>  
9839 <V X\_UD="Y" X\_DV="false"/>

9840 </P>  
9841 <P>  
9842 <N>X\_CheckPrimaryFallbackInterval</N>  
9843 <V X\_UD="Y" X\_DV="60"/>  
9844 </P>  
9845 <P>  
9846 <N>X\_CheckSecondaryFallbackInterval</N>  
9847 <V X\_UD="Y" X\_DV="60"/>  
9848 </P>  
9849 <P>  
9850 <N>X\_ProxyFailoverResponseCodes</N>  
9851 <V X\_UD="Y" X\_DV="([5-9]xx)"/>  
9852 </P>  
9853 <P>  
9854 <N>X\_InviteFailoverWaitRegTimer</N>  
9855 <V X\_UD="Y" X\_DV="32000"/>  
9856 </P>  
9857 <P>  
9858 <N>X\_ProxyRequire</N>  
9859 <V X\_UD="Y" X\_DV=""/>  
9860 </P>  
9861 <P>  
9862 <N>X\_MaxForward</N>  
9863 <V X\_UD="Y" X\_DV="70"/>  
9864 </P>  
9865 <P>  
9866 <N>X\_AcceptLanguage</N>  
9867 <V X\_UD="Y" X\_DV=""/>  
9868 </P>  
9869 <P>  
9870 <N>X\_DnsSrv</N>  
9871 <V X\_UD="Y" X\_DV="true"/>  
9872 </P>  
9873 <P>  
9874 <N>X\_DnsSrvAutoPrefix</N>  
9875 <V X\_UD="Y" X\_DV="false"/>  
9876 </P>  
9877 <P>  
9878 <N>X\_Support100rel</N>  
9879 <V X\_UD="Y" X\_DV="false"/>  
9880 </P>  
9881 <P>  
9882 <N>X\_UserEqPhone</N>  
9883 <V X\_UD="Y" X\_DV="false"/>  
9884 </P>  
9885 <P>  
9886 <N>X\_UseTelURI</N>  
9887 <V X\_UD="Y" X\_DV="false"/>  
9888 </P>  
9889 <P>  
9890 <N>X\_CallWaitingIndication</N>  
9891 <V X\_UD="Y" X\_DV="No"/>  
9892 </P>  
9893 <P>  
9894 <N>X\_DiscoverPublicAddress</N>  
9895 <V X\_UD="Y" X\_DV="false"/>  
9896 </P>  
9897 <P>  
9898 <N>X\_UsePublicAddressInVia</N>  
9899 <V X\_UD="Y" X\_DV="false"/>  
9900 </P>  
9901 <P>  
9902 <N>X\_PublicIPAddress</N>  
9903 <V X\_UD="Y" X\_DV=""/>  
9904 </P>  
9905 <P>  
9906 <N>X\_UseRport</N>

```
9907     <V X_UD="Y" X_DV="true"/>
9908 </P>
9909 <P>
9910     <N>X_DetectALG</N>
9911     <V X_UD="Y" X_DV="false"/>
9912 </P>
9913 <P>
9914     <N>X_UseCompactHeader</N>
9915     <V X_UD="Y" X_DV="false"/>
9916 </P>
9917 <P>
9918     <N>X_OmitContentLength</N>
9919     <V X_UD="Y" X_DV="false"/>
9920 </P>
9921 <P>
9922     <N>X_IncludeMessageHash</N>
9923     <V X_UD="Y" X_DV="false"/>
9924 </P>
9925 <P>
9926     <N>X_EchoServer</N>
9927     <V X_UD="Y" X_DV=""/>
9928 </P>
9929 <P>
9930     <N>X_EchoServerPort</N>
9931     <V X_UD="Y" X_DV="5060"/>
9932 </P>
9933 <P>
9934     <N>X_EnableRFC2543CallHold</N>
9935     <V X_UD="Y" X_DV="false"/>
9936 </P>
9937 <P>
9938     <N>X_VerifyServerDomain</N>
9939     <V X_UD="Y" X_DV="false"/>
9940 </P>
9941 <P>
9942     <N>X_RejectKeyResponseCode</N>
9943     <V X_UD="Y" X_DV=""/>
9944 </P>
9945 <P>
9946     <N>X_Sticky18x</N>
9947     <V X_UD="Y" X_DV="true"/>
9948 </P>
9949 </O>
9950 <O>
9951 <N>VoiceService.1.VoiceProfile.4.SIP.</N>
9952 <P>
9953     <N>X_CallParkMethod</N>
9954     <V X_UD="Y" X_DV="Feature Code"/>
9955 </P>
9956 <P>
9957     <N>X_DirectedCallPickupMethod</N>
9958     <V X_UD="Y" X_DV="Feature Code"/>
9959 </P>
9960 <P>
9961     <N>X_ShareLineMethod</N>
9962     <V X_UD="Y" X_DV="call-info"/>
9963 </P>
9964 <P>
9965     <N>X_ASFeatureEventSubscribeExpires</N>
9966     <V X_UD="Y" X_DV="3600"/>
9967 </P>
9968 <P>
9969     <N>X_CallInfoSubscribeExpires</N>
9970     <V X_UD="Y" X_DV="3600"/>
9971 </P>
9972 <P>
9973     <N>X_LineSeizeSubscribeExpires</N>
```

```
9974         <V X_UD="Y" X_DV="15"/>
9975     </P>
9976 </O>
9977 <O>
9978     <N>VoiceService.1.VoiceProfile.4.X_FeatureCode.</N>
9979     <P>
9980         <N>DirectedCallPickup</N>
9981         <V X_UD="Y" X_DV="*97"/>
9982     </P>
9983     <P>
9984         <N>CallPickup</N>
9985         <V X_UD="Y" X_DV="*88"/>
9986     </P>
9987     <P>
9988         <N>Park</N>
9989         <V X_UD="Y" X_DV="*68"/>
9990     </P>
9991 </O>
9992 <O>
9993     <N>VoiceService.1.VoiceProfile.5.</N>
9994     <P>
9995         <N>Name</N>
9996         <V X_UD="Y" X_DV=""/>
9997     </P>
9998     <P>
9999         <N>SignalingProtocol</N>
10000         <V X_UD="Y" X_DV="SIP"/>
10001     </P>
10002     <P>
10003         <N>DTMFMethod</N>
10004         <V X_UD="Y" X_DV="Auto"/>
10005     </P>
10006     <P>
10007         <N>InbandDTMFVolume</N>
10008         <V X_UD="Y" X_DV="-15dB"/>
10009     </P>
10010     <P>
10011         <N>X_FixedDurationRFC2833DTMF</N>
10012         <V X_UD="Y" X_DV="16"/>
10013     </P>
10014     <P>
10015         <N>DigitMap</N>
10016         <V X_UD="Y"
10017           X_DV="(1xxxxxxxxxxx|&lt;1&gt;[2-9]xxxxxxxxxx|011xx.|xx.|(Mipd)|[^*#]@.)/"/>
10018     </P>
10019     <P>
10020         <N>STUNEnable</N>
10021         <V X_UD="Y" X_DV="false"/>
10022     </P>
10023     <P>
10024         <N>STUNServer</N>
10025         <V X_UD="Y" X_DV=""/>
10026     </P>
10027     <P>
10028         <N>X_STUNServerPort</N>
10029         <V X_UD="Y" X_DV="3478"/>
10030     </P>
10031     <P>
10032         <N>X_ICEEnable</N>
10033         <V X_UD="Y" X_DV="false"/>
10034     </P>
10035     <P>
10036         <N>X_SymmetricRTPEnable</N>
10037         <V X_UD="Y" X_DV="false"/>
10038     </P>
10039 </O>
```

```
10040 <N>VoiceService.1.VoiceProfile.5.ServiceProviderInfo.</N>
10041 <P>
10042 <N>Name</N>
10043 <V X_UD="Y" X_DV=""/>
10044 </P>
10045 <P>
10046 <N>URL</N>
10047 <V X_UD="Y" X_DV=""/>
10048 </P>
10049 <P>
10050 <N>ContactPhoneNumber</N>
10051 <V X_UD="Y" X_DV=""/>
10052 </P>
10053 <P>
10054 <N>EmailAddress</N>
10055 <V X_UD="Y" X_DV=""/>
10056 </P>
10057 </O>
10058 <O>
10059 <N>VoiceService.1.VoiceProfile.5.RTP.</N>
10060 <P>
10061 <N>LocalPortMin</N>
10062 <V X_UD="Y" X_DV="17200"/>
10063 </P>
10064 <P>
10065 <N>LocalPortMax</N>
10066 <V X_UD="Y" X_DV="17298"/>
10067 </P>
10068 <P>
10069 <N>KeepAliveInterval</N>
10070 <V X_UD="Y" X_DV="0"/>
10071 </P>
10072 <P>
10073 <N>DSCPMark</N>
10074 <V X_UD="Y" X_DV="46"/>
10075 </P>
10076 <P>
10077 <N>X_RefreshSession</N>
10078 <V X_UD="Y" X_DV="true"/>
10079 </P>
10080 <P>
10081 <N>X_SymmetricMedia</N>
10082 <V X_UD="Y" X_DV="true"/>
10083 </P>
10084 </O>
10085 <O>
10086 <N>VoiceService.1.VoiceProfile.5.RTP.RTCP.</N>
10087 <P>
10088 <N>Enable</N>
10089 <V X_UD="Y" X_DV="false"/>
10090 </P>
10091 <P>
10092 <N>TxRepeatInterval</N>
10093 <V X_UD="Y" X_DV="10000"/>
10094 </P>
10095 <P>
10096 <N>LocalCName</N>
10097 <V X_UD="Y" X_DV=""/>
10098 </P>
10099 <P>
10100 <N>X_RTCPmux</N>
10101 <V X_UD="Y" X_DV="false"/>
10102 </P>
10103 <P>
10104 <N>X_VqPublishEnable</N>
10105 <V X_UD="Y" X_DV="false"/>
10106 </P>
```

```
10107 <P>
10108 <N>X_VqPublishUrl</N>
10109 <V X_UD="Y" X_DV=""/>
10110 </P>
10111 <P>
10112 <N>X_VqPublishInterval</N>
10113 <V X_UD="Y" X_DV="0"/>
10114 </P>
10115 <P>
10116 <N>X_VqPublishOnSSRCChange</N>
10117 <V X_UD="Y" X_DV="true"/>
10118 </P>
10119 </O>
10120 <O>
10121 <N>VoiceService.1.VoiceProfile.5.RTP.JIB.</N>
10122 <P>
10123 <N>Adaptive</N>
10124 <V X_UD="Y" X_DV="true"/>
10125 </P>
10126 <P>
10127 <N>MaximumSize</N>
10128 <V X_UD="Y" X_DV="250"/>
10129 </P>
10130 <P>
10131 <N>SetPoint</N>
10132 <V X_UD="Y" X_DV="60"/>
10133 </P>
10134 <P>
10135 <N>Target</N>
10136 <V X_UD="Y" X_DV="20"/>
10137 </P>
10138 <P>
10139 <N>AdaptationSlope</N>
10140 <V X_UD="Y" X_DV="16"/>
10141 </P>
10142 </O>
10143 <O>
10144 <N>VoiceService.1.VoiceProfile.5.SIP.</N>
10145 <P>
10146 <N>ProxyServer</N>
10147 <V X_UD="Y" X_DV=""/>
10148 </P>
10149 <P>
10150 <N>ProxyServerPort</N>
10151 <V X_UD="Y" X_DV="5060"/>
10152 </P>
10153 <P>
10154 <N>ProxyServerTransport</N>
10155 <V X_UD="Y" X_DV="UDP"/>
10156 </P>
10157 <P>
10158 <N>RegistrarServer</N>
10159 <V X_UD="Y" X_DV=""/>
10160 </P>
10161 <P>
10162 <N>RegistrarServerPort</N>
10163 <V X_UD="Y" X_DV="5060"/>
10164 </P>
10165 <P>
10166 <N>X_XsiServer</N>
10167 <V X_UD="Y" X_DV=""/>
10168 </P>
10169 <P>
10170 <N>X_XsiServerPort</N>
10171 <V X_UD="Y" X_DV="0"/>
10172 </P>
10173 <P>
```



10174 <N>X\_XsiServerScheme</N>  
10175 <V X\_UD="Y" X\_DV="HTTP"/>  
10176 </P>  
10177 <P>  
10178 <N>UserAgentDomain</N>  
10179 <V X\_UD="Y" X\_DV=""/>  
10180 </P>  
10181 <P>  
10182 <N>OutboundProxy</N>  
10183 <V X\_UD="Y" X\_DV=""/>  
10184 </P>  
10185 <P>  
10186 <N>OutboundProxyPort</N>  
10187 <V X\_UD="Y" X\_DV="5060"/>  
10188 </P>  
10189 <P>  
10190 <N>X\_OutboundProxyTransport</N>  
10191 <V X\_UD="Y" X\_DV="Follow ProxyServerTransport"/>  
10192 </P>  
10193 <P>  
10194 <N>X\_TLSecurityProfile</N>  
10195 <V X\_UD="Y" X\_DV="1"/>  
10196 </P>  
10197 <P>  
10198 <N>X\_UserAgentContactFollowProxyServerTransport</N>  
10199 <V X\_UD="Y" X\_DV="false"/>  
10200 </P>  
10201 <P>  
10202 <N>X\_BypassOutboundProxyInCall</N>  
10203 <V X\_UD="Y" X\_DV="false"/>  
10204 </P>  
10205 <P>  
10206 <N>RegistrationPeriod</N>  
10207 <V X\_UD="Y" X\_DV="3600"/>  
10208 </P>  
10209 <P>  
10210 <N>X\_RegistrationMargin</N>  
10211 <V X\_UD="Y" X\_DV=""/>  
10212 </P>  
10213 <P>  
10214 <N>TimerT1</N>  
10215 <V X\_UD="Y" X\_DV="500"/>  
10216 </P>  
10217 <P>  
10218 <N>TimerT2</N>  
10219 <V X\_UD="Y" X\_DV="4000"/>  
10220 </P>  
10221 <P>  
10222 <N>TimerT4</N>  
10223 <V X\_UD="Y" X\_DV="5000"/>  
10224 </P>  
10225 <P>  
10226 <N>TimerA</N>  
10227 <V X\_UD="Y" X\_DV="500"/>  
10228 </P>  
10229 <P>  
10230 <N>TimerB</N>  
10231 <V X\_UD="Y" X\_DV="32000"/>  
10232 </P>  
10233 <P>  
10234 <N>TimerD</N>  
10235 <V X\_UD="Y" X\_DV="32000"/>  
10236 </P>  
10237 <P>  
10238 <N>TimerE</N>  
10239 <V X\_UD="Y" X\_DV="500"/>  
10240 </P>

10241 <P>  
10242 <N>TimerF</N>  
10243 <V X\_UD="Y" X\_DV="32000"/>  
10244 </P>  
10245 <P>  
10246 <N>TimerG</N>  
10247 <V X\_UD="Y" X\_DV="500"/>  
10248 </P>  
10249 <P>  
10250 <N>TimerH</N>  
10251 <V X\_UD="Y" X\_DV="32000"/>  
10252 </P>  
10253 <P>  
10254 <N>TimerI</N>  
10255 <V X\_UD="Y" X\_DV="5000"/>  
10256 </P>  
10257 <P>  
10258 <N>TimerJ</N>  
10259 <V X\_UD="Y" X\_DV="32000"/>  
10260 </P>  
10261 <P>  
10262 <N>TimerK</N>  
10263 <V X\_UD="Y" X\_DV="5000"/>  
10264 </P>  
10265 <P>  
10266 <N>InviteExpires</N>  
10267 <V X\_UD="Y" X\_DV="60"/>  
10268 </P>  
10269 <P>  
10270 <N>ReInviteExpires</N>  
10271 <V X\_UD="Y" X\_DV="10"/>  
10272 </P>  
10273 <P>  
10274 <N>RegisterMinExpires</N>  
10275 <V X\_UD="Y" X\_DV="15"/>  
10276 </P>  
10277 <P>  
10278 <N>RegisterRetryInterval</N>  
10279 <V X\_UD="Y" X\_DV="30"/>  
10280 </P>  
10281 <P>  
10282 <N>X\_RegisterRetryResponseCodes</N>  
10283 <V X\_UD="Y"  
X\_DV="( &lt;t;40 [17] :w120&gt; | &lt;t;40 [34] :w120&gt; | &lt;t;99 [01] :w120-200&gt; | [4-9]xxx)"/>  
10284 </P>  
10285 <P>  
10286 <N>X\_RegisterIncludeInstance</N>  
10287 <V X\_UD="Y" X\_DV="true"/>  
10288 </P>  
10289 <P>  
10290 <N>DSCPMark</N>  
10291 <V X\_UD="Y" X\_DV="26"/>  
10292 </P>  
10293 <P>  
10294 <N>X\_SpoofCallerID</N>  
10295 <V X\_UD="Y" X\_DV="false"/>  
10296 </P>  
10297 <P>  
10298 <N>X\_UseRefer</N>  
10299 <V X\_UD="Y" X\_DV="true"/>  
10300 </P>  
10301 <P>  
10302 <N>X\_ReferAOR</N>  
10303 <V X\_UD="Y" X\_DV="true"/>  
10304 </P>  
10305 <P>  
10306 <N>X\_HoldReferee</N>

10307 <V X\_UD="Y" X\_DV="false"/>  
10308 </P>  
10309 <P>  
10310 <N>X\_Use302ToCallForward</N>  
10311 <V X\_UD="Y" X\_DV="true"/>  
10312 </P>  
10313 <P>  
10314 <N>X\_UserAgentName</N>  
10315 <V X\_UD="Y" X\_DV="{literal}OBIHAI/ \${DM} - \${FWV} {/literal}"/>  
10316 </P>  
10317 <P>  
10318 <N>X\_ProcessDateHeader</N>  
10319 <V X\_UD="Y" X\_DV="true"/>  
10320 </P>  
10321 <P>  
10322 <N>X\_InsertRemotePartyID</N>  
10323 <V X\_UD="Y" X\_DV="false"/>  
10324 </P>  
10325 <P>  
10326 <N>X\_EnforcePAssertedIdentity</N>  
10327 <V X\_UD="Y" X\_DV="false"/>  
10328 </P>  
10329 <P>  
10330 <N>X\_InsertPPreferredIdentity</N>  
10331 <V X\_UD="Y" X\_DV="false"/>  
10332 </P>  
10333 <P>  
10334 <N>X\_InsertPrivacyHdr</N>  
10335 <V X\_UD="Y" X\_DV="false"/>  
10336 </P>  
10337 <P>  
10338 <N>X\_UseAnonymousFROM</N>  
10339 <V X\_UD="Y" X\_DV="false"/>  
10340 </P>  
10341 <P>  
10342 <N>X\_SessionRefresh</N>  
10343 <V X\_UD="Y" X\_DV="false"/>  
10344 </P>  
10345 <P>  
10346 <N>X\_SessionTimer</N>  
10347 <V X\_UD="Y" X\_DV="false"/>  
10348 </P>  
10349 <P>  
10350 <N>X\_SessionExpires</N>  
10351 <V X\_UD="Y" X\_DV="20"/>  
10352 </P>  
10353 <P>  
10354 <N>X\_AccessList</N>  
10355 <V X\_UD="Y" X\_DV=""/>  
10356 </P>  
10357 <P>  
10358 <N>X\_InsertRTPStats</N>  
10359 <V X\_UD="Y" X\_DV="true"/>  
10360 </P>  
10361 <P>  
10362 <N>X\_MWISubscribe</N>  
10363 <V X\_UD="Y" X\_DV="false"/>  
10364 </P>  
10365 <P>  
10366 <N>X\_MWISubscribeURI</N>  
10367 <V X\_UD="Y" X\_DV=""/>  
10368 </P>  
10369 <P>  
10370 <N>X\_MWISubscribeExpires</N>  
10371 <V X\_UD="Y" X\_DV="3600"/>  
10372 </P>  
10373 <P>

10374 <N>X ProxyServerRedundancy</N>  
10375 <V X\_UD="Y" X\_DV="false"/>  
10376 </P>  
10377 <P>  
10378 <N>X SecondaryRegistration</N>  
10379 <V X\_UD="Y" X\_DV="false"/>  
10380 </P>  
10381 <P>  
10382 <N>X CheckPrimaryFallbackInterval</N>  
10383 <V X\_UD="Y" X\_DV="60"/>  
10384 </P>  
10385 <P>  
10386 <N>X CheckSecondaryFallbackInterval</N>  
10387 <V X\_UD="Y" X\_DV="60"/>  
10388 </P>  
10389 <P>  
10390 <N>X ProxyFailoverResponseCodes</N>  
10391 <V X\_UD="Y" X\_DV="([5-9]xx)"/>  
10392 </P>  
10393 <P>  
10394 <N>X InviteFailoverWaitRegTimer</N>  
10395 <V X\_UD="Y" X\_DV="32000"/>  
10396 </P>  
10397 <P>  
10398 <N>X ProxyRequire</N>  
10399 <V X\_UD="Y" X\_DV=""/>  
10400 </P>  
10401 <P>  
10402 <N>X MaxForward</N>  
10403 <V X\_UD="Y" X\_DV="70"/>  
10404 </P>  
10405 <P>  
10406 <N>X AcceptLanguage</N>  
10407 <V X\_UD="Y" X\_DV=""/>  
10408 </P>  
10409 <P>  
10410 <N>X DnsSrv</N>  
10411 <V X\_UD="Y" X\_DV="true"/>  
10412 </P>  
10413 <P>  
10414 <N>X DnsSrvAutoPrefix</N>  
10415 <V X\_UD="Y" X\_DV="false"/>  
10416 </P>  
10417 <P>  
10418 <N>X Support100rel</N>  
10419 <V X\_UD="Y" X\_DV="false"/>  
10420 </P>  
10421 <P>  
10422 <N>X UserEqPhone</N>  
10423 <V X\_UD="Y" X\_DV="false"/>  
10424 </P>  
10425 <P>  
10426 <N>X UseTelURI</N>  
10427 <V X\_UD="Y" X\_DV="false"/>  
10428 </P>  
10429 <P>  
10430 <N>X CallWaitingIndication</N>  
10431 <V X\_UD="Y" X\_DV="No"/>  
10432 </P>  
10433 <P>  
10434 <N>X DiscoverPublicAddress</N>  
10435 <V X\_UD="Y" X\_DV="false"/>  
10436 </P>  
10437 <P>  
10438 <N>X UsePublicAddressInVia</N>  
10439 <V X\_UD="Y" X\_DV="false"/>  
10440 </P>

```
10441 <P>
10442 <N>X_PublicIPAddress</N>
10443 <V X_UD="Y" X_DV=""/>
10444 </P>
10445 <P>
10446 <N>X_UseRport</N>
10447 <V X_UD="Y" X_DV="true"/>
10448 </P>
10449 <P>
10450 <N>X_DetectALG</N>
10451 <V X_UD="Y" X_DV="false"/>
10452 </P>
10453 <P>
10454 <N>X_UseCompactHeader</N>
10455 <V X_UD="Y" X_DV="false"/>
10456 </P>
10457 <P>
10458 <N>X_OmitContentLength</N>
10459 <V X_UD="Y" X_DV="false"/>
10460 </P>
10461 <P>
10462 <N>X_IncludeMessageHash</N>
10463 <V X_UD="Y" X_DV="false"/>
10464 </P>
10465 <P>
10466 <N>X_EchoServer</N>
10467 <V X_UD="Y" X_DV=""/>
10468 </P>
10469 <P>
10470 <N>X_EchoServerPort</N>
10471 <V X_UD="Y" X_DV="5060"/>
10472 </P>
10473 <P>
10474 <N>X_EnableRFC2543CallHold</N>
10475 <V X_UD="Y" X_DV="false"/>
10476 </P>
10477 <P>
10478 <N>X_VerifyServerDomain</N>
10479 <V X_UD="Y" X_DV="false"/>
10480 </P>
10481 <P>
10482 <N>X_RejectKeyResponseCode</N>
10483 <V X_UD="Y" X_DV=""/>
10484 </P>
10485 <P>
10486 <N>X_Sticky18x</N>
10487 <V X_UD="Y" X_DV="true"/>
10488 </P>
10489 </O>
10490 <O>
10491 <N>VoiceService.1.VoiceProfile.5.SIP.</N>
10492 <P>
10493 <N>X_CallParkMethod</N>
10494 <V X_UD="Y" X_DV="Feature Code"/>
10495 </P>
10496 <P>
10497 <N>X_DirectedCallPickupMethod</N>
10498 <V X_UD="Y" X_DV="Feature Code"/>
10499 </P>
10500 <P>
10501 <N>X_ShareLineMethod</N>
10502 <V X_UD="Y" X_DV="call-info"/>
10503 </P>
10504 <P>
10505 <N>X_ASFeatureEventSubscribeExpires</N>
10506 <V X_UD="Y" X_DV="3600"/>
10507 </P>
```

10508 <P>  
10509 <N>X\_CallInfoSubscribeExpires</N>  
10510 <V X\_UD="Y" X\_DV="3600"/>  
10511 </P>  
10512 <P>  
10513 <N>X\_LineSeizeSubscribeExpires</N>  
10514 <V X\_UD="Y" X\_DV="15"/>  
10515 </P>  
10516 </O>  
10517 <O>  
10518 <N>VoiceService.1.VoiceProfile.5.X\_FeatureCode.</N>  
10519 <P>  
10520 <N>DirectedCallPickup</N>  
10521 <V X\_UD="Y" X\_DV="\*97"/>  
10522 </P>  
10523 <P>  
10524 <N>CallPickup</N>  
10525 <V X\_UD="Y" X\_DV="\*88"/>  
10526 </P>  
10527 <P>  
10528 <N>Park</N>  
10529 <V X\_UD="Y" X\_DV="\*68"/>  
10530 </P>  
10531 </O>  
10532 <O>  
10533 <N>VoiceService.1.VoiceProfile.6.</N>  
10534 <P>  
10535 <N>Name</N>  
10536 <V X\_UD="Y" X\_DV=""/>  
10537 </P>  
10538 <P>  
10539 <N>SignalingProtocol</N>  
10540 <V X\_UD="Y" X\_DV="SIP"/>  
10541 </P>  
10542 <P>  
10543 <N>DTMFMethod</N>  
10544 <V X\_UD="Y" X\_DV="Auto"/>  
10545 </P>  
10546 <P>  
10547 <N>InbandDTMFVolume</N>  
10548 <V X\_UD="Y" X\_DV="-15dB"/>  
10549 </P>  
10550 <P>  
10551 <N>X\_FixedDurationRFC2833DTMF</N>  
10552 <V X\_UD="Y" X\_DV="16"/>  
10553 </P>  
10554 <P>  
10555 <N>DigitMap</N>  
10556 <V X\_UD="Y"  
X\_DV="(1xxxxxxxxxxx|&lt;1&gt;[2-9]xxxxxxxxxx|011xx.|xx.|(Mipd)|[^\*#]@@.)"/>  
10557 </P>  
10558 <P>  
10559 <N>STUNEnable</N>  
10560 <V X\_UD="Y" X\_DV="false"/>  
10561 </P>  
10562 <P>  
10563 <N>STUNServer</N>  
10564 <V X\_UD="Y" X\_DV=""/>  
10565 </P>  
10566 <P>  
10567 <N>X\_STUNServerPort</N>  
10568 <V X\_UD="Y" X\_DV="3478"/>  
10569 </P>  
10570 <P>  
10571 <N>X\_ICEEnable</N>  
10572 <V X\_UD="Y" X\_DV="false"/>  
10573 </P>

```
10574     <P>
10575         <N>X_SymmetricRTPEnable</N>
10576         <V X_UD="Y" X_DV="false"/>
10577     </P>
10578 </O>
10579 <O>
10580     <N>VoiceService.1.VoiceProfile.6.ServiceProviderInfo.</N>
10581     <P>
10582         <N>Name</N>
10583         <V X_UD="Y" X_DV=""/>
10584     </P>
10585     <P>
10586         <N>URL</N>
10587         <V X_UD="Y" X_DV=""/>
10588     </P>
10589     <P>
10590         <N>ContactPhoneNumber</N>
10591         <V X_UD="Y" X_DV=""/>
10592     </P>
10593     <P>
10594         <N>EmailAddress</N>
10595         <V X_UD="Y" X_DV=""/>
10596     </P>
10597 </O>
10598 <O>
10599     <N>VoiceService.1.VoiceProfile.6.RTP.</N>
10600     <P>
10601         <N>LocalPortMin</N>
10602         <V X_UD="Y" X_DV="17300"/>
10603     </P>
10604     <P>
10605         <N>LocalPortMax</N>
10606         <V X_UD="Y" X_DV="17398"/>
10607     </P>
10608     <P>
10609         <N>KeepAliveInterval</N>
10610         <V X_UD="Y" X_DV="0"/>
10611     </P>
10612     <P>
10613         <N>DSCPMark</N>
10614         <V X_UD="Y" X_DV="46"/>
10615     </P>
10616     <P>
10617         <N>X_RefreshSession</N>
10618         <V X_UD="Y" X_DV="true"/>
10619     </P>
10620     <P>
10621         <N>X_SymmetricMedia</N>
10622         <V X_UD="Y" X_DV="true"/>
10623     </P>
10624 </O>
10625 <O>
10626     <N>VoiceService.1.VoiceProfile.6.RTP.RTCP.</N>
10627     <P>
10628         <N>Enable</N>
10629         <V X_UD="Y" X_DV="false"/>
10630     </P>
10631     <P>
10632         <N>TxRepeatInterval</N>
10633         <V X_UD="Y" X_DV="10000"/>
10634     </P>
10635     <P>
10636         <N>LocalCName</N>
10637         <V X_UD="Y" X_DV=""/>
10638     </P>
10639     <P>
10640         <N>X_RTCPMux</N>
```

```
10641     <V X_UD="Y" X_DV="false"/>
10642 </P>
10643 <P>
10644     <N>X_VqPublishEnable</N>
10645     <V X_UD="Y" X_DV="false"/>
10646 </P>
10647 <P>
10648     <N>X_VqPublishUrl</N>
10649     <V X_UD="Y" X_DV=""/>
10650 </P>
10651 <P>
10652     <N>X_VqPublishInterval</N>
10653     <V X_UD="Y" X_DV="0"/>
10654 </P>
10655 <P>
10656     <N>X_VqPublishOnSSRCChange</N>
10657     <V X_UD="Y" X_DV="true"/>
10658 </P>
10659 </O>
10660 <O>
10661     <N>VoiceService.1.VoiceProfile.6.RTP.JIB.</N>
10662 <P>
10663     <N>Adaptive</N>
10664     <V X_UD="Y" X_DV="true"/>
10665 </P>
10666 <P>
10667     <N>MaximumSize</N>
10668     <V X_UD="Y" X_DV="250"/>
10669 </P>
10670 <P>
10671     <N>SetPoint</N>
10672     <V X_UD="Y" X_DV="60"/>
10673 </P>
10674 <P>
10675     <N>Target</N>
10676     <V X_UD="Y" X_DV="20"/>
10677 </P>
10678 <P>
10679     <N>AdaptationSlope</N>
10680     <V X_UD="Y" X_DV="16"/>
10681 </P>
10682 </O>
10683 <O>
10684     <N>VoiceService.1.VoiceProfile.6.SIP.</N>
10685 <P>
10686     <N>ProxyServer</N>
10687     <V X_UD="Y" X_DV=""/>
10688 </P>
10689 <P>
10690     <N>ProxyServerPort</N>
10691     <V X_UD="Y" X_DV="5060"/>
10692 </P>
10693 <P>
10694     <N>ProxyServerTransport</N>
10695     <V X_UD="Y" X_DV="UDP"/>
10696 </P>
10697 <P>
10698     <N>RegistrarServer</N>
10699     <V X_UD="Y" X_DV=""/>
10700 </P>
10701 <P>
10702     <N>RegistrarServerPort</N>
10703     <V X_UD="Y" X_DV="5060"/>
10704 </P>
10705 <P>
10706     <N>X_XsiServer</N>
10707     <V X_UD="Y" X_DV=""/>
```



10708 </P>  
10709 <P>  
10710 <N>X\_XsiServerPort</N>  
10711 <V X\_UD="Y" X\_DV="0"/>  
10712 </P>  
10713 <P>  
10714 <N>X\_XsiServerScheme</N>  
10715 <V X\_UD="Y" X\_DV="HTTP"/>  
10716 </P>  
10717 <P>  
10718 <N>UserAgentDomain</N>  
10719 <V X\_UD="Y" X\_DV=""/>  
10720 </P>  
10721 <P>  
10722 <N>OutboundProxy</N>  
10723 <V X\_UD="Y" X\_DV=""/>  
10724 </P>  
10725 <P>  
10726 <N>OutboundProxyPort</N>  
10727 <V X\_UD="Y" X\_DV="5060"/>  
10728 </P>  
10729 <P>  
10730 <N>X\_OutboundProxyTransport</N>  
10731 <V X\_UD="Y" X\_DV="Follow ProxyServerTransport"/>  
10732 </P>  
10733 <P>  
10734 <N>X\_TLSSecurityProfile</N>  
10735 <V X\_UD="Y" X\_DV="1"/>  
10736 </P>  
10737 <P>  
10738 <N>X\_UserAgentContactFollowProxyServerTransport</N>  
10739 <V X\_UD="Y" X\_DV="false"/>  
10740 </P>  
10741 <P>  
10742 <N>X\_BypassOutboundProxyInCall</N>  
10743 <V X\_UD="Y" X\_DV="false"/>  
10744 </P>  
10745 <P>  
10746 <N>RegistrationPeriod</N>  
10747 <V X\_UD="Y" X\_DV="3600"/>  
10748 </P>  
10749 <P>  
10750 <N>X\_RegistrationMargin</N>  
10751 <V X\_UD="Y" X\_DV=""/>  
10752 </P>  
10753 <P>  
10754 <N>TimerT1</N>  
10755 <V X\_UD="Y" X\_DV="500"/>  
10756 </P>  
10757 <P>  
10758 <N>TimerT2</N>  
10759 <V X\_UD="Y" X\_DV="4000"/>  
10760 </P>  
10761 <P>  
10762 <N>TimerT4</N>  
10763 <V X\_UD="Y" X\_DV="5000"/>  
10764 </P>  
10765 <P>  
10766 <N>TimerA</N>  
10767 <V X\_UD="Y" X\_DV="500"/>  
10768 </P>  
10769 <P>  
10770 <N>TimerB</N>  
10771 <V X\_UD="Y" X\_DV="32000"/>  
10772 </P>  
10773 <P>  
10774 <N>TimerD</N>

10775 <V X\_UD="Y" X\_DV="32000"/>  
10776 </P>  
10777 <P>  
10778 <N>TimerE</N>  
10779 <V X\_UD="Y" X\_DV="500"/>  
10780 </P>  
10781 <P>  
10782 <N>TimerF</N>  
10783 <V X\_UD="Y" X\_DV="32000"/>  
10784 </P>  
10785 <P>  
10786 <N>TimerG</N>  
10787 <V X\_UD="Y" X\_DV="500"/>  
10788 </P>  
10789 <P>  
10790 <N>TimerH</N>  
10791 <V X\_UD="Y" X\_DV="32000"/>  
10792 </P>  
10793 <P>  
10794 <N>TimerI</N>  
10795 <V X\_UD="Y" X\_DV="5000"/>  
10796 </P>  
10797 <P>  
10798 <N>TimerJ</N>  
10799 <V X\_UD="Y" X\_DV="32000"/>  
10800 </P>  
10801 <P>  
10802 <N>TimerK</N>  
10803 <V X\_UD="Y" X\_DV="5000"/>  
10804 </P>  
10805 <P>  
10806 <N>InviteExpires</N>  
10807 <V X\_UD="Y" X\_DV="60"/>  
10808 </P>  
10809 <P>  
10810 <N>ReInviteExpires</N>  
10811 <V X\_UD="Y" X\_DV="10"/>  
10812 </P>  
10813 <P>  
10814 <N>RegisterMinExpires</N>  
10815 <V X\_UD="Y" X\_DV="15"/>  
10816 </P>  
10817 <P>  
10818 <N>RegisterRetryInterval</N>  
10819 <V X\_UD="Y" X\_DV="30"/>  
10820 </P>  
10821 <P>  
10822 <N>X\_RegisterRetryResponseCodes</N>  
10823 <V X\_UD="Y"  
X\_DV="( &lt;40 [17] :w120&gt; | &lt;40 [34] :w120&gt; | &lt;99 [01] :w120-200&gt; | [4-9]xx)"/>  
10824 </P>  
10825 <P>  
10826 <N>X\_RegisterIncludeInstance</N>  
10827 <V X\_UD="Y" X\_DV="true"/>  
10828 </P>  
10829 <P>  
10830 <N>DSCPMark</N>  
10831 <V X\_UD="Y" X\_DV="26"/>  
10832 </P>  
10833 <P>  
10834 <N>X\_SpoofCallerID</N>  
10835 <V X\_UD="Y" X\_DV="false"/>  
10836 </P>  
10837 <P>  
10838 <N>X\_UseRefer</N>  
10839 <V X\_UD="Y" X\_DV="true"/>  
10840 </P>

10841 <P>  
10842 <N>X\_ReferAOR</N>  
10843 <V X\_UD="Y" X\_DV="true"/>  
10844 </P>  
10845 <P>  
10846 <N>X\_HoldReferee</N>  
10847 <V X\_UD="Y" X\_DV="false"/>  
10848 </P>  
10849 <P>  
10850 <N>X\_Use302ToCallForward</N>  
10851 <V X\_UD="Y" X\_DV="true"/>  
10852 </P>  
10853 <P>  
10854 <N>X\_UserAgentName</N>  
10855 <V X\_UD="Y" X\_DV="{literal}OBIHAI/{DM}-{FWV}/{literal}"/>  
10856 </P>  
10857 <P>  
10858 <N>X\_ProcessDateHeader</N>  
10859 <V X\_UD="Y" X\_DV="true"/>  
10860 </P>  
10861 <P>  
10862 <N>X\_InsertRemotePartyID</N>  
10863 <V X\_UD="Y" X\_DV="false"/>  
10864 </P>  
10865 <P>  
10866 <N>X\_EnforcePAssertedIdentity</N>  
10867 <V X\_UD="Y" X\_DV="false"/>  
10868 </P>  
10869 <P>  
10870 <N>X\_InsertPPreferredIdentity</N>  
10871 <V X\_UD="Y" X\_DV="false"/>  
10872 </P>  
10873 <P>  
10874 <N>X\_InsertPrivacyHdr</N>  
10875 <V X\_UD="Y" X\_DV="false"/>  
10876 </P>  
10877 <P>  
10878 <N>X\_UseAnonymousFROM</N>  
10879 <V X\_UD="Y" X\_DV="false"/>  
10880 </P>  
10881 <P>  
10882 <N>X\_SessionRefresh</N>  
10883 <V X\_UD="Y" X\_DV="false"/>  
10884 </P>  
10885 <P>  
10886 <N>X\_SessionTimer</N>  
10887 <V X\_UD="Y" X\_DV="false"/>  
10888 </P>  
10889 <P>  
10890 <N>X\_SessionExpires</N>  
10891 <V X\_UD="Y" X\_DV="20"/>  
10892 </P>  
10893 <P>  
10894 <N>X\_AccessList</N>  
10895 <V X\_UD="Y" X\_DV=""/>  
10896 </P>  
10897 <P>  
10898 <N>X\_InsertRTPStats</N>  
10899 <V X\_UD="Y" X\_DV="true"/>  
10900 </P>  
10901 <P>  
10902 <N>X\_MWISubscribe</N>  
10903 <V X\_UD="Y" X\_DV="false"/>  
10904 </P>  
10905 <P>  
10906 <N>X\_MWISubscribeURI</N>  
10907 <V X\_UD="Y" X\_DV=""/>

10908 </P>  
10909 <P>  
10910 <N>X\_MWISubscribeExpires</N>  
10911 <V X\_UD="Y" X\_DV="3600"/>  
10912 </P>  
10913 <P>  
10914 <N>X\_ProxyServerRedundancy</N>  
10915 <V X\_UD="Y" X\_DV="false"/>  
10916 </P>  
10917 <P>  
10918 <N>X\_SecondaryRegistration</N>  
10919 <V X\_UD="Y" X\_DV="false"/>  
10920 </P>  
10921 <P>  
10922 <N>X\_CheckPrimaryFallbackInterval</N>  
10923 <V X\_UD="Y" X\_DV="60"/>  
10924 </P>  
10925 <P>  
10926 <N>X\_CheckSecondaryFallbackInterval</N>  
10927 <V X\_UD="Y" X\_DV="60"/>  
10928 </P>  
10929 <P>  
10930 <N>X\_ProxyFailoverResponseCodes</N>  
10931 <V X\_UD="Y" X\_DV="([5-9]xx)"/>  
10932 </P>  
10933 <P>  
10934 <N>X\_InviteFailoverWaitRegTimer</N>  
10935 <V X\_UD="Y" X\_DV="32000"/>  
10936 </P>  
10937 <P>  
10938 <N>X\_ProxyRequire</N>  
10939 <V X\_UD="Y" X\_DV=""/>  
10940 </P>  
10941 <P>  
10942 <N>X\_MaxForward</N>  
10943 <V X\_UD="Y" X\_DV="70"/>  
10944 </P>  
10945 <P>  
10946 <N>X\_AcceptLanguage</N>  
10947 <V X\_UD="Y" X\_DV=""/>  
10948 </P>  
10949 <P>  
10950 <N>X\_DnsSrv</N>  
10951 <V X\_UD="Y" X\_DV="true"/>  
10952 </P>  
10953 <P>  
10954 <N>X\_DnsSrvAutoPrefix</N>  
10955 <V X\_UD="Y" X\_DV="false"/>  
10956 </P>  
10957 <P>  
10958 <N>X\_Support100rel</N>  
10959 <V X\_UD="Y" X\_DV="false"/>  
10960 </P>  
10961 <P>  
10962 <N>X\_UserEqPhone</N>  
10963 <V X\_UD="Y" X\_DV="false"/>  
10964 </P>  
10965 <P>  
10966 <N>X\_UseTelURI</N>  
10967 <V X\_UD="Y" X\_DV="false"/>  
10968 </P>  
10969 <P>  
10970 <N>X\_CallWaitingIndication</N>  
10971 <V X\_UD="Y" X\_DV="No"/>  
10972 </P>  
10973 <P>  
10974 <N>X\_DiscoverPublicAddress</N>

```
10975     <V X_UD="Y" X_DV="false"/>
10976 </P>
10977 <P>
10978     <N>X_UsePublicAddressInVia</N>
10979     <V X_UD="Y" X_DV="false"/>
10980 </P>
10981 <P>
10982     <N>X_PublicIPAddress</N>
10983     <V X_UD="Y" X_DV=""/>
10984 </P>
10985 <P>
10986     <N>X_UseRport</N>
10987     <V X_UD="Y" X_DV="true"/>
10988 </P>
10989 <P>
10990     <N>X_DetectALG</N>
10991     <V X_UD="Y" X_DV="false"/>
10992 </P>
10993 <P>
10994     <N>X_UseCompactHeader</N>
10995     <V X_UD="Y" X_DV="false"/>
10996 </P>
10997 <P>
10998     <N>X_OmitContentLength</N>
10999     <V X_UD="Y" X_DV="false"/>
11000 </P>
11001 <P>
11002     <N>X_IncludeMessageHash</N>
11003     <V X_UD="Y" X_DV="false"/>
11004 </P>
11005 <P>
11006     <N>X_EchoServer</N>
11007     <V X_UD="Y" X_DV=""/>
11008 </P>
11009 <P>
11010     <N>X_EchoServerPort</N>
11011     <V X_UD="Y" X_DV="5060"/>
11012 </P>
11013 <P>
11014     <N>X_EnableRFC2543CallHold</N>
11015     <V X_UD="Y" X_DV="false"/>
11016 </P>
11017 <P>
11018     <N>X_VerifyServerDomain</N>
11019     <V X_UD="Y" X_DV="false"/>
11020 </P>
11021 <P>
11022     <N>X_RejectKeyResponseCode</N>
11023     <V X_UD="Y" X_DV=""/>
11024 </P>
11025 <P>
11026     <N>X_Sticky18x</N>
11027     <V X_UD="Y" X_DV="true"/>
11028 </P>
11029 </O>
11030 <O>
11031     <N>VoiceService.1.VoiceProfile.6.SIP.</N>
11032     <P>
11033         <N>X_CallParkMethod</N>
11034         <V X_UD="Y" X_DV="Feature Code"/>
11035     </P>
11036     <P>
11037         <N>X_DirectedCallPickupMethod</N>
11038         <V X_UD="Y" X_DV="Feature Code"/>
11039     </P>
11040     <P>
11041         <N>X_ShareLineMethod</N>
```

```
11042     <V X_UD="Y" X_DV="call-info"/>
11043 </P>
11044 <P>
11045     <N>X_ASFeatureEventSubscribeExpires</N>
11046     <V X_UD="Y" X_DV="3600"/>
11047 </P>
11048 <P>
11049     <N>X_CallInfoSubscribeExpires</N>
11050     <V X_UD="Y" X_DV="3600"/>
11051 </P>
11052 <P>
11053     <N>X_LineSeizeSubscribeExpires</N>
11054     <V X_UD="Y" X_DV="15"/>
11055 </P>
11056 </O>
11057 <O>
11058     <N>VoiceService.1.VoiceProfile.6.X_FeatureCode.</N>
11059 <P>
11060     <N>DirectedCallPickup</N>
11061     <V X_UD="Y" X_DV="*97"/>
11062 </P>
11063 <P>
11064     <N>CallPickup</N>
11065     <V X_UD="Y" X_DV="*88"/>
11066 </P>
11067 <P>
11068     <N>Park</N>
11069     <V X_UD="Y" X_DV="*68"/>
11070 </P>
11071 </O>
11072 <O>
11073     <N>VoiceService.1.VoiceProfile.7.</N>
11074 <P>
11075     <N>Name</N>
11076     <V X_UD="Y" X_DV=""/>
11077 </P>
11078 <P>
11079     <N>SignalingProtocol</N>
11080     <V X_UD="Y" X_DV="SIP"/>
11081 </P>
11082 <P>
11083     <N>DTMFMethod</N>
11084     <V X_UD="Y" X_DV="Auto"/>
11085 </P>
11086 <P>
11087     <N>InbandDTMFVolume</N>
11088     <V X_UD="Y" X_DV="-15dB"/>
11089 </P>
11090 <P>
11091     <N>X_FixedDurationRFC2833DTMF</N>
11092     <V X_UD="Y" X_DV="16"/>
11093 </P>
11094 <P>
11095     <N>DigitMap</N>
11096     <V X_UD="Y"
11097       X_DV="(1xxxxxxxxxxx|&lt;1&gt;[2-9]xxxxxxxxxx|011xx.|xx.|(Mipd)|[^\#]@.)"/>
11097 </P>
11098 <P>
11099     <N>STUNEnable</N>
11100     <V X_UD="Y" X_DV="false"/>
11101 </P>
11102 <P>
11103     <N>STUNServer</N>
11104     <V X_UD="Y" X_DV=""/>
11105 </P>
11106 <P>
11107     <N>X_STUNServerPort</N>
```

```
11108     <V X_UD="Y" X_DV="3478"/>
11109 </P>
11110 <P>
11111     <N>X_ICEEEnable</N>
11112     <V X_UD="Y" X_DV="false"/>
11113 </P>
11114 <P>
11115     <N>X_SymmetricRTPEnable</N>
11116     <V X_UD="Y" X_DV="false"/>
11117 </P>
11118 </O>
11119 <O>
11120 <N>VoiceService.1.VoiceProfile.7.ServiceProviderInfo.</N>
11121 <P>
11122     <N>Name</N>
11123     <V X_UD="Y" X_DV=""/>
11124 </P>
11125 <P>
11126     <N>URL</N>
11127     <V X_UD="Y" X_DV=""/>
11128 </P>
11129 <P>
11130     <N>ContactPhoneNumber</N>
11131     <V X_UD="Y" X_DV=""/>
11132 </P>
11133 <P>
11134     <N>EmailAddress</N>
11135     <V X_UD="Y" X_DV=""/>
11136 </P>
11137 </O>
11138 <O>
11139 <N>VoiceService.1.VoiceProfile.7.RTP.</N>
11140 <P>
11141     <N>LocalPortMin</N>
11142     <V X_UD="Y" X_DV="17400"/>
11143 </P>
11144 <P>
11145     <N>LocalPortMax</N>
11146     <V X_UD="Y" X_DV="17498"/>
11147 </P>
11148 <P>
11149     <N>KeepAliveInterval</N>
11150     <V X_UD="Y" X_DV="0"/>
11151 </P>
11152 <P>
11153     <N>DSCPMark</N>
11154     <V X_UD="Y" X_DV="46"/>
11155 </P>
11156 <P>
11157     <N>X_RefreshSession</N>
11158     <V X_UD="Y" X_DV="true"/>
11159 </P>
11160 <P>
11161     <N>X_SymmetricMedia</N>
11162     <V X_UD="Y" X_DV="true"/>
11163 </P>
11164 </O>
11165 <O>
11166 <N>VoiceService.1.VoiceProfile.7.RTP.RTCP.</N>
11167 <P>
11168     <N>Enable</N>
11169     <V X_UD="Y" X_DV="false"/>
11170 </P>
11171 <P>
11172     <N>TxRepeatInterval</N>
11173     <V X_UD="Y" X_DV="10000"/>
11174 </P>
```

```
11175 <P>
11176 <N>LocalCName</N>
11177 <V X_UD="Y" X_DV=""/>
11178 </P>
11179 <P>
11180 <N>X_RTCPMux</N>
11181 <V X_UD="Y" X_DV="false"/>
11182 </P>
11183 <P>
11184 <N>X_VqPublishEnable</N>
11185 <V X_UD="Y" X_DV="false"/>
11186 </P>
11187 <P>
11188 <N>X_VqPublishUrl</N>
11189 <V X_UD="Y" X_DV=""/>
11190 </P>
11191 <P>
11192 <N>X_VqPublishInterval</N>
11193 <V X_UD="Y" X_DV="0"/>
11194 </P>
11195 <P>
11196 <N>X_VqPublishOnSSRCChange</N>
11197 <V X_UD="Y" X_DV="true"/>
11198 </P>
11199 </O>
11200 <O>
11201 <N>VoiceService.1.VoiceProfile.7.RTP.JIB.</N>
11202 <P>
11203 <N>Adaptive</N>
11204 <V X_UD="Y" X_DV="true"/>
11205 </P>
11206 <P>
11207 <N>MaximumSize</N>
11208 <V X_UD="Y" X_DV="250"/>
11209 </P>
11210 <P>
11211 <N>SetPoint</N>
11212 <V X_UD="Y" X_DV="60"/>
11213 </P>
11214 <P>
11215 <N>Target</N>
11216 <V X_UD="Y" X_DV="20"/>
11217 </P>
11218 <P>
11219 <N>AdaptationSlope</N>
11220 <V X_UD="Y" X_DV="16"/>
11221 </P>
11222 </O>
11223 <O>
11224 <N>VoiceService.1.VoiceProfile.7.SIP.</N>
11225 <P>
11226 <N>ProxyServer</N>
11227 <V X_UD="Y" X_DV=""/>
11228 </P>
11229 <P>
11230 <N>ProxyServerPort</N>
11231 <V X_UD="Y" X_DV="5060"/>
11232 </P>
11233 <P>
11234 <N>ProxyServerTransport</N>
11235 <V X_UD="Y" X_DV="UDP"/>
11236 </P>
11237 <P>
11238 <N>RegistrarServer</N>
11239 <V X_UD="Y" X_DV=""/>
11240 </P>
11241 <P>
```



11242 <N>RegistrarServerPort</N>  
11243 <V X\_UD="Y" X\_DV="5060"/>  
11244 </P>  
11245 <P>  
11246 <N>X\_XsiServer</N>  
11247 <V X\_UD="Y" X\_DV=""/>  
11248 </P>  
11249 <P>  
11250 <N>X\_XsiServerPort</N>  
11251 <V X\_UD="Y" X\_DV="0"/>  
11252 </P>  
11253 <P>  
11254 <N>X\_XsiServerScheme</N>  
11255 <V X\_UD="Y" X\_DV="HTTP"/>  
11256 </P>  
11257 <P>  
11258 <N>UserAgentDomain</N>  
11259 <V X\_UD="Y" X\_DV=""/>  
11260 </P>  
11261 <P>  
11262 <N>OutboundProxy</N>  
11263 <V X\_UD="Y" X\_DV=""/>  
11264 </P>  
11265 <P>  
11266 <N>OutboundProxyPort</N>  
11267 <V X\_UD="Y" X\_DV="5060"/>  
11268 </P>  
11269 <P>  
11270 <N>X\_OutboundProxyTransport</N>  
11271 <V X\_UD="Y" X\_DV="Follow ProxyServerTransport"/>  
11272 </P>  
11273 <P>  
11274 <N>X\_TLSSecurityProfile</N>  
11275 <V X\_UD="Y" X\_DV="1"/>  
11276 </P>  
11277 <P>  
11278 <N>X\_UserAgentContactFollowProxyServerTransport</N>  
11279 <V X\_UD="Y" X\_DV="false"/>  
11280 </P>  
11281 <P>  
11282 <N>X\_BypassOutboundProxyInCall</N>  
11283 <V X\_UD="Y" X\_DV="false"/>  
11284 </P>  
11285 <P>  
11286 <N>RegistrationPeriod</N>  
11287 <V X\_UD="Y" X\_DV="3600"/>  
11288 </P>  
11289 <P>  
11290 <N>X\_RegistrationMargin</N>  
11291 <V X\_UD="Y" X\_DV=""/>  
11292 </P>  
11293 <P>  
11294 <N>TimerT1</N>  
11295 <V X\_UD="Y" X\_DV="500"/>  
11296 </P>  
11297 <P>  
11298 <N>TimerT2</N>  
11299 <V X\_UD="Y" X\_DV="4000"/>  
11300 </P>  
11301 <P>  
11302 <N>TimerT4</N>  
11303 <V X\_UD="Y" X\_DV="5000"/>  
11304 </P>  
11305 <P>  
11306 <N>TimerA</N>  
11307 <V X\_UD="Y" X\_DV="500"/>  
11308 </P>

11309 <P>  
11310 <N>TimerB</N>  
11311 <V X\_UD="Y" X\_DV="32000"/>  
11312 </P>  
11313 <P>  
11314 <N>TimerD</N>  
11315 <V X\_UD="Y" X\_DV="32000"/>  
11316 </P>  
11317 <P>  
11318 <N>TimerE</N>  
11319 <V X\_UD="Y" X\_DV="500"/>  
11320 </P>  
11321 <P>  
11322 <N>TimerF</N>  
11323 <V X\_UD="Y" X\_DV="32000"/>  
11324 </P>  
11325 <P>  
11326 <N>TimerG</N>  
11327 <V X\_UD="Y" X\_DV="500"/>  
11328 </P>  
11329 <P>  
11330 <N>TimerH</N>  
11331 <V X\_UD="Y" X\_DV="32000"/>  
11332 </P>  
11333 <P>  
11334 <N>TimerI</N>  
11335 <V X\_UD="Y" X\_DV="5000"/>  
11336 </P>  
11337 <P>  
11338 <N>TimerJ</N>  
11339 <V X\_UD="Y" X\_DV="32000"/>  
11340 </P>  
11341 <P>  
11342 <N>TimerK</N>  
11343 <V X\_UD="Y" X\_DV="5000"/>  
11344 </P>  
11345 <P>  
11346 <N>InviteExpires</N>  
11347 <V X\_UD="Y" X\_DV="60"/>  
11348 </P>  
11349 <P>  
11350 <N>ReInviteExpires</N>  
11351 <V X\_UD="Y" X\_DV="10"/>  
11352 </P>  
11353 <P>  
11354 <N>RegisterMinExpires</N>  
11355 <V X\_UD="Y" X\_DV="15"/>  
11356 </P>  
11357 <P>  
11358 <N>RegisterRetryInterval</N>  
11359 <V X\_UD="Y" X\_DV="30"/>  
11360 </P>  
11361 <P>  
11362 <N>X\_RegisterRetryResponseCodes</N>  
11363 <V X\_UD="Y"  
X\_DV="( &lt; ;40 [17] :w120&gt; ; | &lt; ;40 [34] :w120&gt; ; | &lt; ;99 [01] :w120-200&gt; ; | [4-9]xx) "/>  
11364 </P>  
11365 <P>  
11366 <N>X\_RegisterIncludeInstance</N>  
11367 <V X\_UD="Y" X\_DV="true"/>  
11368 </P>  
11369 <P>  
11370 <N>DSCPMark</N>  
11371 <V X\_UD="Y" X\_DV="26"/>  
11372 </P>  
11373 <P>  
11374 <N>X\_SpoofCallerID</N>

11375 <V X\_UD="Y" X\_DV="false"/>  
11376 </P>  
11377 <P>  
11378 <N>X\_UseRefer</N>  
11379 <V X\_UD="Y" X\_DV="true"/>  
11380 </P>  
11381 <P>  
11382 <N>X\_ReferAOR</N>  
11383 <V X\_UD="Y" X\_DV="true"/>  
11384 </P>  
11385 <P>  
11386 <N>X\_HoldReferee</N>  
11387 <V X\_UD="Y" X\_DV="false"/>  
11388 </P>  
11389 <P>  
11390 <N>X\_Use302ToCallForward</N>  
11391 <V X\_UD="Y" X\_DV="true"/>  
11392 </P>  
11393 <P>  
11394 <N>X\_UserAgentName</N>  
11395 <V X\_UD="Y" X\_DV="{literal}OBIHAI/ \${DM} - \${FWV} {/literal}"/>  
11396 </P>  
11397 <P>  
11398 <N>X\_ProcessDateHeader</N>  
11399 <V X\_UD="Y" X\_DV="true"/>  
11400 </P>  
11401 <P>  
11402 <N>X\_InsertRemotePartyID</N>  
11403 <V X\_UD="Y" X\_DV="false"/>  
11404 </P>  
11405 <P>  
11406 <N>X\_EnforcePAssertedIdentity</N>  
11407 <V X\_UD="Y" X\_DV="false"/>  
11408 </P>  
11409 <P>  
11410 <N>X\_InsertPPreferredIdentity</N>  
11411 <V X\_UD="Y" X\_DV="false"/>  
11412 </P>  
11413 <P>  
11414 <N>X\_InsertPrivacyHdr</N>  
11415 <V X\_UD="Y" X\_DV="false"/>  
11416 </P>  
11417 <P>  
11418 <N>X\_UseAnonymousFROM</N>  
11419 <V X\_UD="Y" X\_DV="false"/>  
11420 </P>  
11421 <P>  
11422 <N>X\_SessionRefresh</N>  
11423 <V X\_UD="Y" X\_DV="false"/>  
11424 </P>  
11425 <P>  
11426 <N>X\_SessionTimer</N>  
11427 <V X\_UD="Y" X\_DV="false"/>  
11428 </P>  
11429 <P>  
11430 <N>X\_SessionExpires</N>  
11431 <V X\_UD="Y" X\_DV="20"/>  
11432 </P>  
11433 <P>  
11434 <N>X\_AccessList</N>  
11435 <V X\_UD="Y" X\_DV=""/>  
11436 </P>  
11437 <P>  
11438 <N>X\_InsertRTPStats</N>  
11439 <V X\_UD="Y" X\_DV="true"/>  
11440 </P>  
11441 <P>

11442 <N>X\_MWISubscribe</N>  
11443 <V X\_UD="Y" X\_DV="false"/>  
11444 </P>  
11445 <P>  
11446 <N>X\_MWISubscribeURI</N>  
11447 <V X\_UD="Y" X\_DV=""/>  
11448 </P>  
11449 <P>  
11450 <N>X\_MWISubscribeExpires</N>  
11451 <V X\_UD="Y" X\_DV="3600"/>  
11452 </P>  
11453 <P>  
11454 <N>X\_ProxyServerRedundancy</N>  
11455 <V X\_UD="Y" X\_DV="false"/>  
11456 </P>  
11457 <P>  
11458 <N>X\_SecondaryRegistration</N>  
11459 <V X\_UD="Y" X\_DV="false"/>  
11460 </P>  
11461 <P>  
11462 <N>X\_CheckPrimaryFallbackInterval</N>  
11463 <V X\_UD="Y" X\_DV="60"/>  
11464 </P>  
11465 <P>  
11466 <N>X\_CheckSecondaryFallbackInterval</N>  
11467 <V X\_UD="Y" X\_DV="60"/>  
11468 </P>  
11469 <P>  
11470 <N>X\_ProxyFailoverResponseCodes</N>  
11471 <V X\_UD="Y" X\_DV="([5-9]xx)"/>  
11472 </P>  
11473 <P>  
11474 <N>X\_InviteFailoverWaitRegTimer</N>  
11475 <V X\_UD="Y" X\_DV="32000"/>  
11476 </P>  
11477 <P>  
11478 <N>X\_ProxyRequire</N>  
11479 <V X\_UD="Y" X\_DV=""/>  
11480 </P>  
11481 <P>  
11482 <N>X\_MaxForward</N>  
11483 <V X\_UD="Y" X\_DV="70"/>  
11484 </P>  
11485 <P>  
11486 <N>X\_AcceptLanguage</N>  
11487 <V X\_UD="Y" X\_DV=""/>  
11488 </P>  
11489 <P>  
11490 <N>X\_DnsSrv</N>  
11491 <V X\_UD="Y" X\_DV="true"/>  
11492 </P>  
11493 <P>  
11494 <N>X\_DnsSrvAutoPrefix</N>  
11495 <V X\_UD="Y" X\_DV="false"/>  
11496 </P>  
11497 <P>  
11498 <N>X\_Support100rel</N>  
11499 <V X\_UD="Y" X\_DV="false"/>  
11500 </P>  
11501 <P>  
11502 <N>X\_UserEqPhone</N>  
11503 <V X\_UD="Y" X\_DV="false"/>  
11504 </P>  
11505 <P>  
11506 <N>X\_UseTelURI</N>  
11507 <V X\_UD="Y" X\_DV="false"/>  
11508 </P>

11509 <P>  
11510 <N>X\_CallWaitingIndication</N>  
11511 <V X\_UD="Y" X\_DV="No"/>  
11512 </P>  
11513 <P>  
11514 <N>X\_DiscoverPublicAddress</N>  
11515 <V X\_UD="Y" X\_DV="false"/>  
11516 </P>  
11517 <P>  
11518 <N>X\_UsePublicAddressInVia</N>  
11519 <V X\_UD="Y" X\_DV="false"/>  
11520 </P>  
11521 <P>  
11522 <N>X\_PublicIPAddress</N>  
11523 <V X\_UD="Y" X\_DV=""/>  
11524 </P>  
11525 <P>  
11526 <N>X\_UseRport</N>  
11527 <V X\_UD="Y" X\_DV="true"/>  
11528 </P>  
11529 <P>  
11530 <N>X\_DetectALG</N>  
11531 <V X\_UD="Y" X\_DV="false"/>  
11532 </P>  
11533 <P>  
11534 <N>X\_UseCompactHeader</N>  
11535 <V X\_UD="Y" X\_DV="false"/>  
11536 </P>  
11537 <P>  
11538 <N>X\_OmitContentLength</N>  
11539 <V X\_UD="Y" X\_DV="false"/>  
11540 </P>  
11541 <P>  
11542 <N>X\_IncludeMessageHash</N>  
11543 <V X\_UD="Y" X\_DV="false"/>  
11544 </P>  
11545 <P>  
11546 <N>X\_EchoServer</N>  
11547 <V X\_UD="Y" X\_DV=""/>  
11548 </P>  
11549 <P>  
11550 <N>X\_EchoServerPort</N>  
11551 <V X\_UD="Y" X\_DV="5060"/>  
11552 </P>  
11553 <P>  
11554 <N>X\_EnableRFC2543CallHold</N>  
11555 <V X\_UD="Y" X\_DV="false"/>  
11556 </P>  
11557 <P>  
11558 <N>X\_VerifyServerDomain</N>  
11559 <V X\_UD="Y" X\_DV="false"/>  
11560 </P>  
11561 <P>  
11562 <N>X\_RejectKeyResponseCode</N>  
11563 <V X\_UD="Y" X\_DV=""/>  
11564 </P>  
11565 <P>  
11566 <N>X\_Sticky18x</N>  
11567 <V X\_UD="Y" X\_DV="true"/>  
11568 </P>  
11569 </O>  
11570 <O>  
11571 <N>VoiceService.1.VoiceProfile.7.SIP.</N>  
11572 <P>  
11573 <N>X\_CallParkMethod</N>  
11574 <V X\_UD="Y" X\_DV="Feature Code"/>  
11575 </P>

11576 <P>  
11577 <N>X\_DirectedCallPickupMethod</N>  
11578 <V X\_UD="Y" X\_DV="Feature Code"/>  
11579 </P>  
11580 <P>  
11581 <N>X\_ShareLineMethod</N>  
11582 <V X\_UD="Y" X\_DV="call-info"/>  
11583 </P>  
11584 <P>  
11585 <N>X\_ASFeatureEventSubscribeExpires</N>  
11586 <V X\_UD="Y" X\_DV="3600"/>  
11587 </P>  
11588 <P>  
11589 <N>X\_CallInfoSubscribeExpires</N>  
11590 <V X\_UD="Y" X\_DV="3600"/>  
11591 </P>  
11592 <P>  
11593 <N>X\_LineSeizeSubscribeExpires</N>  
11594 <V X\_UD="Y" X\_DV="15"/>  
11595 </P>  
11596 </O>  
11597 <O>  
11598 <N>VoiceService.1.VoiceProfile.7.X\_FeatureCode.</N>  
11599 <P>  
11600 <N>DirectedCallPickup</N>  
11601 <V X\_UD="Y" X\_DV="\*97"/>  
11602 </P>  
11603 <P>  
11604 <N>CallPickup</N>  
11605 <V X\_UD="Y" X\_DV="\*88"/>  
11606 </P>  
11607 <P>  
11608 <N>Park</N>  
11609 <V X\_UD="Y" X\_DV="\*68"/>  
11610 </P>  
11611 </O>  
11612 <O>  
11613 <N>VoiceService.1.VoiceProfile.8.</N>  
11614 <P>  
11615 <N>Name</N>  
11616 <V X\_UD="Y" X\_DV=""/>  
11617 </P>  
11618 <P>  
11619 <N>SignalingProtocol</N>  
11620 <V X\_UD="Y" X\_DV="SIP"/>  
11621 </P>  
11622 <P>  
11623 <N>DTMFMethod</N>  
11624 <V X\_UD="Y" X\_DV="Auto"/>  
11625 </P>  
11626 <P>  
11627 <N>InbandDTMFVolume</N>  
11628 <V X\_UD="Y" X\_DV="-15dB"/>  
11629 </P>  
11630 <P>  
11631 <N>X\_FixedDurationRFC2833DTMF</N>  
11632 <V X\_UD="Y" X\_DV="16"/>  
11633 </P>  
11634 <P>  
11635 <N>DigitMap</N>  
11636 <V X\_UD="Y"  
X\_DV="(1xxxxxxxxx|&lt;1&gt;[2-9]xxxxxxxx|011xx.|xx.|(Mipd)|[^\\*#]@@.)"/>  
11637 </P>  
11638 <P>  
11639 <N>STUNEnable</N>  
11640 <V X\_UD="Y" X\_DV="false"/>  
11641 </P>

11642 <P>  
11643 <N>STUNServer</N>  
11644 <V X\_UD="Y" X\_DV=""/>  
11645 </P>  
11646 <P>  
11647 <N>X\_STUNServerPort</N>  
11648 <V X\_UD="Y" X\_DV="3478"/>  
11649 </P>  
11650 <P>  
11651 <N>X\_ICEEnable</N>  
11652 <V X\_UD="Y" X\_DV="false"/>  
11653 </P>  
11654 <P>  
11655 <N>X\_SymmetricRTPEnable</N>  
11656 <V X\_UD="Y" X\_DV="false"/>  
11657 </P>  
11658 </O>  
11659 <O>  
11660 <N>VoiceService.1.VoiceProfile.8.ServiceProviderInfo.</N>  
11661 <P>  
11662 <N>Name</N>  
11663 <V X\_UD="Y" X\_DV=""/>  
11664 </P>  
11665 <P>  
11666 <N>URL</N>  
11667 <V X\_UD="Y" X\_DV=""/>  
11668 </P>  
11669 <P>  
11670 <N>ContactPhoneNumber</N>  
11671 <V X\_UD="Y" X\_DV=""/>  
11672 </P>  
11673 <P>  
11674 <N>EmailAddress</N>  
11675 <V X\_UD="Y" X\_DV=""/>  
11676 </P>  
11677 </O>  
11678 <O>  
11679 <N>VoiceService.1.VoiceProfile.8.RTP.</N>  
11680 <P>  
11681 <N>LocalPortMin</N>  
11682 <V X\_UD="Y" X\_DV="17500"/>  
11683 </P>  
11684 <P>  
11685 <N>LocalPortMax</N>  
11686 <V X\_UD="Y" X\_DV="17598"/>  
11687 </P>  
11688 <P>  
11689 <N>KeepAliveInterval</N>  
11690 <V X\_UD="Y" X\_DV="0"/>  
11691 </P>  
11692 <P>  
11693 <N>DSCPMark</N>  
11694 <V X\_UD="Y" X\_DV="46"/>  
11695 </P>  
11696 <P>  
11697 <N>X\_RefreshSession</N>  
11698 <V X\_UD="Y" X\_DV="true"/>  
11699 </P>  
11700 <P>  
11701 <N>X\_SymmetricMedia</N>  
11702 <V X\_UD="Y" X\_DV="true"/>  
11703 </P>  
11704 </O>  
11705 <O>  
11706 <N>VoiceService.1.VoiceProfile.8.RTP.RTCP.</N>  
11707 <P>  
11708 <N>Enable</N>

```
11709     <V X_UD="Y" X_DV="false"/>
11710 </P>
11711 <P>
11712     <N>TxRepeatInterval</N>
11713     <V X_UD="Y" X_DV="10000"/>
11714 </P>
11715 <P>
11716     <N>LocalCName</N>
11717     <V X_UD="Y" X_DV=""/>
11718 </P>
11719 <P>
11720     <N>X_RTCPMux</N>
11721     <V X_UD="Y" X_DV="false"/>
11722 </P>
11723 <P>
11724     <N>X_VqPublishEnable</N>
11725     <V X_UD="Y" X_DV="false"/>
11726 </P>
11727 <P>
11728     <N>X_VqPublishUrl</N>
11729     <V X_UD="Y" X_DV=""/>
11730 </P>
11731 <P>
11732     <N>X_VqPublishInterval</N>
11733     <V X_UD="Y" X_DV="0"/>
11734 </P>
11735 <P>
11736     <N>X_VqPublishOnSSRCChange</N>
11737     <V X_UD="Y" X_DV="true"/>
11738 </P>
11739 </O>
11740 <O>
11741     <N>VoiceService.1.VoiceProfile.8.RTP.JIB.</N>
11742     <P>
11743         <N>Adaptive</N>
11744         <V X_UD="Y" X_DV="true"/>
11745     </P>
11746     <P>
11747         <N>MaximumSize</N>
11748         <V X_UD="Y" X_DV="250"/>
11749     </P>
11750     <P>
11751         <N>SetPoint</N>
11752         <V X_UD="Y" X_DV="60"/>
11753     </P>
11754     <P>
11755         <N>Target</N>
11756         <V X_UD="Y" X_DV="20"/>
11757     </P>
11758     <P>
11759         <N>AdaptationSlope</N>
11760         <V X_UD="Y" X_DV="16"/>
11761     </P>
11762 </O>
11763 <O>
11764     <N>VoiceService.1.VoiceProfile.8.SIP.</N>
11765     <P>
11766         <N>ProxyServer</N>
11767         <V X_UD="Y" X_DV=""/>
11768     </P>
11769     <P>
11770         <N>ProxyServerPort</N>
11771         <V X_UD="Y" X_DV="5060"/>
11772     </P>
11773     <P>
11774         <N>ProxyServerTransport</N>
11775         <V X_UD="Y" X_DV="UDP"/>
```



11776 </P>  
11777 <P>  
11778 <N>RegistrarServer</N>  
11779 <V X\_UD="Y" X\_DV=""/>  
11780 </P>  
11781 <P>  
11782 <N>RegistrarServerPort</N>  
11783 <V X\_UD="Y" X\_DV="5060"/>  
11784 </P>  
11785 <P>  
11786 <N>X\_XsiServer</N>  
11787 <V X\_UD="Y" X\_DV=""/>  
11788 </P>  
11789 <P>  
11790 <N>X\_XsiServerPort</N>  
11791 <V X\_UD="Y" X\_DV="0"/>  
11792 </P>  
11793 <P>  
11794 <N>X\_XsiServerScheme</N>  
11795 <V X\_UD="Y" X\_DV="HTTP"/>  
11796 </P>  
11797 <P>  
11798 <N>UserAgentDomain</N>  
11799 <V X\_UD="Y" X\_DV=""/>  
11800 </P>  
11801 <P>  
11802 <N>OutboundProxy</N>  
11803 <V X\_UD="Y" X\_DV=""/>  
11804 </P>  
11805 <P>  
11806 <N>OutboundProxyPort</N>  
11807 <V X\_UD="Y" X\_DV="5060"/>  
11808 </P>  
11809 <P>  
11810 <N>X\_OutboundProxyTransport</N>  
11811 <V X\_UD="Y" X\_DV="Follow ProxyServerTransport"/>  
11812 </P>  
11813 <P>  
11814 <N>X\_TLSSecurityProfile</N>  
11815 <V X\_UD="Y" X\_DV="1"/>  
11816 </P>  
11817 <P>  
11818 <N>X\_UserAgentContactFollowProxyServerTransport</N>  
11819 <V X\_UD="Y" X\_DV="false"/>  
11820 </P>  
11821 <P>  
11822 <N>X\_BypassOutboundProxyInCall</N>  
11823 <V X\_UD="Y" X\_DV="false"/>  
11824 </P>  
11825 <P>  
11826 <N>RegistrationPeriod</N>  
11827 <V X\_UD="Y" X\_DV="3600"/>  
11828 </P>  
11829 <P>  
11830 <N>X\_RegistrationMargin</N>  
11831 <V X\_UD="Y" X\_DV=""/>  
11832 </P>  
11833 <P>  
11834 <N>TimerT1</N>  
11835 <V X\_UD="Y" X\_DV="500"/>  
11836 </P>  
11837 <P>  
11838 <N>TimerT2</N>  
11839 <V X\_UD="Y" X\_DV="4000"/>  
11840 </P>  
11841 <P>  
11842 <N>TimerT4</N>

11843 <V X\_UD="Y" X\_DV="5000"/>  
11844 </P>  
11845 <P>  
11846 <N>TimerA</N>  
11847 <V X\_UD="Y" X\_DV="500"/>  
11848 </P>  
11849 <P>  
11850 <N>TimerB</N>  
11851 <V X\_UD="Y" X\_DV="32000"/>  
11852 </P>  
11853 <P>  
11854 <N>TimerD</N>  
11855 <V X\_UD="Y" X\_DV="32000"/>  
11856 </P>  
11857 <P>  
11858 <N>TimerE</N>  
11859 <V X\_UD="Y" X\_DV="500"/>  
11860 </P>  
11861 <P>  
11862 <N>TimerF</N>  
11863 <V X\_UD="Y" X\_DV="32000"/>  
11864 </P>  
11865 <P>  
11866 <N>TimerG</N>  
11867 <V X\_UD="Y" X\_DV="500"/>  
11868 </P>  
11869 <P>  
11870 <N>TimerH</N>  
11871 <V X\_UD="Y" X\_DV="32000"/>  
11872 </P>  
11873 <P>  
11874 <N>TimerI</N>  
11875 <V X\_UD="Y" X\_DV="5000"/>  
11876 </P>  
11877 <P>  
11878 <N>TimerJ</N>  
11879 <V X\_UD="Y" X\_DV="32000"/>  
11880 </P>  
11881 <P>  
11882 <N>TimerK</N>  
11883 <V X\_UD="Y" X\_DV="5000"/>  
11884 </P>  
11885 <P>  
11886 <N>InviteExpires</N>  
11887 <V X\_UD="Y" X\_DV="60"/>  
11888 </P>  
11889 <P>  
11890 <N>ReInviteExpires</N>  
11891 <V X\_UD="Y" X\_DV="10"/>  
11892 </P>  
11893 <P>  
11894 <N>RegisterMinExpires</N>  
11895 <V X\_UD="Y" X\_DV="15"/>  
11896 </P>  
11897 <P>  
11898 <N>RegisterRetryInterval</N>  
11899 <V X\_UD="Y" X\_DV="30"/>  
11900 </P>  
11901 <P>  
11902 <N>X\_RegisterRetryResponseCodes</N>  
11903 <V X\_UD="Y"  
X\_DV="( &lt;t;40[17]:w120&gt;|&lt;t;40[34]:w120&gt;|&lt;t;99[01]:w120-200&gt;|[4-9]xx)"/>  
11904 </P>  
11905 <P>  
11906 <N>X\_RegisterIncludeInstance</N>  
11907 <V X\_UD="Y" X\_DV="true"/>  
11908 </P>

11909 <P>  
11910 <N>DSCPMark</N>  
11911 <V X\_UD="Y" X\_DV="26"/>  
11912 </P>  
11913 <P>  
11914 <N>X\_SpoofCallerID</N>  
11915 <V X\_UD="Y" X\_DV="false"/>  
11916 </P>  
11917 <P>  
11918 <N>X\_UseRefer</N>  
11919 <V X\_UD="Y" X\_DV="true"/>  
11920 </P>  
11921 <P>  
11922 <N>X\_ReferAOR</N>  
11923 <V X\_UD="Y" X\_DV="true"/>  
11924 </P>  
11925 <P>  
11926 <N>X\_HoldReferee</N>  
11927 <V X\_UD="Y" X\_DV="false"/>  
11928 </P>  
11929 <P>  
11930 <N>X\_Use302ToCallForward</N>  
11931 <V X\_UD="Y" X\_DV="true"/>  
11932 </P>  
11933 <P>  
11934 <N>X\_UserAgentName</N>  
11935 <V X\_UD="Y" X\_DV="{literal}OBIHAI/{DM}-\${FWV}/{literal}"/>  
11936 </P>  
11937 <P>  
11938 <N>X\_ProcessDateHeader</N>  
11939 <V X\_UD="Y" X\_DV="true"/>  
11940 </P>  
11941 <P>  
11942 <N>X\_InsertRemotePartyID</N>  
11943 <V X\_UD="Y" X\_DV="false"/>  
11944 </P>  
11945 <P>  
11946 <N>X\_EnforcePAssertedIdentity</N>  
11947 <V X\_UD="Y" X\_DV="false"/>  
11948 </P>  
11949 <P>  
11950 <N>X\_InsertPPreferredIdentity</N>  
11951 <V X\_UD="Y" X\_DV="false"/>  
11952 </P>  
11953 <P>  
11954 <N>X\_InsertPrivacyHdr</N>  
11955 <V X\_UD="Y" X\_DV="false"/>  
11956 </P>  
11957 <P>  
11958 <N>X\_UseAnonymousFROM</N>  
11959 <V X\_UD="Y" X\_DV="false"/>  
11960 </P>  
11961 <P>  
11962 <N>X\_SessionRefresh</N>  
11963 <V X\_UD="Y" X\_DV="false"/>  
11964 </P>  
11965 <P>  
11966 <N>X\_SessionTimer</N>  
11967 <V X\_UD="Y" X\_DV="false"/>  
11968 </P>  
11969 <P>  
11970 <N>X\_SessionExpires</N>  
11971 <V X\_UD="Y" X\_DV="20"/>  
11972 </P>  
11973 <P>  
11974 <N>X\_AccessList</N>  
11975 <V X\_UD="Y" X\_DV=""/>

11976 </P>  
11977 <P>  
11978 <N>**X\_InsertRTPStats**</N>  
11979 <V X\_UD="Y" X\_DV="true"/>  
11980 </P>  
11981 <P>  
11982 <N>**X\_MWISubscribe**</N>  
11983 <V X\_UD="Y" X\_DV="false"/>  
11984 </P>  
11985 <P>  
11986 <N>**X\_MWISubscribeURI**</N>  
11987 <V X\_UD="Y" X\_DV=""/>  
11988 </P>  
11989 <P>  
11990 <N>**X\_MWISubscribeExpires**</N>  
11991 <V X\_UD="Y" X\_DV="3600"/>  
11992 </P>  
11993 <P>  
11994 <N>**X\_ProxyServerRedundancy**</N>  
11995 <V X\_UD="Y" X\_DV="false"/>  
11996 </P>  
11997 <P>  
11998 <N>**X\_SecondaryRegistration**</N>  
11999 <V X\_UD="Y" X\_DV="false"/>  
12000 </P>  
12001 <P>  
12002 <N>**X\_CheckPrimaryFallbackInterval**</N>  
12003 <V X\_UD="Y" X\_DV="60"/>  
12004 </P>  
12005 <P>  
12006 <N>**X\_CheckSecondaryFallbackInterval**</N>  
12007 <V X\_UD="Y" X\_DV="60"/>  
12008 </P>  
12009 <P>  
12010 <N>**X\_ProxyFailoverResponseCodes**</N>  
12011 <V X\_UD="Y" X\_DV="([5-9]xx)"/>  
12012 </P>  
12013 <P>  
12014 <N>**X\_InviteFailoverWaitRegTimer**</N>  
12015 <V X\_UD="Y" X\_DV="32000"/>  
12016 </P>  
12017 <P>  
12018 <N>**X\_ProxyRequire**</N>  
12019 <V X\_UD="Y" X\_DV=""/>  
12020 </P>  
12021 <P>  
12022 <N>**X\_MaxForward**</N>  
12023 <V X\_UD="Y" X\_DV="70"/>  
12024 </P>  
12025 <P>  
12026 <N>**X\_AcceptLanguage**</N>  
12027 <V X\_UD="Y" X\_DV=""/>  
12028 </P>  
12029 <P>  
12030 <N>**X\_DnsSrv**</N>  
12031 <V X\_UD="Y" X\_DV="true"/>  
12032 </P>  
12033 <P>  
12034 <N>**X\_DnsSrvAutoPrefix**</N>  
12035 <V X\_UD="Y" X\_DV="false"/>  
12036 </P>  
12037 <P>  
12038 <N>**X\_Support100rel**</N>  
12039 <V X\_UD="Y" X\_DV="false"/>  
12040 </P>  
12041 <P>  
12042 <N>**X\_UserEqPhone**</N>

```
12043     <V X_UD="Y" X_DV="false"/>
12044 </P>
12045 <P>
12046     <N>X_UseTelURI</N>
12047     <V X_UD="Y" X_DV="false"/>
12048 </P>
12049 <P>
12050     <N>X_CallWaitingIndication</N>
12051     <V X_UD="Y" X_DV="No"/>
12052 </P>
12053 <P>
12054     <N>X_DiscoverPublicAddress</N>
12055     <V X_UD="Y" X_DV="false"/>
12056 </P>
12057 <P>
12058     <N>X_UsePublicAddressInVia</N>
12059     <V X_UD="Y" X_DV="false"/>
12060 </P>
12061 <P>
12062     <N>X_PublicIPAddress</N>
12063     <V X_UD="Y" X_DV=""/>
12064 </P>
12065 <P>
12066     <N>X_UseRport</N>
12067     <V X_UD="Y" X_DV="true"/>
12068 </P>
12069 <P>
12070     <N>X_DetectALG</N>
12071     <V X_UD="Y" X_DV="false"/>
12072 </P>
12073 <P>
12074     <N>X_UseCompactHeader</N>
12075     <V X_UD="Y" X_DV="false"/>
12076 </P>
12077 <P>
12078     <N>X_OmitContentLength</N>
12079     <V X_UD="Y" X_DV="false"/>
12080 </P>
12081 <P>
12082     <N>X_IncludeMessageHash</N>
12083     <V X_UD="Y" X_DV="false"/>
12084 </P>
12085 <P>
12086     <N>X_EchoServer</N>
12087     <V X_UD="Y" X_DV=""/>
12088 </P>
12089 <P>
12090     <N>X_EchoServerPort</N>
12091     <V X_UD="Y" X_DV="5060"/>
12092 </P>
12093 <P>
12094     <N>X_EnableRFC2543CallHold</N>
12095     <V X_UD="Y" X_DV="false"/>
12096 </P>
12097 <P>
12098     <N>X_VerifyServerDomain</N>
12099     <V X_UD="Y" X_DV="false"/>
12100 </P>
12101 <P>
12102     <N>X_RejectKeyResponseCode</N>
12103     <V X_UD="Y" X_DV=""/>
12104 </P>
12105 <P>
12106     <N>X_Sticky18x</N>
12107     <V X_UD="Y" X_DV="true"/>
12108 </P>
12109 </O>
```

```
12110 <O>
12111 <N>VoiceService.1.VoiceProfile.8.SIP.</N>
12112 <P>
12113 <N>X_CallParkMethod</N>
12114 <V X_UD="Y" X_DV="Feature Code"/>
12115 </P>
12116 <P>
12117 <N>X_DirectedCallPickupMethod</N>
12118 <V X_UD="Y" X_DV="Feature Code"/>
12119 </P>
12120 <P>
12121 <N>X_ShareLineMethod</N>
12122 <V X_UD="Y" X_DV="call-info"/>
12123 </P>
12124 <P>
12125 <N>X_ASFeatureEventSubscribeExpires</N>
12126 <V X_UD="Y" X_DV="3600"/>
12127 </P>
12128 <P>
12129 <N>X_CallInfoSubscribeExpires</N>
12130 <V X_UD="Y" X_DV="3600"/>
12131 </P>
12132 <P>
12133 <N>X_LineSeizeSubscribeExpires</N>
12134 <V X_UD="Y" X_DV="15"/>
12135 </P>
12136 </O>
12137 <O>
12138 <N>VoiceService.1.VoiceProfile.8.X_FeatureCode.</N>
12139 <P>
12140 <N>DirectedCallPickup</N>
12141 <V X_UD="Y" X_DV="*97"/>
12142 </P>
12143 <P>
12144 <N>CallPickup</N>
12145 <V X_UD="Y" X_DV="*88"/>
12146 </P>
12147 <P>
12148 <N>Park</N>
12149 <V X_UD="Y" X_DV="*68"/>
12150 </P>
12151 </O>
12152 <O>
12153 <N>VoiceService.1.X_PageGroup.1.</N>
12154 <P>
12155 <N>GroupName</N>
12156 <V X_UD="Y" X_DV=""/>
12157 </P>
12158 <P>
12159 <N>MulticastAddress</N>
12160 <V X_UD="Y" X_DV="224.1.1.100"/>
12161 </P>
12162 <P>
12163 <N>MulticastPort</N>
12164 <V X_UD="Y" X_DV="65322"/>
12165 </P>
12166 <P>
12167 <N>TTL</N>
12168 <V X_UD="Y" X_DV="2"/>
12169 </P>
12170 <P>
12171 <N>ParticipantName</N>
12172 <V X_UD="Y" X_DV=""/>
12173 </P>
12174 <P>
12175 <N>AudioCodec</N>
12176 <V X_UD="Y" X_DV="G711U"/>
```

12177 </P>  
12178 <P>  
12179 <N>TxPacketSize</N>  
12180 <V X\_UD="Y" X\_DV="20"/>  
12181 </P>  
12182 <P>  
12183 <N>RTCPTxInterval</N>  
12184 <V X\_UD="Y" X\_DV="0"/>  
12185 </P>  
12186 <P>  
12187 <N>SilenceSuppression</N>  
12188 <V X\_UD="Y" X\_DV="false"/>  
12189 </P>  
12190 <P>  
12191 <N>PlayToneOnIncomingPage</N>  
12192 <V X\_UD="Y" X\_DV="true"/>  
12193 </P>  
12194 <P>  
12195 <N>StartTalkingOnJoin</N>  
12196 <V X\_UD="Y" X\_DV="true"/>  
12197 </P>  
12198 <P>  
12199 <N>TalkingAlertTone</N>  
12200 <V X\_UD="Y" X\_DV="CWT10"/>  
12201 </P>  
12202 <P>  
12203 <N>SwitchToTalkModeDigit</N>  
12204 <V X\_UD="Y" X\_DV="\*/>  
12205 </P>  
12206 <P>  
12207 <N>SwitchToListenModeDigit</N>  
12208 <V X\_UD="Y" X\_DV="#"/>  
12209 </P>  
12210 </O>  
12211 <O>  
12212 <N>VoiceService.1.X\_PageGroup.2.</N>  
12213 <P>  
12214 <N>GroupName</N>  
12215 <V X\_UD="Y" X\_DV=""/>  
12216 </P>  
12217 <P>  
12218 <N>MulticastAddress</N>  
12219 <V X\_UD="Y" X\_DV="224.1.1.100"/>  
12220 </P>  
12221 <P>  
12222 <N>MulticastPort</N>  
12223 <V X\_UD="Y" X\_DV="65324"/>  
12224 </P>  
12225 <P>  
12226 <N>TTL</N>  
12227 <V X\_UD="Y" X\_DV="2"/>  
12228 </P>  
12229 <P>  
12230 <N>ParticipantName</N>  
12231 <V X\_UD="Y" X\_DV=""/>  
12232 </P>  
12233 <P>  
12234 <N>AudioCodec</N>  
12235 <V X\_UD="Y" X\_DV="G711U"/>  
12236 </P>  
12237 <P>  
12238 <N>TxPacketSize</N>  
12239 <V X\_UD="Y" X\_DV="20"/>  
12240 </P>  
12241 <P>  
12242 <N>RTCPTxInterval</N>  
12243 <V X\_UD="Y" X\_DV="0"/>

12244 </P>  
12245 <P>  
12246 <N>SilenceSuppression</N>  
12247 <V X\_UD="Y" X\_DV="false"/>  
12248 </P>  
12249 <P>  
12250 <N>PlayToneOnIncomingPage</N>  
12251 <V X\_UD="Y" X\_DV="true"/>  
12252 </P>  
12253 <P>  
12254 <N>StartTalkingOnJoin</N>  
12255 <V X\_UD="Y" X\_DV="true"/>  
12256 </P>  
12257 <P>  
12258 <N>TalkingAlertTone</N>  
12259 <V X\_UD="Y" X\_DV="CWT10"/>  
12260 </P>  
12261 <P>  
12262 <N>SwitchToTalkModeDigit</N>  
12263 <V X\_UD="Y" X\_DV="\*/>  
12264 </P>  
12265 <P>  
12266 <N>SwitchToListenModeDigit</N>  
12267 <V X\_UD="Y" X\_DV="#"/>  
12268 </P>  
12269 </O>  
12270 <O>  
12271 <N>UserDigitMap.1.</N>  
12272 <P>  
12273 <N>Label</N>  
12274 <V X\_UD="Y" X\_DV="ipd"/>  
12275 </P>  
12276 <P>  
12277 <N>DigitMap</N>  
12278 <V X\_UD="Y"  
X\_DV="(xx.&lt;\*:@&gt;xx?x?&lt;\*:.&gt;xx?x?&lt;\*:.&gt;xx?x?&lt;\*:.&gt;xx?x?|xx.&lt;\*:  
:@&gt;xx?x?&lt;\*:.&gt;xx?x?&lt;\*:.&gt;xx?x?&lt;\*:.&gt;xx?x?&lt;\*:.&gt;xx?x?&lt;\*:.&gt;xx?x?x?x?)"/>  
12279 </P>  
12280 </O>  
12281 <O>  
12282 <N>UserDigitMap.2.</N>  
12283 <P>  
12284 <N>Label</N>  
12285 <V X\_UD="Y" X\_DV=""/>  
12286 </P>  
12287 <P>  
12288 <N>DigitMap</N>  
12289 <V X\_UD="Y" X\_DV=""/>  
12290 </P>  
12291 </O>  
12292 <O>  
12293 <N>UserDigitMap.3.</N>  
12294 <P>  
12295 <N>Label</N>  
12296 <V X\_UD="Y" X\_DV=""/>  
12297 </P>  
12298 <P>  
12299 <N>DigitMap</N>  
12300 <V X\_UD="Y" X\_DV=""/>  
12301 </P>  
12302 </O>  
12303 <O>  
12304 <N>UserDigitMap.4.</N>  
12305 <P>  
12306 <N>Label</N>  
12307 <V X\_UD="Y" X\_DV=""/>  
12308 </P>



```
12309     <P>
12310         <N>DigitMap</N>
12311         <V X_UD="Y" X_DV=""/>
12312     </P>
12313 </O>
12314 <O>
12315     <N>UserDigitMap.5.</N>
12316     <P>
12317         <N>Label</N>
12318         <V X_UD="Y" X_DV=""/>
12319     </P>
12320     <P>
12321         <N>DigitMap</N>
12322         <V X_UD="Y" X_DV=""/>
12323     </P>
12324 </O>
12325 <O>
12326     <N>UserDigitMap.6.</N>
12327     <P>
12328         <N>Label</N>
12329         <V X_UD="Y" X_DV=""/>
12330     </P>
12331     <P>
12332         <N>DigitMap</N>
12333         <V X_UD="Y" X_DV=""/>
12334     </P>
12335 </O>
12336 <O>
12337     <N>UserDigitMap.7.</N>
12338     <P>
12339         <N>Label</N>
12340         <V X_UD="Y" X_DV=""/>
12341     </P>
12342     <P>
12343         <N>DigitMap</N>
12344         <V X_UD="Y" X_DV=""/>
12345     </P>
12346 </O>
12347 <O>
12348     <N>UserDigitMap.8.</N>
12349     <P>
12350         <N>Label</N>
12351         <V X_UD="Y" X_DV=""/>
12352     </P>
12353     <P>
12354         <N>DigitMap</N>
12355         <V X_UD="Y" X_DV=""/>
12356     </P>
12357 </O>
12358 <O>
12359     <N>UserDigitMap.9.</N>
12360     <P>
12361         <N>Label</N>
12362         <V X_UD="Y" X_DV=""/>
12363     </P>
12364     <P>
12365         <N>DigitMap</N>
12366         <V X_UD="Y" X_DV=""/>
12367     </P>
12368 </O>
12369 <O>
12370     <N>UserDigitMap.10.</N>
12371     <P>
12372         <N>Label</N>
12373         <V X_UD="Y" X_DV=""/>
12374     </P>
12375     <P>
```

```
12376     <N>DigitMap</N>
12377     <V X_UD="Y" X_DV=""/>
12378 </P>
12379 </O>
12380 <O>
12381     <N>DeviceInfo.LAN.</N>
12382 </O>
12383 <O>
12384     <N>DeviceInfo.LAN.DHCPServer</N>
12385 </O>
12386 <O>
12387     <N>DeviceInfo.LAN.DHCPServer.ReservationList.1.</N>
12388 </O>
12389 <O>
12390     <N>DeviceInfo.LAN.DHCPServer.ReservationList.2.</N>
12391 </O>
12392 <O>
12393     <N>DeviceInfo.LAN.DHCPServer.ReservationList.3.</N>
12394 </O>
12395 <O>
12396     <N>DeviceInfo.LAN.DHCPServer.ReservationList.4.</N>
12397 </O>
12398 <O>
12399     <N>DeviceInfo.LAN.DHCPServer.ReservationList.5.</N>
12400 </O>
12401 <O>
12402     <N>DeviceInfo.LAN.DHCPServer.ReservationList.6.</N>
12403 </O>
12404 <O>
12405     <N>DeviceInfo.LAN.DHCPServer.ReservationList.7.</N>
12406 </O>
12407 <O>
12408     <N>DeviceInfo.LAN.DHCPServer.ReservationList.8.</N>
12409 </O>
12410 <O>
12411     <N>DeviceInfo.LAN.DHCPServer.ReservationList.9.</N>
12412 </O>
12413 <O>
12414     <N>DeviceInfo.LAN.DHCPServer.ReservationList.10.</N>
12415 </O>
12416 <O>
12417     <N>DeviceInfo.LAN.DHCPServer.ReservationList.11.</N>
12418 </O>
12419 <O>
12420     <N>DeviceInfo.LAN.DHCPServer.ReservationList.12.</N>
12421 </O>
12422 <O>
12423     <N>DeviceInfo.LAN.DHCPServer.ReservationList.13.</N>
12424 </O>
12425 <O>
12426     <N>DeviceInfo.LAN.DHCPServer.ReservationList.14.</N>
12427 </O>
12428 <O>
12429     <N>DeviceInfo.LAN.DHCPServer.ReservationList.15.</N>
12430 </O>
12431 <O>
12432     <N>DeviceInfo.LAN.DHCPServer.ReservationList.16.</N>
12433 </O>
12434 <O>
12435     <N>DeviceInfo.LAN.DHCPServer.ReservationList.17.</N>
12436 </O>
12437 <O>
12438     <N>DeviceInfo.LAN.DHCPServer.ReservationList.18.</N>
12439 </O>
12440 <O>
12441     <N>DeviceInfo.LAN.DHCPServer.ReservationList.19.</N>
12442 </O>
```

12443 <O>  
12444 <N>DeviceInfo.LAN.DHCPReservedList.20.</N>  
12445 </O>  
12446 <O>  
12447 <N>DeviceInfo.Firewall.</N>  
12448 </O>  
12449 <O>  
12450 <N>DeviceInfo.LAN.DMZ.</N>  
12451 </O>  
12452 <O>  
12453 <N>DeviceInfo.LAN.PortForward.Rule.1.</N>  
12454 </O>  
12455 <O>  
12456 <N>DeviceInfo.LAN.PortForward.Rule.2.</N>  
12457 </O>  
12458 <O>  
12459 <N>DeviceInfo.LAN.PortForward.Rule.3.</N>  
12460 </O>  
12461 <O>  
12462 <N>DeviceInfo.LAN.PortForward.Rule.4.</N>  
12463 </O>  
12464 <O>  
12465 <N>DeviceInfo.LAN.PortForward.Rule.5.</N>  
12466 </O>  
12467 <O>  
12468 <N>DeviceInfo.LAN.PortForward.Rule.6.</N>  
12469 </O>  
12470 <O>  
12471 <N>DeviceInfo.LAN.PortForward.Rule.7.</N>  
12472 </O>  
12473 <O>  
12474 <N>DeviceInfo.LAN.PortForward.Rule.8.</N>  
12475 </O>  
12476 <O>  
12477 <N>DeviceInfo.LAN.PortForward.Rule.9.</N>  
12478 </O>  
12479 <O>  
12480 <N>DeviceInfo.LAN.PortForward.Rule.10.</N>  
12481 </O>  
12482 <O>  
12483 <N>DeviceInfo.LAN.PortForward.Rule.11.</N>  
12484 </O>  
12485 <O>  
12486 <N>DeviceInfo.LAN.PortForward.Rule.12.</N>  
12487 </O>  
12488 <O>  
12489 <N>DeviceInfo.LAN.PortForward.Rule.13.</N>  
12490 </O>  
12491 <O>  
12492 <N>DeviceInfo.LAN.PortForward.Rule.14.</N>  
12493 </O>  
12494 <O>  
12495 <N>DeviceInfo.LAN.PortForward.Rule.15.</N>  
12496 </O>  
12497 <O>  
12498 <N>DeviceInfo.LAN.PortForward.Rule.16.</N>  
12499 </O>  
12500 <O>  
12501 <N>DeviceInfo.LAN.PortForward.Rule.17.</N>  
12502 </O>  
12503 <O>  
12504 <N>DeviceInfo.LAN.PortForward.Rule.18.</N>  
12505 </O>  
12506 <O>  
12507 <N>DeviceInfo.LAN.PortForward.Rule.19.</N>  
12508 </O>  
12509 <O>

```
12510     <N>DeviceInfo.LAN.PortForward.Rule.20.</N>
12511 </O>
12512 <O>
12513     <N>DeviceInfo.Qos.BandwidthControl.</N>
12514 </O>
12515 <O>
12516     <N>DeviceInfo.Qos.BandwidthControl.Queue.</N>
12517 </O>
12518 <O>
12519     <N>DeviceInfo.Qos.BandwidthControl.DSCPMapping.</N>
12520 </O>
12521 </ParameterList>
12522
```