



Poly Trio C60 Solution

Poly announces a new release of Poly Unified Communications (UC) Software for Poly Trio C60 phones. The build ID for UC Software for Trio C60 is **7.2.2.1095**.

Contents

- Change to Issue IDs..... 1**
- What’s New 1**
- Version History 3**
- Security Updates..... 4**
- Microsoft Teams Support..... 4**
- Resolved Issues 4**
- Known Issues 6**
- System Constraints and Limitations..... 7**
- Get Help 7**
- Privacy Policy..... 8**
- Copyright and Trademark Information 8**

Change to Issue IDs

Known and resolved issue IDs for Poly phones no longer use the *EN* prefix. Issue IDs now have the format *VOICE-XXXXX*. Note that the issue ID numbers also reset when moved to the new prefix category.

What’s New

This release of UC Software includes all the features of previous releases, important fixes and the following new features:

- [Add a Mandatory Message Confirmation for Outbound Calls](#)
- [Zoom Rooms Controller Update](#)

Poly frequently provides software updates with new features and recommends that you regularly update the software on your Poly Trio C60 phones for the best performance and experience.

Important: Poly doesn't support Microsoft Teams in this release.

Add a Mandatory Message Confirmation for Outbound Calls

Configure Poly Trio C60 systems to lock and display a configurable message when the phone boots up after losing power. Until a user acknowledges the message, the phone limits outgoing calling only to certain defined contacts. You can enable the phone to accept incoming calls while locked.

This can be helpful by reminding users that they must update their registered emergency location when they've physically moved their phones.

To add a mandatory message confirmation for outbound calls:

1 Open the configuration file.

2 Enable the phone lock feature.

```
phoneLock.enabled="1"
```

3 Set the phone unlock method to require message acknowledgment from the user.

```
phoneLock.mode="messageConfirmation"
```

Note: Set this parameter to "userPasswordAndMessageConfirmation" if you want users to enter their password in addition to the acknowledgement message.

4 (Optional) Change the message that the phone displays while the message displays. The custom message can be up to 255 characters.

The default message is:

This phone rebooted and may have been relocated. Before confirming, please ensure this phone's registered emergency location is correct. To do this, you may require access to an online service portal. Contact your phone service provider for details.

```
phoneLock.confirmationMessage="<message string>"
```

5 (Optional) Require users to acknowledge the message anytime the phone reboots, regardless of why the phone rebooted. By default, the message only displays after the phone loses power.

```
phoneLock.confirmationMessage.onlyOnPowerLoss="0"
```

6 (Optional) Enable the phone to permit incoming calls while the message displays.

```
phoneLock.Allow.AnswerOnLock="1"
```

7 (Optional) Define a contact the phone can call while the message displays. Repeat for each contact, with a maximum of five permitted contacts. For the variable *x*, set a number from 1 to 5.

```
phoneLock.authorized.x.description="<contact name>"
```

```
phoneLock.authorized.x.value="<contact's number or address>"
```

Zoom Rooms Controller Update

Trio C60 systems, when optimized for Zoom Rooms, act as a controller for Zoom Rooms via the system's touch user interface and provide audio for Zoom Room meetings through the built-in speakers and microphones.

This software release runs Zoom Rooms Controller software **5.9.3 (1069)** as embedded software. For more information on this Zoom release, see the [Zoom Help Center](#).

For the latest setup instructions, see the *Integrating Poly Trio Systems with Zoom Rooms Solution Guide* at [Poly Support](#).

Version History

This following table shows the release history of the Poly Trio C60 solution.

Version History

Release	Release Date	Features
7.2.2	March 2021	Maintenance release for Poly Trio C60 systems. Includes the following features: <ul style="list-style-type: none"> • Add a Mandatory Message Confirmation for Outbound Calls • Support for Zoom Rooms Controller version 5.9.3 (1069)
7.2.1	February 2021	Maintenance release for Poly Trio C60 systems. Includes the following features: <ul style="list-style-type: none"> • Support for Microsoft Teams version 1449/1.0.94.2022011305 • Support for Zoom Rooms Controller version 5.8.0 (898) • HTTP-Enabled Location Delivery Enhancements • USB Optimized Base Profile Default Parameter Settings Update • SCEP Certificate Signing Request Updates
7.2.0	November 2021	OpenSIP-only release. Includes the following features: <ul style="list-style-type: none"> • Zoom Room Controls • Basic Authentication for Web Proxy • Set Up a Custom Background on Poly Trio Systems • STIR/SHAKEN Call Validation • Media Security Negotiation • Turn Off Trio Mics When Using Visual Pro
7.1.3	October 2021	Maintenance release for Poly Trio C60 systems.
7.1.2		This release number was skipped and never released.
7.1.1	June 2021	Maintenance release for Poly Trio C60 systems.

Release	Release Date	Features
7.1.0	May 2021	Feature release for Poly Trio C60 systems. Includes the following features: <ul style="list-style-type: none"> Microsoft teams enhancements Zoom Room Controls
7.0.3	April 2021	Maintenance release for Poly Trio C60 systems.
7.0.2	April 2021	Maintenance release for Poly Trio C60 systems. <ul style="list-style-type: none"> Support for Microsoft Teams version 1449/1.0.94.2021022403
7.0.1	March 2021	OpenSIP-only release. Includes the following features: <ul style="list-style-type: none"> Support for Zoom Room Controller 5.4.0 (275)
7.0.0	December 2020	OpenSIP-only release. Includes the following features: <ul style="list-style-type: none"> Zoom Room Controls

Security Updates

Refer to the [Poly Security Center](#) for information about known and resolved security vulnerabilities.

Microsoft Teams Support

The following tables list the Teams component versions included in this release. For more information on this Teams version, see [What's new in Microsoft Teams](#).

Important: Poly only supports OpenSIP deployments for this release.

Microsoft Teams Component Versions in Trio C60

Microsoft Component	Version
Microsoft Teams	1449/1.0.94.2022020202
Microsoft Admin Agent	1.0.0.202112100118
Microsoft Intune Company Portal	5.0.5304.0

Resolved Issues

Note: Starting with UCS 7.2.0, issue IDs have the format VOICE-XXXXX. If you're tracking an issue with an ID in the old format (EN-XXXXXX), you can continue to use this number to reference your issue when working with Poly Support.

The following table lists resolved issues in this release for Poly Trio C60.

Note: These release notes do not provide a complete listing of all resolved issues that are included in the software. User experience updates, performance fixes, and enhancements may not be included. In addition, the information in these release notes is provided as-is at the time of release and is subject to change without notice.

Resolved Issues

Category	Issue ID	Description
API	VOICE-68469	Changes to the Logging configuration from the Teams Admin Center do not update the setting on the Trio phone.
Calendering	VOICE-54321	Cancelled meetings continue to display from the meetings list on Trio phones.
Calendering	VOICE-68821	Daisy-chained Trio phones can't connect to the Exchange server, even if the primary phone connects without issue.
Certificate Management	VOICE-68650	Poly Trio C60 phones running UC Software version 5.9.3 and later fail to fetch the root certificate using an LDAP query from the Skype for Business server.
Interoperability	VOICE-68290	Trio C60 phones connected to a Zoom Rooms PC may emit a sound similar to a crackle or speaker pop while in a call. This is due to interaction with the Ultrasonic Pairing feature.
Network	VOICE-69064	If you configure a phone on a DHCP-enabled network and the DHCP conversation includes option 43, and then you move the phone to a DHCP-enabled VLAN with DHCP VLAN discovery enabled, the phone doesn't use the DHCP options on the second DHCP conversation.
Security	VOICE-68921	The system web interface may be vulnerable to a TLS client renegotiation DoS attack.
Security	VOICE-69164	Certificates cross-signed with DST and ISRG certificates fail verification because of an expired DST certificate.
User Interface	EN-216288	Poly Trio C60 phones display the same MAC address for the LAN and Wi-Fi network interfaces.
User Interface	VOICE-68023	When Trio is in Microsoft USB Optimized base profile, the menu permitting change of Trio's role between HUB or Device mode has obscured text informing you that Trio will reboot on applying this change.
User Interface	VOICE-68816	Trio phones woken from power-saving mode by the proximity sensors display the incorrect time.

Known Issues

Note: Starting with UCS 7.2.0, issue IDs have the format VOICE-XXXXX. If you're tracking an issue with an ID in the old format (EN-XXXXX), you can continue to use this number to reference your issue when working with Poly Support.

The following table lists known issues and suggested workarounds included in this release for Poly Trio systems.

Note: These release notes do not provide a complete listing of all known issues that are included in the software. Issues not expected to significantly impact customers with standard voice and video conferencing environments may not be included. In addition, the information in these release notes is provided as-is at the time of release and is subject to change without notice.

Microsoft controls the software experience and performance of Poly Trio systems configured for Microsoft Teams. For any issues regarding Microsoft Teams on your Poly Trio system, visit the [Microsoft Teams User Feedback Forum](#).

Known Issues

Category	Issue ID	Description	Workaround
Content	VOICE-68063	If you share content using Video-based Screen Share (VbSS) and switch directly to Remote Desktop Protocol (RDP), the content sharing fails.	Restart the failed RDP content sharing to restore it. To prevent the content sharing from failing, manually stop the VbSS before starting RDP content sharing.
Directories	VOICE-60593	Pause characters programmed into saved contact information don't display in Recent Calls, preventing users from calling the contacts back from the Recent Calls list.	Manually dial the contact number, including the pause characters.
Interoperability	VOICE-68292	Enabling ultrasonic pairing on a Trio C60 system connected to a G7500 or Studio X family system as a Zoom Room Controller may create unwanted noise on the far end of the call.	Disable the ultrasonic pairing feature from the Zoom admin center.
Interoperability	VOICE-68906	The speaker test is distorted when the Trio system is connected to a Windows 11 computer using the Virtual USB app. The speaker test performs as expected if the system is connected using a physical USB cable, and other audio and call audio functions are unaffected.	No workaround.

Category	Issue ID	Description	Workaround
Peripherals	VOICE-21031	When using a Trio C60 system as a Bluetooth speaker, you can't adjust the audio level using the volume controls.	Adjust the audio level on the Bluetooth source device.
User Interface	VOICE-22394	The access point list found under Settings > Status > Diagnostics > Wi-Fi Stats > AP List (screen 3) doesn't show the connected Wi-Fi access point's name or MAC address.	View the connected access point in the Wi-Fi menu.
User Interface	VOICE-22931	The system web interface doesn't display the correct time if you change the device time zone.	Log out and log in to the system web interface two times.
User Interface	VOICE-59707	When in a video call On a Trio C60, the Video Start/Stop button has moved to the main menu and isn't present on the main "active call" screen.	No workaround.

System Constraints and Limitations

This section identifies the constraints and limitations when using this product.

Windows 11 Support

Poly doesn't fully support use of this product with Windows 11 computers at this time.

Get Help

For more information about installing, configuring, and administering Poly products or services, go to [Poly Support](#).

Related Poly and Partner Resources

See the following sites for information related to this product.

- [Poly Support](#) is the entry point to online product, service, and solution support information including Video Tutorials, Documents & Software, Knowledge Base, Community Discussions, Poly University, and additional services.

- The [Poly Document Library](#) provides support documentation for active products, services, and solutions. The documentation displays in responsive HTML5 format so that you can easily access and view installation, configuration, or administration content from any online device.
- The [Poly Community](#) provides access to the latest developer and support information. Create an account to access Poly support personnel and participate in developer and support forums. You can find the latest information on hardware, software, and partner solutions topics, share ideas, and solve problems with your colleagues.
- The [Poly Partner Network](#) is a program where resellers, distributors, solutions providers, and unified communications providers deliver high-value business solutions that meet critical customer needs, making it easy for you to communicate face-to-face using the applications and devices you use every day.
- The [Poly Services](#) help your business succeed and get the most out of your investment through the benefits of collaboration.
- [Poly Lens](#) enables better collaboration for every user in every workspace. It is designed to spotlight the health and efficiency of your spaces and devices by providing actionable insights and simplifying device management.
- With [Poly+](#) you get exclusive premium features, insights and management tools necessary to keep employee devices up, running and ready for action.

Privacy Policy

Poly products and services process customer data in a manner consistent with the [Poly Privacy Policy](#). Please direct comments or questions to privacy@poly.com.

Copyright and Trademark Information

©2022 Poly. Bluetooth is a registered trademark of Bluetooth SIG, Inc. All other trademarks are the property of their respective owners.

Poly
345 Encinal Street
Santa Cruz, California
95060